



FRITZ!Box 7510

Manual

Table of Contents

General Information on the FRITZ!Box.....	7
Safety Instructions.....	8
Package Contents.....	11
Instructions and Help.....	12
Symbols Used.....	13
Information on Cleaning.....	14
Functions and Structure.....	15
Functions.....	16
Device Data on the Type Label.....	19
Connection Sockets.....	20
Buttons.....	23
LEDs.....	24
Requirements for Operation.....	27
Connecting.....	28
Overview: Connecting the FRITZ!Box.....	29
Placement.....	30
Connecting to Electric Power.....	32
Connecting with the Internet via DSL or VDSL line.....	33
Connecting with the Internet: Via Mobile Network.....	34
Connecting Computers and Other Devices Using a Network Cable.....	36
Connecting Wireless Devices with FRITZ!Box.....	38
Connecting Telephones.....	41
Registering a Smartphone for Making Calls on the Landline.....	43
Connecting a Door Intercom System.....	44
User Interface.....	45
Opening the User Interface.....	46
Homepage of the User Interface.....	47
Using the Wizard for Basic Configuration.....	49

Changing the FRITZ!Box Password.....	50
Logging Out of the User Interface.....	52
Configuring.....	53
Overview: Configuring the FRITZ!Box.....	54
Configuring the Internet Connection on the DSL line.....	55
Configuring Internet Access via the Mobile Network.....	56
Configuring Your Telephone Numbers.....	57
Configuring Telephones.....	58
Configuring a Door Intercom System.....	60
Saving Power with the FRITZ!Box.....	61
Mesh with FRITZ!.....	63
Expanding a Wi-Fi Network with Mesh.....	64
Enabling Mesh for FRITZ!Repeater and FRITZ!Powerline.....	66
Using FRITZ!Box as a Mesh Repeater.....	68
Using Telephony in the Mesh.....	69
User Interface: Internet Menu.....	70
Using AVM Services for Diagnostics and Maintenance.....	71
Configuring Parental Controls.....	73
Creating and Assigning Access Profiles.....	76
Editing Filter Lists.....	78
Configuring Priorities for Internet Use.....	79
Configuring Port Sharing.....	80
Enabling Dynamic DNS.....	82
Remote Access to the FRITZ!Box.....	83
Configuring VPN Remote Access.....	85
Configuring IPv6.....	87
Configuring FRITZ!Box as a LISP Router.....	89
User Interface: Telephony Menu.....	90
Configuring and Using the Telephone Book.....	91
Configuring and Using the Answering Machine.....	94
Using the Fax Function.....	96

Configuring Call Diversion.....	97
Configuring Call Blocks.....	98
Configuring Do Not Disturb.....	100
Setting an Alarm.....	101
Configuring a Dialing Rule.....	102
Reducing the Radiation of DECT Emissions.....	103
Allowing Non-Encrypted DECT Connections.....	105
User Interface: Home Network Menu.....	106
Overview of All Devices.....	107
Managing Network Devices.....	112
Changing IPv4 Settings.....	115
Distributing IPv4 Addresses.....	118
Changing IPv6 Settings.....	120
Configuring a Static IP Route.....	122
Obtaining an IP Address Automatically.....	124
Configuring Wake on LAN.....	126
Configuring USB Devices.....	127
Configuring and Using the Media Server.....	132
Assigning a FRITZ!Box Name.....	134
User Interface: Wi-Fi Menu.....	135
Switching the Wi-Fi Network On and Off.....	136
Selecting the Wi-Fi Channel.....	137
Configuring Wi-Fi Guest Access.....	138
User Interface: Smart Home Menu.....	142
Smart Home Devices.....	143
Configuring a Group of Smart Plugs and LED Lights.....	145
Setting Up a Group of Radiator Controls.....	146
Configuring a Template for Smart Plugs and LED Lights.....	147
Configuring a Template for Radiator Controls.....	148
User Interface: Diagnostics Menu.....	149
Starting Function Diagnostics.....	150

Starting Security Diagnostics.....	152
User Interface: System Menu.....	155
Configuring Push Services.....	156
Logging In to the FRITZ!Box User Interface.....	158
Selecting Signaling of the “Info” LED.....	162
Switching Off and Dimming the LED Display.....	163
Locking and Unlocking Buttons.....	164
Setting the User Interface Language.....	165
Changing Regional Options.....	166
Adjusting the Time Zone.....	167
Saving Settings.....	168
Loading Settings.....	169
Restarting the FRITZ!Box.....	170
Restoring Factory Settings.....	171
Performing a FRITZ!OS Update Automatically.....	173
Performing a FRITZ!OS Update in the Mesh Overview.....	176
Performing a FRITZ!OS Update with the Wizard.....	178
Performing a FRITZ!OS Update Manually.....	180
User Interface: Wizards Menu.....	182
Using the Wizards.....	183
FRITZ!NAS.....	185
Using Features of FRITZ!NAS.....	186
Displaying the FRITZ!Box Data Storage in the File Manager.....	189
Backing Up FRITZ!Box Storage.....	190
MyFRITZ!.....	191
What Is MyFRITZ!?.....	192
Creating a New MyFRITZ! Account.....	195
Configuring MyFRITZ!App in Android.....	196
Configuring MyFRITZ!App in iOS.....	198
Controlling the FRITZ!Box with Keypad Codes.....	199
Information on Keypad Codes.....	200

Configuration on the Telephone.....	202
Operating on the Telephone.....	212
Restoring Factory Settings with the Telephone.....	225
Malfunctions.....	227
Troubleshooting Procedures.....	228
Troubleshooting Chart.....	229
Opening the User Interface with the Emergency IP Address.....	232
Knowledge Base.....	233
Support.....	234
Decommissioning and Disposal.....	236
Decommissioning.....	237
Disposal.....	238
Technical Specifications.....	239
Technical Specifications.....	240
Legal Notice.....	243
Legal Notice.....	244
Drilling Template.....	249
Index.....	251

General Information on the FRITZ!Box

Safety Instructions.....8

Package Contents..... 11

Instructions and Help.....12

Symbols Used.....13

Information on Cleaning..... 14



Safety Instructions

Overview

Before connecting the FRITZ!Box, observe the following security instructions in order to protect yourself, the surroundings, and the FRITZ!Box from harm.

Fires and Electrical Shocks

Overloaded outlets, extension cords, and power strips can cause fires or electric shocks.

- Avoid using socket strips and extension cords if at all possible.
- Do not connect multiple extension cords or socket strips to each other.

Overheating

Heat accumulation can cause the FRITZ!Box to overheat. This can result in damage to the FRITZ!Box.

- Provide for sufficient air circulation around the FRITZ!Box.
- Make sure that the ventilation slits on the FRITZ!Box housing are always unobstructed.
- The FRITZ!Box should not be placed on carpets or upholstery.
- Do not cover the FRITZ!Box.

Damage to Heat-Sensitive Surfaces

The base of the FRITZ!Box heats up during normal operation. This heat can cause damage to heat-sensitive surfaces.

- Do not place the FRITZ!Box on heat-sensitive surfaces.

Power Surges Caused by Lightning

During electrical storms, electrical surges caused by lightning present a danger to connected electrical devices.

- Do not install the FRITZ!Box during an electrical storm.
- During a storm, disconnect the FRITZ!Box from the power supply.
- During a storm, disconnect the FRITZ!Box from the DSL or VDSL line.

Moisture, Liquids, and Vapors

Moisture, liquids, and vapors that find their way into the FRITZ!Box can cause electric shocks or short circuits.

- Only use the FRITZ!Box indoors.
- Never let liquids get inside the FRITZ!Box.
- Protect the FRITZ!Box from vapors and moisture.

Improper Cleaning

Improper cleaning with strong detergents, solvents or wet cloths can cause damage to the FRITZ!Box .

- Please refer to the information about how to clean your FRITZ!Box; [see page 14](#).

Improper Opening and Repairs

The device contains hazardous components and should only be opened by authorized repair technicians.

- Do not open the FRITZ!Box housing.
- If the FRITZ!Box needs to be repaired, please take it to a specialized vendor.

Internet Security

Comprehensive information about how to protect your FRITZ!Box and your home network from access by strangers is presented in the internet at:

en.avm.de/guide

Radio and Electromagnetic Interference

Radio interference can be generated by every device that emits electromagnetic signals. With so many devices transmitting and receiving radio waves, interference can occur when radio waves overlap.

- Do not use the FRITZ!Box in places where the use of radio devices is prohibited.
- Follow any instructions to switch off radio devices – especially in hospitals, outpatient treatment centers, medical practices, and other medical facilities – in order to prevent interference with sensitive medical equipment.
- Consult your doctor and the manufacturer of your medical device (pacemaker, hearing aid, electronically controlled implant, etc.) to find out whether it could be affected by interference from your FRITZ!Box.
- If applicable, maintain the recommended minimum distance of 15 cm recommended by the manufacturers of medical devices in order to prevent malfunctions of your medical device.

Potentially Explosive Environments

Under unfavorable conditions, radio waves in the vicinity of explosive environments can cause fires or explosions.

- Do not install and operate your FRITZ!Box in the vicinity of explosive environments, flammable gases, areas in which the air contains chemicals or particles like grain, dust or metal powder, or in the vicinity of detonation grounds.
- In locations with potentially explosive atmospheres, and in the vicinity of detonation grounds, follow the instructions to switch off electronic devices in order to prevent interference with detonation and ignition systems.

Package Contents

Package Contents

Amt.	Supplied Part	Details
1	FRITZ!Box 7510	
1	Power adapter	white
1	Network cable	also called LAN cable, white
1	DSL cable	gray
1	Quick guide	instructions for connecting the FRITZ!Box
1	FRITZ! Notes	service card with FRITZ!Box settings upon delivery



Instructions and Help

Instructions and Help

Use the comprehensive customer documentation to connect, configure, and operate your FRITZ!Box.

The latest information on products, important developments, and updates is presented on social media.





After a FRITZ!OS update, download the latest manual from en.avm.de/service/manuals.

Medium	Contents	Location
Manual	<ul style="list-style-type: none">• Status FRITZ!OS version 7.28• Connecting, configuration, and operation• Range of functions of your FRITZ!Box	en.avm.de/service/manuals
Quick guide	Connecting and configuration	Provided in print with your FRITZ!Box
Online help	<ul style="list-style-type: none">• Instructions on configuration and operation• Help on the functions and settings options in the user interface	http://fritz.box/?
Knowledge Base	Solutions for common problems during connection, configuration, and operation	en.avm.de/service
Social media	The latest about the FRITZ!Box, your FRITZ!Box home network, and your FRITZ! device	Facebook
		Instagram
		Twitter
		YouTube

Symbols Used

Symbols Used

The following symbols are used in this manual:

	Meaning
	Important message that should be complied with in order to prevent material damage, errors or malfunctions
	Useful tip for configuring and operating the FRITZ!Box

Information on Cleaning

Rules

- Remove the FRITZ!Box from the mains before cleaning.
- Wipe the FRITZ!Box with a slightly moist, lint-free cloth or an anti-static cloth.
- Do not use any strong detergents or solvents for cleaning.
- Do not use any wet cloths for cleaning.

Functions and Structure

Functions..... 16

Device Data on the Type Label..... 19

Connection Sockets..... 20

Buttons..... 23

LEDs..... 24

Requirements for Operation..... 27



Functions

Internet Router

The FRITZ!Box 7510 is an internet router for DSL lines.

The FRITZ!Box can be connected to the following lines:

- ADSL/ADSL2 line
- ADSL2+ line (up to 24 Mbit/s)
- VDSL2 line
- VDSL2 line with vectoring (up to 100 Mbit/s)
- VDSL2 line with supervectoring (up to 300 Mbit/s)

Telephone System

The FRITZ!Box is a telephone system (or PBX: Private Branch Exchange) for internet telephony (IP telephony, VoIP) on IP-based lines.

The following devices can be connected to the FRITZ!Box :

- 6 cordless (DECT) telephones
- 1 analog device (telephone, answering machine, fax)
- 10 IP telephones (FRITZ!App Fon, for instance)

Up to five integrated answering machines can be used to save voice messages and, upon request, send them to you by email.

Via the integrated fax function you can also send and receive faxes without an external fax machine.

Wireless Access Point

The FRITZ!Box is a wireless access point for any wireless devices, for instance:

- notebooks
- tablets
- smartphones
- wireless printers

Hub in the Home Network

The FRITZ!Box is the hub in the home network. All of the devices connected with the FRITZ!Box make up the home network. With the FRITZ!Box you can keep track of all devices. The functions available for the home network include:

- A media server for transmission of music, pictures, and video to playback devices in the home network
- MyFRITZ!, for access to your own FRITZ!Box over the internet from anywhere
- FRITZ!NAS, for easy access to all files in the network

USB Port

The FRITZ!Box has a USB 2.0 port to which you can connect the following devices:

- USB storage devices (for example, flash drives, external hard drives, card readers)
- USB printers, USB all-in-one printers, USB scanners
- USB mobile network dongles or smartphones with USB tethering
- USB hubs

DECT Base Station

The FRITZ!Box is a DECT base station that supports the DECT ULE standard. The following DECT devices can be operated simultaneously on the FRITZ!Box:

- Up to 6 cordless (DECT) telephones
- Smart Home devices

Smart Home

The following Smart Home devices can be registered with the FRITZ!Box at the same time, and configured and controlled via the FRITZ!Box :

Type of Device	Number	Features
Smart plugs <ul style="list-style-type: none"> • FRITZ!DECT 210 • FRITZ!DECT 200 	Up to 10	<ul style="list-style-type: none"> • Control the power supply to connected devices by schedule. • Measure the power consumption of connected devices.
Radiator controls <ul style="list-style-type: none"> • FRITZ!DECT 301 • FRITZ!DECT 300 • Comet DECT 	Up to 12	Control the room temperature automatically and save energy costs.
Switches <ul style="list-style-type: none"> • FRITZ!DECT 440 • FRITZ!DECT 400 	Up to 10	Switch and control FRITZ!DECT devices.
FRITZ!DECT 500 LED light	Up to 10	Control white and color lighting.
Smart Home devices via HAN FUN	Up to 10	Connect Smart Home devices from other manufacturers with the FRITZ!Box.

Device Data on the Type Label

Overview


Important device data on your FRITZ!Box are presented on the type label on the bottom. There you find the preset network key for Wi-Fi connections with the FRITZ!Box, the preconfigured FRITZ!Box password for the user interface, the serial number for support queries, and additional data.

Device Data on the Type Label

No.	Meaning
1	Product name
2	Address of user interface
3	Name of Wi-Fi network (SSID)
4	FRITZ!Box password
5	Network key (Wi-Fi password)
6	Power adapter specification
7	Serial number
8	Article number

Connection Sockets

Connector Panel



No.	Name	Function
1	DSL	Port for connecting to DSL (VDSL including supervectoring/ADSL2+)
2	FON	RJ11 socket for connecting analog telephones, fax machines, answering machines or a door intercom system
3	LAN	Port for connecting computers and other network-compatible devices like hubs and game consoles
4	Power	Socket for plugging in the power supply

Connectors on the Sides: FON



No.	Name	Function
1	FON	TAE socket for connecting analog telephones, fax machines and answering machines


Connectors on the Sides: USB



No.	Name	Function
1	USB	USB 2.0 socket for connecting USB devices like printers or storage media

Buttons


Button Functions



No.	Button	Function
1	WLAN	Switch Wi-Fi on and off
2	Fon/DECT	Search for cordless telephones (paging call)
3	Connect/WPS	<ul style="list-style-type: none">• Register cordless telephones with the FRITZ!Box; see page 41• Register wireless devices with the FRITZ!Box via WPS; see page 39• Register Smart Home devices with the FRITZ!Box

LEDs

Meaning of the LEDs



No.	LED	Condi- tion	Meaning
1	Power/DSL	off	The device has no electrical power.
		on	The device has electrical power and DSL is synchronized. The FRITZ!Box is ready for operation.
		flashing	Device has electrical power and the connection to DSL is being established or has been interrupted.

No.	LED	Condition	Meaning
2	WLAN	off	Wi-Fi is disabled.
		on	Wi-Fi is enabled.
		flashing	<ul style="list-style-type: none"> Switching Wi-Fi function on or off. Applying changes to the Wi-Fi settings. WPS in progress: Registration procedure for a wireless, DECT, Smart Home or powerline device in progress.
3	Fon/DECT	off	No telephone call is being conducted.
		on	A telephone connection is active.
		flashing	<ul style="list-style-type: none"> Registration of a DECT device in progress. Registration of a Smart Home device in progress. Messages in your voice mailbox. (Function must be supported by the telephony provider.)
4	Connect/WPS	off	No devices registering with the home network.
		flashing	Registration in progress for a wireless, DECT, Smart Home or powerline device.
		on	Registration of a wireless, DECT, Smart Home or powerline device was successful.
		flashing fast	Registration aborted: more than 1 device registering with the FRITZ!Box. Repeat the registration: 1 device per registration.

No.	LED	Condition	Meaning
5	Info	off	None of the following processes is active:
		green	<ul style="list-style-type: none"> • AVM Stick & Surf procedure with FRITZ!WLAN Stick concluded. • Adjustable; see page 162.
		flashing green	<ul style="list-style-type: none"> • Updating FRITZ!OS. • AVM Stick & Surf procedure with the FRITZ!WLAN Stick in progress. • Time budget for online time has been reached. • Adjustable; see page 162.
		on or flashing red	<p>Error:</p> <p>Open the user interface (see page 46) and follow the instructions on the "Overview" page.</p>

Requirements for Operation

Requirements

- For internet access via DSL: DSL line
- For internet access via VDSL: VDSL line
- For configuration of the FRITZ!Box: a network device (computer or tablet) with network connection or Wi-Fi support and up-to-date web browser

For comprehensive technical information about your FRITZ!Box, [see page 239](#).






Connecting

Overview: Connecting the FRITZ!Box.....	29
Placement.....	30
Connecting to Electric Power.....	32
Connecting with the Internet via DSL or VDSL line.....	33
Connecting with the Internet: Via Mobile Network.....	34
Connecting Computers and Other Devices Using a Network Cable.....	36
Connecting Wireless Devices with FRITZ!Box.....	38
Connecting Telephones.....	41
Registering a Smartphone for Making Calls on the Landline.....	43
Connecting a Door Intercom System.....	44

Overview: Connecting the FRITZ!Box

Overview

Connecting the FRITZ!Box entails the following steps:

	Instructions
	Place or hang up the FRITZ!Box in a suitable location.
	Connect the FRITZ!Box to the power supply.
	Connect the FRITZ!Box with your DSL or VDSL line.
	Connect your computers and network devices to the FRITZ!Box.
	Connect your telephones to the FRITZ!Box.



Placement

Overview

You can place the FRITZ!Box on a horizontal surface or mount it on a wall.



Ideal operating conditions are achieved when you mount the FRITZ!Box on a wall.

Rules for Setting Up the FRITZ!Box

- Only use the FRITZ!Box indoors.
- Position the FRITZ!Box near an electrical outlet that is easy to reach, so that you can unplug the FRITZ!Box at any time.
- Position the FRITZ!Box in a dry location that is free of dust.
- Do not place the FRITZ!Box on heat-sensitive surfaces like furniture with sensitive paintwork.
- To avoid heat accumulation, the FRITZ!Box should not be placed on carpets or upholstered furniture.
- Provide for sufficient air circulation around the FRITZ!Box and do not cover up the FRITZ!Box. The ventilation slits must never be obstructed.

Rules for Optimum Wi-Fi Reception



Radio wave propagation during Wi-Fi operation is strongly dependent on the position of your FRITZ!Box. By slightly shifting the position of the FRITZ!Box you can improve the Wi-Fi connection. If these measures are not sufficient, then you can extend the range of your Wi-Fi network with a wireless repeater and Mesh with FRITZ!; [see page 64](#).

- Position the FRITZ!Box in a central location.
- Position the FRITZ!Box in an elevated location.

- Keep sufficient distance from potential sources of interference like DECT base stations, microwave devices or electric devices with large metal housings.
- Position the FRITZ!Box so that it is not covered by other objects and there are as few walls or other obstacles as possible between it and the other wireless devices.
- Make sure that the FRITZ!Box uses frequency ranges that are used by as few other devices as possible.

Instructions: Setting Up the FRITZ!Box

1. In compliance with the rules mentioned above, select a suitable location for the FRITZ!Box.
2. Place the FRITZ!Box in this location.

Instructions: Mounting FRITZ!Box on the Wall



Damage to electric wiring or gas or water pipes during drilling can present a significant danger. Before mounting the FRITZ!Box on the wall, make sure that there are no electricity lines, gas or water pipes located where you need to drill the holes. If necessary, check the site with a pipe detector or consult with qualified experts.

1. In compliance with the rules mentioned above, select a suitable location for mounting the FRITZ!Box on the wall.
2. Mark the spots for drilling at the desired location using the drilling template ([see page 249](#)).
3. Mount the FRITZ!Box on the wall with the socket strip down.

Connecting to Electric Power

Overview


Connect the FRITZ!Box to the power supply.

Rules

- If possible, avoid using any power strips or extension cords.
- If it is not possible to avoid using socket strips and extension cords, then do not connect multiple extension cords or socket strips to each other.
- Use only the power adapter included with delivery.

Instructions: Plugging In to Electrical Power

1. Connect the power adapter to the socket on the FRITZ!Box labeled "Power".



2. Plug the other end into a electrical outlet.


Connecting with the Internet via DSL or VDSL line

Overview

If you have an IP-based DSL or VDSL line, then connect the FRITZ!Box directly to the telephone jack. Use the connecting cable included with delivery.

Requirements

- All cables have been removed from your telephone jack.



Instructions: Connecting to the DSL or VDSL line

1. Insert the RJ connector of the connecting cable into the "DSL" port on the FRITZ!Box.
2. Insert the telephone connector of the connecting cable into the socket on your telephone jack labeled "F".

After a short time the "Power/DSL" LED on the FRITZ!Box lights up.

Connecting with the Internet: Via Mobile Network

Overview

The FRITZ!Box can connect to the internet via the mobile network.

Supported Devices and Mobile Communication Standards

- USB mobile network dongles for LTE/UMTS/HSPA
- Mobile network dongles and smartphones that support USB tethering
- Smartphones configured as Wi-Fi hotspots

Requirements


- A mobile network device for internet access via LTE, UMTS or HSPA
- A SIM card from a mobile network provider

Restrictions by the Mobile Network Provider



Due to technical limitations on the part of the mobile network providers, some limitations may arise for internet telephone calls and for applications requiring an incoming connection. This is also true for using port sharing, releasing USB storage media for sharing, remote maintenance over HTTPS, Dynamic DNS, and VPN. Contact your network provider for details on any restrictions that may apply.

Example Configuration



Instructions: Connecting the Mobile Network Dongle

1. Insert the mobile network dongle into the USB port of the FRITZ!Box.

Instructions: Connecting with the Smartphone via USB

1. Connect the smartphone to the USB port on the FRITZ!Box using a USB cable.

Connecting Computers and Other Devices Using a Network Cable

Overview


You can connect computers and other network devices with the FRITZ!Box using a network cable. This is recommended especially for the initial configuration of your FRITZ!Box. The way a computer is connected is the same regardless of the computer's operating system.

Rules

- The network cable used to connect a computer or another network device to the FRITZ!Box may be no longer than 100 m.

Instructions: Connecting a Computer Using a Network Cable

1. Insert the network cable into the LAN socket of the computer.
2. Insert the free end of the cable into a LAN socket on the FRITZ!Box.



Instructions: Connecting a Network Hub or Network Switch

1. Insert the network cable included in the package into the uplink port of the network hub or network switch.

2. Insert the free end of the cable into a LAN socket on the FRITZ!Box.

Connecting Wireless Devices with FRITZ!Box

Overview

You can connect computers, smartphones, tablets, and other network devices wirelessly with the FRITZ!Box via Wi-Fi.

Wi-Fi connections can be established using a QR code, the Wi-Fi network key of the FRITZ!Box, or via WPS.

Requirements

- for Wi-Fi connections via QR code: smartphone or tablet with a QR code app
- for Wi-Fi connections via WPS: Wireless device with support for WPS at the touch of a button (WPS Push Button)

Many Windows computers support WPS. Apple devices (MacOS, iOS) do not support WPS.

Scanning QR Codes on a Smartphone or Tablet

Many smartphones and tablets can scan QR codes using the camera app, for instance, iPhones with iOS13 or later. To test your smartphone or tablet, open the camera app and point the camera at a QR code. If the device detects the QR code, a message appears with the information stored in the QR code. If no message appears, you can use a QR code app to scan the QR code.

Example: QR code with the address (URL) of the English-language AVM website:



Instructions: Establishing a Wi-Fi Connection with the QR Code

1. Open the user interface; [see page 46](#).
2. Select "Wi-Fi / Wi-Fi Network".
Here is where to find the QR code for Wi-Fi connections with the FRITZ!Box.
3. Scan the QR code on your smartphone or tablet.
You can scan the QR code directly from the screen or print it out (by clicking on "Print Info Page").

Instructions: Establishing a Wi-Fi Connection Using a Network Key


1. On the wireless device, select the Wi-Fi network of the FRITZ!Box.
The preconfigured Wi-Fi name is composed of "FRITZ!Box 7510" and two randomly selected letters (for instance, "XY"). It is printed on the type label on the bottom.
2. Start the connection procedure.
3. Enter the network key of the FRITZ!Box.
This is found on the type label on the bottom.

Instructions: Establishing a Wi-Fi Connection Using WPS

WPS is a method for establishing secure Wi-Fi connections at the touch of a button.

1. On the wireless device, select the Wi-Fi network of the FRITZ!Box.
The preconfigured Wi-Fi name is composed of "FRITZ!Box 7510" and two randomly selected letters (for instance, "XY"). It is printed on the type label on the bottom.
2. Start the connection procedure via WPS (see the documentation of the wireless device).

3. On the FRITZ!Box : Press the "Connect/WPS" button briefly.



The "Connect/WPS" LED flashes while the Wi-Fi connection is being established.

Connecting Telephones

Overview

You can connect telephones, fax machines, answering machines, and telephone systems to your FRITZ!Box.




During a power outage you cannot make any telephone calls with the connected telephones.

Instructions: Registering a Cordless Telephone

You can register up to six cordless telephones like FRITZ!Fon with the FRITZ!Box.

1. On a cordless telephone: Start registration with a base station.
2. On the FRITZ!Box : Press the “Fon/DECT” button.




The “Fon/DECT” LED flashes.

3. On a cordless telephone: Enter the PIN of the FRITZ!Box on the telephone (preset value: 0000).
4. In the user interface of your FRITZ!Box: Configure the telephone; [see page 58](#).

Instructions: Connecting an Analog Telephone

1. Connect the telephone, the answering machine or the fax machine to a "FON" socket. Use only one "FON" socket at a time. One of the two sockets must remain free.



2. In the user interface of your FRITZ!Box: Configure the connected device; [see page 58](#).

Instructions: Connecting an IP Telephone

IP telephones are special telephones for internet telephony (IP stands for Internet Protocol).

1. Connect the IP telephone to the FRITZ!Box using a network cable or Wi-Fi.
2. In the user interface of your FRITZ!Box: Configure the telephone; [see page 58](#).

Registering a Smartphone for Making Calls on the Landline

Overview

You can register your iPhone or Android smartphone with the FRITZ!App Fon using your FRITZ!Box. Then you can make calls with your smartphone at home, using all of the telephone numbers configured in the FRITZ!Box. And the smartphone can still be reached at your mobile telephone number as well.

Requirements

- iPhone or Android smartphone
- The setting “Allow access for applications” is enabled in the FRITZ!Box (in the user interface under “Home Network / Network / Network Settings”)

Instructions: Connecting a Smartphone

1. Establish a Wi-Fi connection to the FRITZ!Box on your smartphone.
2. Install FRITZ!App Fon on your smartphone. FRITZ!App Fon is available from the Google Play Store and the Apple App Store.
3. Start the FRITZ!App Fon. FRITZ!App Fon is automatically configured as an IP telephone in the FRITZ!Box.
4. In the user interface of your FRITZ!Box : Configure the IP telephone “FRITZ!App Fon”; [see page 58](#).

Connecting a Door Intercom System

Overview

Door intercom systems with an a/b interface and IP door intercoms can be connected to the FRITZ!Box. Then you have the following options:

- You can answer the doorbell on your telephones, speak with visitors, and open the door, even on a mobile telephone or other telephone connection away from home.
- You can have the camera image from your door intercom system displayed on FRITZ!Fon telephones with a color display.
- You can configure a special ring tone to signal the doorbell on a FRITZ!Fon.

Supported Door Intercom Systems

- Door intercom system with an a/b interface that uses DTMF (dual-tone multi-frequency signaling) tone dialing.
- IP door intercom systems that can be configured as SIP clients (by entering the login data for a SIP registrar).

Instructions: Connecting a Door Intercom System with an a/b Interface

1. Connect the door intercom system to a “FON” socket. Note: One “FON” socket must remain free (not allocated).
2. In the user interface of your FRITZ!Box: Configure the door intercom system; [see page 60](#).

Instructions: Connecting an IP Door Intercom System

1. Connect the IP door intercom system to the FRITZ!Box using a network cable or Wi-Fi.
2. In the user interface of your FRITZ!Box: Configure the door intercom system; [see page 60](#).

User Interface

Opening the User Interface..... 46

Homepage of the User Interface..... 47

Using the Wizard for Basic Configuration..... 49

Changing the FRITZ!Box Password..... 50

Logging Out of the User Interface..... 52



Opening the User Interface

Overview


Open the user interface of the FRITZ!Box in a web browser. In the user interface you configure the FRITZ!Box and receive information on connections, interfaces, and on the entire home network.

Requirements

- Your computer, tablet or smartphone is connected with the FRITZ!Box via Wi-Fi or with the network cable.

Instructions: Opening User Interface

1. Start a web browser on your computer or mobile device and enter <http://fritz.box> in the address bar.



2. Enter the preset FRITZ!Box password and click on “Log In”.
The preconfigured FRITZ!Box password is printed on the type label on the bottom and on the “FRITZ! Notes” service card.
If you already changed the preset FRITZ!Box password, or if a FRITZ!Box user has already been created, then log in with the changed login information; [see page 158](#).

The FRITZ!Box user interface opens to display the “Overview” home-page.

Homepage of the User Interface

Overview

The “Overview” menu is the homepage of your FRITZ!Box user interface. In addition to a clear menu structure and wizards offering step-by-step instructions, the homepage displays important information on the FRITZ!Box and all of the devices connected in the home network.

Overview of Settings on the Homepage

The homepage displays all of the basic information on the status of your FRITZ!Box as well as an overview of all FRITZ!Box settings and devices in the home network. The homepage also presents important notifications for secure, reliable operation of your FRITZ!Box.

- Links take you directly to the pages in the user interface on which you can configure settings for FRITZ!Box functions.
- Links to FRITZ! products in the home network open their user interfaces in their own browser tabs.

Area	Function / Display
System	<ul style="list-style-type: none">• Product name or individually assigned name of the FRITZ!Box• FRITZ!OS installed• Current power consumption• Important notifications for secure, reliable operation of your FRITZ!Box

Area	Function / Display
Connections and Interfaces	<ul style="list-style-type: none">• Information on internet and telephony connections and on all FRITZ!Box interfaces• Information on telephone calls and voice messages on the integrated answering machine• Devices connected to the FRITZ!Box, such as computers, smartphones, network storage, printers, and Smart Home devices• Configured convenience features

Using the Wizard for Basic Configuration

Overview

The first time the user interface is opened, the Wizard for Basic Configuration of the FRITZ!Box is started. This wizard assists you in entering your account information to connect to the internet and use your telephones.



The wizard can be restarted at any time via the “Wizards” menu in the FRITZ!Box user interface.

Requirements

- The FRITZ!Box password has been supplied. The preconfigured FRITZ!Box password is printed on the FRITZ!Box service card “FRITZ! Notes” and on the type label on the bottom.
- The account information has been supplied by your internet service provider.
- The telephone numbers have been supplied by your telephony provider.

Instructions: Using the Wizard for Basic Configuration

1. Enter the preset FRITZ!Box password and click on “Log In”.
2. Choose whether you would like to use the AVM services for diagnostics and maintenance. We recommend leaving this option enabled. You can always change the setting later.
3. Click on “Next”.
4. Follow the wizard’s instructions.

Once the wizard is complete, the basic configuration of the FRITZ!Box has been concluded. The FRITZ!Box is ready for the internet and for telephony.

Changing the FRITZ!Box Password

Overview

Within the FRITZ!Box home network you can log in with the FRITZ!Box using a FRITZ!Box password without a username. For the first login with the FRITZ!Box, use the FRITZ!Box password preset for your FRITZ!Box. The preconfigured FRITZ!Box password is printed on the “FRITZ! Notes” service card and on the type label on the bottom of your FRITZ!Box. You can change the preconfigured FRITZ!Box password.

We recommend configuring the “Forgot Password” push service; [see page 156](#). When you have forgotten a password, the FRITZ!Box sends an access link to the email address you specified. Using this link you can set a new password.

Requirements

- You have not yet changed the username automatically created for the FRITZ!Box password; [see page 158](#).

Instructions: Changing the FRITZ!Box Password

1. Open the FRITZ!Box user interface. In the browser, enter the address <http://fritz.box>.
2. Log on with the FRITZ!Box password.
3. Click on the menu with the three dots in the header of the FRITZ!Box user interface:



4. Click on “Change Password” in the menu.

5. Enter a new password. Remember to comply with the rules for passwords; [see page 160](#).
6. Click on “Apply”.

Logging Out of the User Interface

Overview

Session IDs are assigned for access to the FRITZ!Box user interface. The use of session IDs offers effective protection from attacks from the internet in which attackers send unauthorized data to a web application. For security reasons, we therefore recommend that you log out of the user interface before surfing the web.



Use push services to have yourself notified each time someone logs into or out of your FRITZ!Box; [see page 156](#).

Automatic Logout when Idle

If you have not logged out of the FRITZ!Box user interface, and have not been active in the browser for 20 minutes, you will be logged out automatically.

Instructions: Manual Logout

1. Click on the menu with the three dots in the header of the FRITZ!Box user interface:



2. Click on "Log Off" in the menu.

You have logged out of the FRITZ!Box user interface.

Configuring

Overview: Configuring the FRITZ!Box..... 54

Configuring the Internet Connection on the DSL line..... 55

Configuring Internet Access via the Mobile Network..... 56

Configuring Your Telephone Numbers.....57

Configuring Telephones.....58

Configuring a Door Intercom System..... 60




Saving Power with the FRITZ!Box..... 61



Overview: Configuring the FRITZ!Box

Overview

Configuration of the FRITZ!Box entails the following steps:

	Instructions
	Set up the internet connection in the FRITZ!Box.
	Set up the connected telephones and their telephone numbers in the FRITZ!Box.
	Configure your smartphone in the FRITZ!Box (optional).

Requirements

- The FRITZ!Box is connected with the internet access.
- You have connected all of the telephones you want to use with the FRITZ!Box.



Configuring the Internet Connection on the DSL line

Overview

The internet connection is set up in the FRITZ!Box user interface. A wizard assists you in entering the account information from your internet service provider. The first time the user interface is opened, the wizard opens automatically.

Requirements

- The FRITZ!Box is connected to the DSL line.
- The account information has been supplied by your internet service provider.

Instructions: Configuring the Internet Connection

1. Open the user interface; [see page 46](#).
2. If the wizard does not start automatically, select the “Wizards” menu.
3. Click on the “Configure Internet Connection” wizard.
4. Start your web browser and enter a web address, for instance en.avm.de.

The requested internet page is displayed.

Configuring Internet Access via the Mobile Network


Overview

In the FRITZ!Box you can configure internet access via the mobile network.

Requirements

- A mobile network dongle or an Android smartphone with USB tethering enabled must be connected to the USB port of the FRITZ!Box; [see page 34](#).

Instructions: Configuring the Internet Connection via the Mobile Network

1. Open the user interface; [see page 46](#).
2. Select "Internet / Mobile Network".
3. For instructions, open the online help .

Configuring Your Telephone Numbers

Overview

Configure all telephone numbers in the FRITZ!Box that are not configured automatically.

Some telephony providers configure your telephone numbers automatically. This configuration starts either right after the FRITZ!Box is connected to the internet or after the FRITZ!Box user interface is opened.

Instructions: Configuring Your Own Telephone Numbers

1. Open the user interface; [see page 46](#).
2. Select “Wizards / Manage Telephone Numbers”.
3. Click on “Add Telephone Number” and follow the wizard’s instructions.

Configuring Telephones

Overview

Once you have connected your telephony devices, configure these de-vices in the FRITZ!Box. For each device, specify:

- Telephone number for outgoing calls to the public telephone network
- How incoming calls should be handled: Should the device react (ring, for instance) to every call, or only respond to calls for certain telephone numbers?
- Further settings that depend on the kind of device.

Requirements

- Your own telephone numbers are set up in the FRITZ!Box.


Rules

The following rules apply for IP telephones:

- IP telephones are configured in the FRITZ!Box such that no international calls are possible. You can disable this security feature, [see page 59](#).
- Various FRITZ!Box features are not available for IP telephones, including telephone books, fax and data connections, routing, busy on busy, and controlling FRITZ!Box functions (for instance, switching Wi-Fi on and off).

Instructions: Configuring Telephones and Other Devices

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Telephony Devices".

3. If the device to be configured is not yet included in the list of telephony devices, click on "Configure New Device". The wizard guides you through the assignment of telephone numbers and enters the device in the list.
4. To configure further settings for a device in the list, click on the "Edit"  button of the device. The kind of device determines which additional settings are available.

Instructions: Enabling International Calls for an IP Telephone

An IP telephone is configured in the FRITZ!Box such that only domestic calls and calls to emergency numbers are possible. You can disable this security feature:

1. Open the user interface; [see page 46](#).
2. Under "Telephony / Telephone Numbers", select the "Line Settings" tab.
3. Under "Security", click on "Change Selection".
4. Disable the checkbox next to the desired IP telephone and click on "OK".
5. Save your settings by clicking on "Apply".

Configuring a Door Intercom System


Overview

Once you have connected your door intercom system to the FRITZ!Box, configure the door intercom system in the FRITZ!Box. Specify the telephones or telephone numbers to which door calls should be forwarded. You can also configure other settings, for instance, to have the camera image from the door intercom system sent to your FRITZ!Fon.

Requirements

- Your telephones are configured in the FRITZ!Box (see previous section).

Instructions: Setting up a Door Intercom System

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Telephony Devices".
3. Click on "Configure New Device". With the "Edit" button  you can also change the settings of a door intercom system that has already been configured.

Saving Power with the FRITZ!Box

Overview

The FRITZ!Box offers various settings for energy-saving operation. The following section describes how you can configure these settings and what potential energy savings can be expected.

Viewing Information on Energy Consumption

The current power consumption of the total FRITZ!Box system is displayed on the “Overview” page of the user interface.

Information on the power consumption of the individual areas, and on the average power consumption over the last 24 hours, is presented in the FRITZ!Box user interface under “System / Energy Monitor / Power Consumption”.

Using Savings Potential



What	How to	Where
Wi-Fi	Configure a schedule; see page 136	“Wi-Fi / Schedule” menu
	Switch off Wi-Fi; see page 136	<ul style="list-style-type: none">• “WLAN” button• “Wi-Fi / Wi-Fi Network” menu
	Reduce the maximum transmitter power	“Wi-Fi / Wi-Fi Channel / Wi-Fi Channel Settings / Additional settings” menu
LAN	Use the LAN port in energy-saving (green) mode	“Home Network / Network / Network Settings / LAN Settings” menu



Saving Power with Smart Home

With intelligent Smart Home devices like FRITZ!DECT, electrical appliances are integrated into the home network. This way they can be switched on and off by schedule. At the same time, the FRITZ!Box informs you about consumption, energy costs incurred, and the CO₂ footprint.

Instructions: Configuring a Schedule for Electrical Appliances in the Home Network

1. Open the user interface; [see page 46](#).
2. Select "Smart Home / Device Management / Edit Socket  / Automatic Switching".
3. For instructions, open the online help .

Mesh with FRITZ!

Expanding a Wi-Fi Network with Mesh.....64

Enabling Mesh for FRITZ!Repeater and FRITZ!Powerline..... 66

Using FRITZ!Box as a Mesh Repeater..... 68

Using Telephony in the Mesh..... 69



Expanding a Wi-Fi Network with Mesh

Overview

If the Wi-Fi network of the FRITZ!Box does not reach all of your rooms, then you can extend it with various FRITZ! products. Mesh combines the individual Wi-Fi networks of the FRITZ! devices into a single Wi-Fi network.

The FRITZ!Box is the hub of the Wi-Fi with Mesh, the “Mesh Master”. Other FRITZ! devices in the Mesh are “Mesh Repeaters”.

Mesh is available in FRITZ!OS version 7.00 or later.



The Mesh functions are not available when you expand the Wi-Fi network with a wireless repeater from another manufacturer.

FRITZ! Devices with Mesh

The following FRITZ! products can be used as “Mesh Repeaters” to expand the Wi-Fi network of the FRITZ!Box:

- FRITZ!Repeater

The connection to the FRITZ!Box will be established via Wi-Fi or LAN cable (FRITZ!Repeater with LAN port only). More information at en.avm.de/products/fritz wlan.

- FRITZ!Powerline

The connection to the FRITZ!Box is established via the electric wiring. For more information, see en.avm.de/products/fritz powerline.

- second FRITZ!Box

The second FRITZ!Box must be configured as a “Mesh Repeater” and as an IP client (IP client mode); see the FRITZ!Box manual at en.avm.de/service/manuals.

The connection to the first FRITZ!Box is established using a LAN cable. For some FRITZ!Box products a Wi-Fi connection is also possible; see the FRITZ!Box manual at en.avm.de/service/manuals.

Features in the Mesh

The FRITZ!Box is the hub of the Mesh, the “Mesh Master”. Other FRITZ! devices in the Mesh are “Mesh Repeaters”. The following features provide for high-performance connections between the devices and for convenience in the Mesh:

- Consistent Wi-Fi settings: “Mesh Repeaters” adopt from the “Mesh Master” the network name (SSID), network key, Wi-Fi guest access, and Wi-Fi schedule.
- “Mesh Overview” in the user interface of the “Mesh Master”: Here you can perform updates for all FRITZ! devices in the Mesh.
- Improved information exchange among FRITZ! devices provides for faster Wi-Fi connections.
- Mesh Wi-Fi Steering (access point steering, FRITZ!OS 7.10 or later): The “Mesh Master” can select the best FRITZ! device for each wireless device to use to access the home network.

Enabling Mesh for FRITZ!Repeater and FRITZ!Powerline


Overview

In order to benefit from the advantages of Mesh, enable Mesh for all FRITZ!Repeater s and FRITZ!Powerline devices located in the home network of your FRITZ!Box.


Requirements

- FRITZ!OS 7.00 or later is installed on the FRITZ!Box.
- FRITZ!OS version 7.00 or later is installed on the FRITZ!Repeater or FRITZ!Powerline.
- The FRITZ!Repeater or FRITZ!Powerline is located in the home network of the FRITZ!Box.

Instructions: Enabling Mesh for a FRITZ!Repeater

1. Open the FRITZ!Box user interface; [see page 46](#).
 2. Select "Home Network / Mesh".
 3. The FRITZ!Box is displayed in the overview with the "Mesh enabled"  symbol. If the symbol is also displayed for the FRITZ!Repeater, then Mesh is already enabled for the FRITZ!Repeater. If the symbol is missing next to the FRITZ!Repeater, continue with the next step.
 4. Press the button on the FRITZ!Repeater.
After the button is released, the "WLAN" or "Connect" LED on the FRITZ!Repeater flashes rapidly.
 5. Within 2 minutes, start WPS on the FRITZ!Box. Do this by pressing the "Connect/WPS" button until the "Info" LED starts flashing.
- Mesh is enabled and the FRITZ!Repeater is displayed in the overview marked with the "Mesh enabled" symbol.

Instructions: Enabling Mesh for a FRITZ!Powerline

1. Open the FRITZ!Box user interface; [see page 46](#).
2. Select "Home Network / Mesh".
3. The FRITZ!Box is displayed in the overview with the "Mesh enabled"  symbol. If the symbol is also displayed for FRITZ!Powerline, then Mesh is already enabled for FRITZ!Powerline. If the symbol is missing next to FRITZ!Powerline, continue with the next step.
4. Press the button on FRITZ!Powerline to establish a connection:

FRITZ!Powerline Model	Connection Button
1260E	Connect
1240E, 546E, 540E	WLAN/WPS

All of the LEDs on FRITZ!Powerline will be flashing when you release the button.

5. Within 2 minutes, start WPS on the FRITZ!Box. Do this by pressing the "Connect/WPS" button until the "Info" LED starts flashing. Mesh is enabled and the FRITZ!Powerline is displayed in the overview marked with the "Mesh enabled" symbol.

Using FRITZ!Box as a Mesh Repeater


Overview

You can use your FRITZ!Box 7510 as a Mesh Repeater. As Mesh Repeater, the FRITZ!Box 7510 expands the Wi-Fi network of another FRITZ!Box which is connected to the internet connection. The other FRITZ!Box is the Mesh Master, and the Wi-Fi networks of both FRITZ!Box products are combined to make the Mesh Wi-Fi. All Mesh Repeaters automatically adopt the Wi-Fi network settings from the Mesh Master (network name, network key, guest access, schedule) and expand the Wi-Fi network.

Requirements

- FRITZ!OS 7.00 or later is installed on the FRITZ!Box.

Instructions: Configuring FRITZ!Box as a Mesh Repeater

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Mesh / Mesh Settings".
3. For instructions, open the online help .

Instructions: Using the Telephone Book of the Mesh Master

On the Mesh Repeater you can use the telephone books on the Mesh Master. Then telephone books that are saved on the Mesh Repeater itself can no longer be used.

1. On the Mesh Repeater: Open the user interface; [see page 46](#).
2. Select "Home Network / Mesh / Mesh Settings".
3. Enable the "Use the telephone book of the Mesh Master" checkbox.
4. Click on "Apply".

Using Telephony in the Mesh

Overview


In a Mesh with more than one FRITZ!Box, you can configure your telephone numbers in one FRITZ!Box (the Mesh Master) and adopt them automatically on every other FRITZ!Box in the Mesh.

Whenever you add or change telephone numbers in the Mesh Master, the changes are automatically applied to the other FRITZ!Boxes.

Requirements

- Your telephone numbers are registered in the FRITZ!Box that is configured as the Mesh Master.
- All FRITZ!Boxes on which you would like to adopt the telephone numbers are configured as Mesh Repeaters.

Instructions: Setting up Telephony in the Mesh

1. Open the user interface; [see page 46](#).
2. Select “Home Network / Mesh / Mesh Settings”.
3. For instructions, open the online help .

User Interface: Internet Menu

Using AVM Services for Diagnostics and Maintenance..... 71

Configuring Parental Controls.....73

Creating and Assigning Access Profiles..... 76

Editing Filter Lists..... 78

Configuring Priorities for Internet Use.....79

Configuring Port Sharing..... 80

Enabling Dynamic DNS..... 82

Remote Access to the FRITZ!Box.....83

Configuring VPN Remote Access..... 85

Configuring IPv6.....87

Configuring FRITZ!Box as a LISP Router.....89



Using AVM Services for Diagnostics and Maintenance

Overview

The AVM services for diagnostics and maintenance keep your FRITZ!Box and the FRITZ!OS operating system up to date and support the security and further development of your FRITZ!Box.



We recommend leaving the use of all AVM services enabled for your FRITZ! device.

AVM Services


The following AVM services are provided by your FRITZ!Box:

AVM Service	Explanation
Search for updates	Your FRITZ!Box connects with the AVM update server regularly to search for and install new versions of FRITZ!OS.
Diagnostics data for error analysis	Upon suspicion of misuse by third parties, your FRITZ!Box transmits error reports or technical diagnostics data to AVM for analysis.
Diagnostics data for system maintenance	Your FRITZ!Box transmits device-specific data to AVM for the development of security updates and to further develop FRITZ!OS.

Data Protection

The diagnostics data and the device-specific data transmitted by your FRITZ!Box to AVM do not contain any personalized data. The data transmitted serve the exclusive purpose of technical adaptations and optimizations of your FRITZ!Box. Also, AVM does not pass these data on to third parties. The exact wording of the data privacy statement is presented under “Legal Notice / Data Privacy Statement” in the online help.

Instructions: Configuring AVM Services

1. Open the user interface; [see page 46](#).
2. Select "Internet / Account Information / AVM Services".
3. For instructions, open the online help .

Configuring Parental Controls

Overview

With parental controls you can control network devices' internet use. For each individual network device, you can limit the duration and content of internet use. The specifications for temporal and content-related restrictions are created and saved as access profiles. You assign these access profiles to the network devices.

- You can create multiple different access profiles; [see page 76](#).
- With the device block you can block all internet use for a network device without using a special access profile; [see page 74](#).
- With tickets you can extend the restricted use time for individual network devices. A ticket is redeemed on the network device and extends the use time by 45 minutes. Tickets can be redeemed before the use time has been exhausted to avoid interruption of online time. To distribute a ticket for extended use time, [see Instructions: Distributing a Ticket for Extended Use Time, page 75](#).
- The remaining online time permitted can be queried on any network device with restricted online time; [see Instructions: Querying Remaining Online Time, page 75](#).

Example



You have three children, all of whom use various devices that access the internet via FRITZ!Box . You would like to restrict your children's use of the internet as follows:

- Their daily time online is to be restricted to a few hours.
- Access to websites with adult content is to be blocked.

With parental controls you can restrict the internet use of each child individually.

Instructions: Configuring Parental Controls for a Network Device

1. Open the user interface; [see page 46](#).

2. Select "Internet / Filters / Access Profiles".
3. If there is no access profile with the restrictions you want, then create an access profile:
 - For instructions, open the online help .
4. Select "Internet / Filters / Parental Controls".
5. Click on the "Change Access Profile" button.
6. Assign to the network device the access profile with the desired restrictions:
 - For instructions, open the online help .

Instructions: Blocking a Device

1. Open the user interface; [see page 46](#).
2. Select "Internet / Filters / Parental Controls".
3. Select the network device in the device overview and click on the "Block" link.

Internet access is blocked for this network device. It is no longer possible to access the internet from this device.

Instructions: Distributing a Ticket for Extended Use Time

1. Open the user interface; [see page 46](#).
2. Select "Internet / Filters / Access Profiles".

In the "Tickets for Additional Online Time" area a list with 10 tickets is displayed.
3. Distribute the tickets by printing out the list with the tickets.
 - Click on "Print Tickets".
 - › The 10 tickets are shown in the "Tickets for Online Access" window.
 - Print out the list and distribute the tickets to the users of the network devices whose online time is to be extended.
4. If you want to distribute only one single ticket, then click on "Share Ticket".

A ticket is saved to the clipboard and can be sent to the user of a network device however you like. In the list of tickets, that ticket is displayed crossed out in gray.

Instructions: Querying Remaining Online Time

1. Open a browser on the network device for which the remaining online time is to be queried.
2. Enter "fritz.box" in the address bar of the browser.

The time remaining before the permitted online time has been exhausted is shown in the "Parental Controls" window. If the user has a ticket to extend online time, it can be redeemed here.

Creating and Assigning Access Profiles

Overview

In an access profile you can enter the time and content restrictions for internet use. The devices in the network can have different access profiles. An access profile can be assigned to one or multiple network devices. A network device then accesses the internet exactly as specified in the access profile.

Access Profile: Definition

An access profile is a provision that describes exactly what is allowed during internet use. An access profile takes into consideration three aspects of internet use:

Aspect	Description
Time limit	With time limits you can define when and for how long internet use is permitted each day.
Filters for websites	With the filter lists you can specify which websites are allowed to be accessed.
Blocked network applications	With the list of blocked network applications you specify which network applications are allowed to communicate over the internet. This list can contain, for instance, file sharing programs or chat software.

Example


You have three children and would like to control the internet use of each child in different ways:

- Create an individual access profile for each child.
- Include in this access profile the time and content restrictions to be imposed on the given child.


Preconfigured Access Profiles

Name	Properties
Standard	<ul style="list-style-type: none"> • Set by default to unrestricted use • Automatic access profile for network devices registering with the home network for the first time • Can be changed
Guest	<ul style="list-style-type: none"> • Automatic, exclusive access profile for network devices registering with the guest network • Can be changed
Unrestricted	<ul style="list-style-type: none"> • Unrestricted internet use • Cannot be changed

Instructions: Creating an Access Profile

1. Open the user interface; [see page 46](#).
2. Select "Internet / Filters / Access Profiles".
3. For instructions, open the online help .

Instructions: Assigning an Access Profile

1. Open the user interface; [see page 46](#).
2. Select "Internet / Filters / Parental Controls".
3. For instructions, open the online help .

Editing Filter Lists

Overview


You can use a filter list to block access to websites with inappropriate content. Upon delivery, there are two empty lists in the FRITZ!Box. You can enter websites in these lists. These lists can then be used as filters in the access profiles.

Types of Lists

There is the “Permitted websites” list and the “Blocked websites” list. Use one of the lists to block access to websites with inappropriate contents. The lists work in the following way:

Filter List	Function and Use
Permitted websites	<ul style="list-style-type: none"> • Websites included in the permitted websites list can be accessed. • Use the permitted websites list if most websites are to be blocked and only a few are permitted.
Blocked websites	<ul style="list-style-type: none"> • Websites included in the blocked websites list are blocked. • Use the blocked websites list if most websites are to be permitted and only a few are to be blocked.

Instructions: Editing Filter Lists

1. Open the user interface; [see page 46](#).
2. Select “Internet / Filters / Lists”.
3. For instructions, open the online help .

Configuring Priorities for Internet Use

Overview


For network devices or network applications you can define different priorities for access to the internet connection.

Prioritization Categories

There are three prioritization categories for network applications:

- Real-time applications have the highest priority. This category is intended for applications with high demands on transmission speed and reaction times (for example, internet telephony, IPTV, video on demand). If an application of this category uses the internet connection to full capacity, no other data will be transmitted.
- Prioritized applications have intermediate priority. This category is intended for applications that require fast reaction times (for example, company access, terminal applications, games). These applications will be granted higher priority. When an application of this category uses the full capacity of the internet connection, the data of other applications will be transferred with lower priority.
- Background applications have the lowest priority. This category is for applications that run in the background, which are treated with low priority when the internet connection is running at capacity (for instance, automatic updates, peer-to-peer services). If no other network applications are active, then the background applications receive the entire bandwidth.

Instructions: Configuring Priorities

1. Open the user interface; [see page 46](#).
2. Select "Internet / Filters / Prioritization".
3. For instructions, open the online help .

Configuring Port Sharing

Overview

With default settings in the FRITZ!Box , programs on your computer and LAN cannot be accessed from the internet. For applications like online games and file sharing software, or server services like HTTP, FTP, VPN, terminal and remote access servers, you have to make your computer accessible to other internet users.

Port Sharing

Using port sharing you allow incoming connections from the internet. By releasing certain ports for incoming connections, you grant other internet users controlled access to the computers in your network.


Port Sharing on Protocols

Port sharing in the FRITZ!Box is possible on the following protocols:

Protocol	Internet Protocol	Explanation
PING	IPv6	The FRITZ!Box responds to ping inquiries from the internet addressed to the IPv6 address of the FRITZ!Box. Additionally, you can set up PING6 port forwarding rules for each computer in the home network since each computer has its own globally valid IPv6 address.
TCP UDP	IPv4	Within IPv4 networks you can open the FRITZ!Box firewall for the TCP and UDP protocols when entering the port range. One port can be opened for exactly one computer.

Protocol	Internet Protocol	Explanation
	IPv6	Within IPv6 networks you can open the FRITZ!Box firewall for the TCP and UDP protocols when entering the port range. One port can be opened for each computer in the network.
ESP GRE	IPv4	Within IPv4 networks you can open the firewall for the two protocols ESP and GRE, which do not use ports.

Instructions: Configuring Port Sharing

1. Open the user interface; [see page 46](#).
2. Select "Internet / Permit Access / Port Sharing".
3. For instructions, open the online help .

Enabling Dynamic DNS

Overview

Every time the internet connection is interrupted, the internet service provider reassigns the IP address. The IP address may change in the process. Dynamic DNS is an internet service that makes it possible for the FRITZ!Box to remain accessible from the internet at all times under a fixed name, the domain name, even when the public IP address changes.

You must register with a dynamic DNS provider to use this service. Every time the IP address changes, the FRITZ!Box transmits the new IP address to the dynamic DNS provider in the form of an update request. Then the current IP address is assigned to the domain name by the dynamic DNS provider.


Dynamic DNS and MyFRITZ!

MyFRITZ! can be used as an alternative to dynamic DNS. The two services can also be used in parallel. For more information on MyFRITZ!, [see page 191](#).

Requirements

- You are registered with a dynamic DNS provider and have set up a domain name.

Instructions: Enabling Dynamic DNS

1. Open the user interface; [see page 46](#).
2. Select "Internet / Permit Access / DynDNS".
3. For instructions, open the online help .

Remote Access to the FRITZ!Box

Overview

Over the internet it is possible to access the user interface of the FRITZ!Box even from outside the home network. With a laptop, smart-phone or tablet you can configure settings in the FRITZ!Box user interface from on the go.

HTTPS, FTP and FTPS


Protocol	Function
HTTPS (Hypertext Transfer Protocol Secure)	<p>HTTPS is an internet protocol for bug-proof communication between the web server and the browser in the World Wide Web.</p> <p>Enable this protocol to allow access to the FRITZ!Box from the internet.</p>
FTP (File Transfer Protocol)	<p>FTP is a network protocol for transmitting files in IP networks.</p> <p>Enable this protocol to allow access by FTP to the FRITZ!Box storage media from the Internet.</p>
FTPS (FTP over SSL)	<p>FTPS is a method for encrypting the FTP protocol.</p> <p>Enable this protocol to secure transmission over FTP.</p>

Requirements

- Access to the user interface: Every user who would like to access the FRITZ!Box externally from the internet requires a FRITZ!Box user account which is authorized for access from the internet.

- Access to storage: Every user who would like to access the storage of the FRITZ!Box externally from the internet requires a FRITZ!Box user account with the rights to access from the internet and to access the contents on the storage media.
- The protocols for the desired access must be enabled in the FRITZ!Box.

Instructions: Enabling HTTPS, FTP, and FTPS in the FRITZ!Box


1. Open the user interface; [see page 46](#).
2. Select "Internet / Permit Access / FRITZ!Box Services".
3. For instructions, open the online help .

Configuring VPN Remote Access

Overview

VPN stands for Virtual Private Network. Via VPN, secure remote access to the network of the FRITZ!Box can be established. The connection is established via the internet. The data are transmitted in encrypted form via what is known as a tunnel. This excludes the possibility of unauthorized access to the data. This way field representatives, for instance, can connect with the corporate network via VPN.

Example Configuration




VPN Service Portal

Under en.avm.de/vpn, the AVM website presents comprehensive information on VPN in general and in connection with the FRITZ!Box.

Also on the VPN Service Portal is the “FRITZ! VPN” software for free downloading. The “FRITZ! VPN” software is a VPN client for Windows. Install the software on the network devices from which you would like to reach the FRITZ!Box over a VPN connection.

Instructions: Configuring VPN in the FRITZ!Box

1. Open the user interface; [see page 46](#).
2. Select “Internet / Permit Access / VPN”.
3. For instructions, open the online help .

Configuring IPv6

Overview

IPv6 stands for internet protocol version 6. This is the successor protocol to IPv4. IPv6 is more powerful, and has more addresses and better security properties than IPv4.

The FRITZ!Box supports IPv6 and can establish IPv6 connections.

Services that Support IPv6

Home Network / Internet	Services that Support IPv6
IPv6-capable services in the home network	<ul style="list-style-type: none">• FRITZ! NAS access via SMB or FTP/FTPS• Access to the user interface with HTTP or HTTPS over IPv6• The DNS resolver of the FRITZ!Box supports queries for IPv6 addresses (AAAA records) and can query the upstream DNS resolver of the internet service provider over IPv6.• The globally valid prefix is distributed via router advertisement.• For guest access to the Wi-Fi network, the home network and Wi-Fi guests are separated by IPv6 subnetworks.• UPnP, UPnP AV media server




Home Network / Internet	Services that Support IPv6
IPv6-capable services in the internet	<ul style="list-style-type: none"> • FRITZ! NAS access via FTPS • Completely closed firewall to protect against unsolicited data from the internet (Stateful Inspection Firewall) • Voice over IPv6 • Automatic provisioning (TR-069) • Time synchronization over NTP (Network Time Protocol) • Remote access via HTTPS • Dynamic DNS via dyndns.org or namemaster.de

Requirements

- IPv6 must be installed and enabled on the computers in your home network (standard in Windows since Windows Vista and Windows 7, in Mac OS X since macOS 10).

Instructions: Configuring IPv6 in the FRITZ!Box

1. Open the user interface; [see page 46](#).
2. Select "Internet / Account Information / IPv6".
3. For instructions, open the online help .

Configuring FRITZ!Box as a LISP Router

Overview


LISP stands for Locator/Identifier Separation Protocol. LISP is a routing architecture which separates information about location and identity: there is one IP address for the location and one for the identity. The FRITZ!Box can be configured as a LISP router.

LISP is useful if technical or organizational reasons make it preferable to keep the same IP addresses, even when you switch internet service providers. With LISP, devices do not lose their identity (host devices, virtual machines) when they change location.

Requirements

- You are registered with a LISP provider.

Instructions: Configuring the FRITZ!Box as a LISP Router

1. Open the user interface; [see page 46](#).
2. Select "Internet / Account Information / LISP".
3. For instructions, open the online help .

User Interface: Telephony Menu

Configuring and Using the Telephone Book.....91

Configuring and Using the Answering Machine.....94

Using the Fax Function..... 96

Configuring Call Diversion..... 97

Configuring Call Blocks..... 98

Configuring Do Not Disturb.....100

Setting an Alarm.....101

Configuring a Dialing Rule..... 102

Reducing the Radiation of DECT Emissions..... 103

Allowing Non-Encrypted DECT Connections..... 105



Configuring and Using the Telephone Book

Overview

You can set up various telephone books in the FRITZ!Box. Which telephone book features are available depends on the telephone used:

Telephone	Available Functions
FRITZ!Fon	<ul style="list-style-type: none">• Telephone book available in the FRITZ!Fon menu• Option for separate telephone books for multiple FRITZ!Fon telephones• Quick-dial numbers• Click to Dial
Cordless telephone with CAT-iq 2.0 support	<ul style="list-style-type: none">• Telephone book available in the menu of the telephone• Quick-dial numbers• Click to Dial
FRITZ!App Fon	Telephone book available in FRITZ!App Fon
IP telephone	FRITZ!Box telephone book not available
Others	<ul style="list-style-type: none">• Quick-dial numbers• Click to Dial

Kinds of Telephone Books


You can set up different kinds of telephone books in the FRITZ!Box:

Telephone book	Description
Local telephone book	The entire telephone book is saved in the FRITZ!Box.


Telephone book	Description
Online telephone book	You can set up the following contacts as an on-line telephone book:
	Google Contacts
	iCloud contacts (Apple)
	Contacts from email accounts with 1&1, GMX, WEB.DE, and Telekom (Telekom Mail)
	Contacts in CardDAV format
	Once an online telephone book has been configured, its contacts are available on your FRITZ!Fon cordless telephones. The online telephone book is synchronized with your contacts in the internet at regular intervals.

You can set up multiple local and multiple online telephone books, for instance, separate telephone books for different FRITZ!Fon telephones. Quick-dial numbers can be configured only in the first local telephone book.

Instructions: Setting Up a New Telephone Book in the FRITZ!Box


1. Open the user interface; [see page 46](#).
2. Select “Telephony / Telephone Book / New telephone book”.
3. For instructions, open the online help .

Instructions: Creating a New Telephone Book Entry

1. Open the user interface; [see page 46](#).
2. Select “Telephony / Telephone Book”.
3. For instructions, open the online help .


Instructions: Copying/Moving Telephone Book Entries

You can copy or move telephone book entries from one telephone book to another.

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Telephone Book".
3. For instructions, open the online help .

Instructions: Enabling and Using "Click to Dial"

With "Click to Dial" you can establish calls from the call list or the telephone book.

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Telephone Book / Click to Dial".
3. For instructions, open the online help .

Configuring and Using the Answering Machine

Overview

You can configure up to 5 answering machines in the FRITZ!Box, including multiple answering machines for the same telephone number.

Features

- If desired, you can receive any new messages automatically by email.
- With a schedule you can define times to switch on and off on different days of the week.
- With remote playback you can check answering machines from on the go.

Example 1


You have one telephone number for personal contacts and a second telephone number for business contacts. You can set up a separate answering machine for each telephone number.

Example 2

You use the answering machine in the office and the answering machine should record messages at all times. However, callers should hear a different message during office hours than outside of business hours.

For this you can set up two answering machines with different messages for the office telephone numbers. Configure the schedules such that the answering machines are never enabled at the same time.

Instructions: Configuring the Answering Machine

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Answering Machine".
3. For instructions, open the online help .

Operating the Answering Machine with Devices in the Home Network

You can operate the answering machine with the following devices:

- With your FRITZ!Fon. Instructions are presented in the current FRITZ!Fon manual on en.avm.de/service/manuals .
- By voice menu using any connected telephone. For more information, [see page 212](#).
- By pressing a button on your FRITZ!DECT 440. Instructions for configuring the buttons are presented in the current FRITZ!DECT manual on en.avm.de/service/manuals .

Picking Up a Call from the Answering Machine on the Telephone

Calls that have already been accepted by the answering machine can be picked up on your telephone. For more information, [see page 214](#).

Instructions: Listening to the Answering Machine via Remote Playback

If you enabled remote playback in the configuration of the answering machine, then you can listen to an enabled answering machine from on the go:

1. Call your telephone line.
2. When the answering machine answers: Press the * (star) key on the telephone and then enter the remote playback PIN.
3. Follow the voice menu.

Using the Fax Function


Overview

With the FRITZ!Box you can send and receive faxes. The FRITZ!Box can forward received faxes to your email address. Send the fax from the user interface. A graphic file in JPG or PNG format can be appended to any fax transmission.


Maximum Fax Length

A maximum of ten A4 pages can be transmitted as a fax. If you append a graphics file, page 10 is reserved for the graphics.

Instructions: Configuring the Fax Function

1. Open the user interface; [see page 46](#).
2. Select “Telephony / Telephony Devices”.
3. For instructions, open the online help .

Instructions: Sending Faxes

1. Open the user interface; [see page 46](#).
2. Select “Telephony / Fax”.
3. For instructions, open the online help .

Configuring Call Diversion

Overview

You can configure call diversion for incoming calls in the FRITZ!Box.

Incoming Calls

Call diversion can be set up for the following calls:

- All incoming calls
- All calls from a certain telephone number or a certain person in the telephone book
- All calls without a telephone number (anonymous calls)
- For multiple telephone numbers: all calls for a certain telephone number or a certain telephone

Destination Numbers


You can divert calls to:

- Another telephone number (a different telephone line or mobile telephone number)
- One of the FRITZ!Box's internal answering machines

Example

While you are on the go, calls are to be forwarded from the office to your mobile telephone.

Instructions: Configuring Call Diversion

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Call Handling / Call Diversion".
3. For instructions, open the online help .

Configuring Call Blocks

Overview

In the FRITZ!Box you can block telephone numbers for outgoing and for incoming calls.

Kinds of Call Blocks

You can configure various kinds of call blocks:

Call Block for	Function
Outgoing calls	<p>The blocked telephone number can no longer be called from the FRITZ!Box.</p> <p>Ranges of telephone numbers can also be blocked, for instance, mobile networks, or all telephone numbers that begin with 0180.</p>
Incoming calls	<p>The FRITZ!Box will not accept calls from the blocked telephone number. However, the call block only works if the caller allows transmission of their telephone number.</p>
Calls without a telephone number (anonymous calls)	<p>The FRITZ!Box will not accept any calls from callers who suppress their telephone number.</p>


Example 1

You would like to prevent dialing of expensive premium telephone numbers. For this you can set up a call block for outgoing calls to all telephone numbers that begin with 0900.

Example 2

You would like to block sales calls from a certain telephone number. For this you can set up a call block for incoming calls from this telephone number.

Instructions: Configuring a Call Block

1. Open the user interface; [see page 46](#).
2. Select “Telephony / Call Handling / Call Blocks”.
3. For instructions, open the online help .

Configuring Do Not Disturb



Overview

Do Not Disturb keeps a telephone from ringing at specified times. Calls you miss then appear in the FRITZ!Box call list. Do Not Disturb cannot be configured for IP telephones (connected via LAN port/Wi-Fi).

Example

You do not want your telephone to ring between 11 p.m. and 6 a.m.

Instructions: Setting Up Do Not Disturb

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Telephony Devices".
3. Click on the "Edit" button  for the desired telephone.
4. Switch to the "Do Not Disturb" tab.
5. For instructions, open the online help .

Setting an Alarm


Overview

Setting an alarm will make your telephone ring at the specified time.

Example

You would like your telephone to wake you at 6:30 every morning.

Instructions: Configuring the Alarm

1. Open the user interface; [see page 46](#).
2. Select "Telephony / Alarm".
3. For instructions, open the online help .

Configuring a Dialing Rule


Overview

If you have multiple telephone numbers, you can configure dialing rules. A dialing rule determines which telephone number the FRITZ!Box uses for outgoing calls to a certain range of numbers, for instance to mobile networks or to foreign countries.

Example

You have a telephone number with which you can save on international calls. Then configure a dialing rule for international calls.

Instructions: Configuring Dialing Rules

1. Open the user interface; [see page 46](#).
2. Select “Telephony / Call Handling / Dialing Rules”.
3. For instructions, open the online help .

Reducing the Radiation of DECT Emissions

Overview

With the following settings you can reduce the radiation of DECT emissions:

- Reduce DECT field strength: Enable this setting only if you use all DECT devices in the vicinity of the FRITZ!Box. Reducing the field strength also reduces the range of the DECT wireless network.
- DECT Eco: When DECT Eco is enabled, the FRITZ!Box switches off the DECT wireless network as soon as all cordless telephones are in standby mode. When a call arrives or you press a key on a cordless telephone, the wireless network is switched back on.

You can enable these settings individually or at the same time.

Requirements

- All registered cordless telephones support DECT Eco: Under “Telephony / DECT / Monitor” in the FRITZ!Box user interface, “DECT Eco supported” is displayed for each telephone.
- The following devices are not registered with the FRITZ!Box: FRITZ!DECT devices with a smart plug, FRITZ!DECT Repeaters, and other FRITZ!Box in DECT repeater mode.

Instructions: Reducing DECT Transmission Power

1. Open the user interface; [see page 46](#).
2. Select “Telephony / DECT / Base Station”.
3. Enable the “Reduce DECT field strength” checkbox.
4. Click on “Apply”.

Instructions: Enabling DECT Eco

1. Open the user interface; [see page 46](#).
2. Select “Telephony / DECT / Base Station”.

3. Enable the checkbox "DECT Eco".
4. Select whether DECT Eco should always be enabled, or define times when DECT Eco should be switched on and off.
5. Save your settings by clicking on "Apply".

Allowing Non-Encrypted DECT Connections

Overview

Some DECT repeaters from other manufacturers do not support encrypted connections. For operation of such DECT repeaters you can allow non-encrypted DECT connections.


In the default settings, the FRITZ!Box allows only authenticated and encrypted DECT connections.

Rules

The following FRITZ!Box features cannot be used if you allow non-encrypted connections:

- Registration of a FRITZ!DECT Repeater or FRITZ!Box in DECT repeater mode
- DECT Eco
- HD telephony
- With FRITZ!Fon: ring tones of your own, web radio, podcasts, background image, photos of callers, and playback of music files by the FRITZ!Box media server

Instructions: Allowing Non-encrypted DECT Connections

1. Open the user interface; [see page 46](#).
2. Select "Telephony / DECT / Base Station".
3. For instructions, open the online help .

User Interface: Home Network Menu

- Overview of All Devices..... 107
- Managing Network Devices..... 112
- Changing IPv4 Settings..... 115
- Distributing IPv4 Addresses..... 118
- Changing IPv6 Settings..... 120
- Configuring a Static IP Route..... 122
- Obtaining an IP Address Automatically..... 124
- Configuring Wake on LAN..... 126
- Configuring USB Devices..... 127
- Configuring and Using the Media Server..... 132
- Assigning a FRITZ!Box Name..... 134



Overview of All Devices



Overview

In the “Mesh Overview” you see all devices that are attached to the FRITZ!Box or connected with the network of the FRITZ!Box. The overview covers the home network and the guest network.

Home Network and Mesh Wi-Fi: Overview Diagram

An overview diagram shows all devices that are physically connected to the FRITZ!Box or connected with the FRITZ!Box via Wi-Fi. The overview diagram is a helpful tool to make the device connections transparent.

What the Diagram Shows	Details
Network devices	All devices connected with the FRITZ!Box via Wi-Fi, by network cable, via VPN or via powerline: PCs, laptops, tablets, smart-phones, TVs, game consoles, wireless re-peaters, powerline devices, etc.
Smart Home devices	Radiator controls, smart plugs, controllable switches, etc.
USB devices	Storage drives, memory sticks, printers, etc.
DECT repeater	Repeaters to extend the DECT transmission range
Connection technology	The technology of the connection to the FRITZ!Box is shown for every device: <ul style="list-style-type: none">• Wi-Fi, Ethernet cable, VPN, powerline: for network devices• DECT: for cordless telephones, Smart Home devices, and DECT repeaters• USB: for USB devices

What the Diagram Shows	Details
Connection topology	Connection path of the devices to the FRITZ!Box : direct connection or via a repeater, an access point, or a powerline device
Devices in the guest network	Devices that are connected with the FRITZ!Box via the guest network
Update available	The  button for FRITZ! products indicates that a new FRITZ!OS is available.
Devices in the Mesh	Mesh enabled: the “Mesh enabled”  symbol marks the devices that are configured as Mesh Repeaters.

Active Connections and Current Software Version

All devices shown in the “Home Network and Mesh Wi-Fi” diagram are also listed in the “Active Connections in the Home Network and Current Software Version” table.

The table offers the following functions:

Function	Description
Check FRITZ!OS version	For FRITZ! products, the “Update” column displays whether the FRITZ!OS installed on the FRITZ! device is the latest, or whether an update is available.
Perform FRITZ!OS update	If the “Update” column in the table indicates that a FRITZ!OS update is available, you can perform the update directly from the table.
Open a properties window for a device	The “Properties” column contains a “Details” link for each device. Clicking on this link opens the properties window for network devices. For other devices, it opens the settings page in the device’s technology area.



Prioritize Device for Internet Access

You can prioritize network devices for internet access. Prioritized devices receive preferential treatment when they access the internet.

Properties and Actions	Description
Highest priority	<ul style="list-style-type: none">On prioritized devices, all applications that access the internet are treated as real-time applications.When the internet connection is working at full capacity, a prioritized device receives preferential treatment.If multiple devices are prioritized, they are prioritized equally.
Wireless repeaters and powerline devices	Prioritized wireless repeaters and powerline devices do not pass their prioritization on to the network devices that are connected with them. The prioritization must be configured on the network devices.
Adjusting prioritization	Prioritized devices and all of their applications are added to the real-time applications under "Internet / Filters / Prioritization". There you can configure adjustments to the prioritization of the device.
Configuring prioritization	Prioritization is configured in the properties window of the device (open properties window; see page 111).

Editing the Properties of a Network Device

The properties of any network device can be viewed, and settings changed or reset, in the properties window of the given device.

You can edit the following settings:

- Name of the device in the home network

- IPv4 address in the home network: change, always assign the same IPv4 address
- Internet settings: prioritization, device block
- Wake on LAN

Instructions: Opening a Properties Window for a Device

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Mesh / Mesh Overview".
3. Select the device in the "Active Connections in the Home Network and Current Software Version" table. Click on the link.
4. Click on the "Details" link in the "Properties" column.

The window with the properties for the device opens.

Managing Network Devices

Overview

In the FRITZ!Box user interface, a table listing all network connections is shown under “Home Network / Network / Network Connections”. A network connection is an IP connection between a network device and the FRITZ!Box. By means of the table you can keep track of the network connections and all network devices. You can edit the connection properties, and add and remove network devices.




Explanation of Terms: Network and Other Terms

Term	Explanation
Network device	Network devices are devices that are connected with the FRITZ!Box in one of the following ways: <ul style="list-style-type: none">• with a network cable to a LAN port on the FRITZ!Box• via Wi-Fi• via the internet with a VPN connection (see page 85)
Network	All network devices on the FRITZ!Box comprise a network.
Internet protocol (IP)	Communication within the network takes place using the internet protocol, IP for short. The internet protocol is the language that all network devices speak and understand.
IP network	A network based on the internet protocol is also known as an IP network. Connections within an IP network are known as IP connections.

Term	Explanation
Network interface	A network interface is the interface used to connect a network device with a network. This can be a wireless module for Wi-Fi connections or a network port for cabled connections.

Properties and Benefits

The table with the network connections assists you in organizing and keeping track of the IP network:

- Overview: The table offers an overview of the entire IP network of the FRITZ!Box.
- All connections: Every connection any network device has to the FRITZ!Box is displayed. A connection can be established with a network cable, via Wi-Fi, or over VPN.
- Idle connections: Connections that are currently inactive are displayed.
- Only shown here: VPN connections are displayed only in this table.
- Guest network overview: Connections to the guest network are displayed.
- Connection properties: Properties are displayed for every connection.
- Find devices quickly:
 - Show and hide table columns: 
 - Sort table columns:  for ascending and  for descending
- Adjustable connection properties: The properties window can be opened for each connection. Connection properties can be changed in the properties window.

Add Device

You can include in the table even network devices that are not physically connected with the FRITZ!Box.

As soon as an entry for a device is included in the table, you can configure various properties, for instance, port sharing. The type of connection is not listed in the table until the device is physically connected with the FRITZ!Box.

Example

The “Add Device” function is useful for vendors. When a customer orders a new FRITZ!Box, they can have the vendor set up the network in the FRITZ!Box. With the “Add Device” function this can be done without actually connecting any network devices.

Removing Devices

Unused connections can be removed individually or all at once, as long as they do not have any special settings. When a single unused connection is removed, all of the settings configured for this device are also deleted.

A click on the “Remove” button removes all inactive connections for which properties were never assigned. This function is useful in the following situations:

- in environments with walk-in customers (for example, hotels, cafés, betting offices)
- in households with children who often invite their friends to use the Wi-Fi

Changing IPv4 Settings

Overview

The IPv4 settings define the IPv4 network of the FRITZ!Box . Without these settings there is no IPv4 network. In the FRITZ!Box an IPv4 network is the default setting. The preconfigured IPv4 network is identical in all FRITZ!Boxes. You can change the IPv4 settings.



Changes to the IPv4 settings can have the result that the FRITZ!Box can no longer be reached. Make changes in this menu only if you are proficient in network technology.

Anwendungsfall

In the following cases it is necessary to change the IPv4 address of the FRITZ!Box :

- VPN connection: The home network of the FRITZ!Box is connected with another FRITZ!Box network via a LAN-LAN linkup.
- The FRITZ!Box is integrated into an existing FRITZ!Box network and both FRITZBoxes are operating in router mode (cascaded).

In both cases the FRITZ!Boxes involved cannot have identical IPv4 networks.

IPv4 Factory Settings

The following values are preconfigured in the FRITZ!Box:

IPv4 Setting	Preset Value
IPv4 address of the FRITZ!Box	192.168.178.1
Subnet mask	255.255.255.0
IPv4 network address	192.168.178.0
Address range available for network devices	192.168.178.2 - 192.168.178.254
DHCP server	enabled
Address range of the DHCP server	192.168.178.20 - 192.168.178.200
Local DNS server	192.168.178.1

Reserved IPv4 Addresses

The following IPv4 addresses are reserved for certain tasks and cannot be assigned for any other use:

IPv4 Address	Purpose
192.168.178.1	IPv4 address of the FRITZ!Box
192.168.178.255	Broadcast address. This address is used to send messages within the network. The messages are received by all network devices.

IPv4 Address in Case of Emergency

The FRITZ!Box also has a fixed IPv4 address that cannot be changed.


IPv4 Address	Purpose
169.254.1.1	The FRITZ!Box can always be reached at this IPv4 address.

How to use the emergency IPv4 address: [see page 232](#).

IPv4 Network

IPv4: IPv4 stands for internet protocol, version 4. Together, the IPv4 address of the FRITZ!Box and the subnet mask specify the IPv4 network of the FRITZ!Box. The IPv4 address range available for the network devices is determined by this network. If either of these two values is changed, a different network results.

Instructions: Changing the IPv4 Settings

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Network / Network Settings".
3. For instructions, open the online help .

Distributing IPv4 Addresses

Overview

Every network device in the IPv4 home network of the FRITZ!Box has an address from the IPv4 address range of the FRITZ!Box . Either a network device receives its IPv4 address automatically from the DHCP server of the FRITZ!Box, or you enter the IP address manually in the network settings of the network device.

IPv4 DHCP Server

DHCP stands for Dynamic Host Configuration Protocol. A DHCP server in the IPv4 network assigns IPv4 addresses to the network devices automatically. Assigning the IP addresses via the DHCP server ensures that all of the network devices connected with the FRITZ!Box are located in the same IP network.

The DHCP server of the FRITZ!Box is enabled upon delivery.

One part of the IPv4 address range of the FRITZ!Box is reserved for the DHCP server. The DHCP server assigns IP addresses from this range to the network devices.

IPv4 Addresses Reserved for the DHCP Server upon Delivery

192.168.178.20 - 192.168.178.200

You can change the address range for the DHCP server if needed:

Kind of Change	Requirement
Enlarge	If there are many network devices in the network, many IP addresses will be needed. In this case the address range of the DHCP server can be enlarged. Example for a larger range: 192.168.178.20 - 192.168.178.220
Reduce	If there are fewer network devices, the address range can be reduced. Example for a smaller range: 192.168.178.20 - 192.168.178.120

Kind of Change	Requirement
Move	If you permanently assign the IPv4 addresses 192.168.178.2 - 192.168.178.49 to network devices, but want to maintain a DHCP address range of the same size, then you can shift the DHCP address range, for instance to the range 192.168.178.50 - 192.168.178.230

Rules

- Only one DHCP server may be active in a network.

Preparing Network Devices for DHCP

For the IP address to be assigned by the DHCP server, the “Obtain an IP address automatically” option must be enabled in the IPv4 settings of the network devices; [see page 124](#).

When a network device registers with the FRITZ!Box, it receives an IPv4 address from the DHCP server. Every time the network device is restarted, the DHCP server assigns it an IP address again.

Always Assign the Same IPv4 Address

You can specify that the DHCP server always assign the same IPv4 address to network devices. This option can be enabled under “Home Network / Network / Network Connections” in the detailed settings of the network devices.

Disabling the DHCP Server

You can disable the DHCP server of the FRITZ!Box.

In the following cases it is necessary to disable the DHCP server of the FRITZ!Box:

- You use a different DHCP server in your home network.
- You would like to assign addresses to all of the network devices in the home network manually.

Changing IPv6 Settings

Overview

The FRITZ!Box has preconfigured IPv6 settings upon delivery. You can change these settings.

Requirements

- The “IPv6 support enabled” setting is enabled under “Internet / Account Information / IPv6” in the FRITZ!Box user interface.

Factory Settings


The following IPv6 settings are configured in the FRITZ!Box upon delivery:

IPv6 Property	Setting
Unique Local Addresses (ULA)	As long as there is no IPv6 internet connection, the FRITZ!Box assigns unique local addresses to the network devices so that they can communicate with each other.
Additional IPv6 routers in the home network	This FRITZ!Box provides the default IPv6 connection. Other IPv6 routers are disregarded.
DNSv6 server in the home network	Also announce the DNSv6 server via router advertisement.
DHCPv6 server in the home network	The DHCPv6 server is enabled. Only the DNS server is announced via DHCPv6.

You can change the settings. For more information on this subject, see the online help of the FRITZ!Box.

Instructions: Changing the IPv6 Settings

1. Open the user interface; [see page 46](#).

2. Select "Home Network / Network / Network Settings".
3. For instructions, open the online help .

Configuring a Static IP Route

Overview

A static IP route is a description of a path to an IP subnet whose network address is not known to the FRITZ!Box.

Application Example


Static IP routes are intended for the following situation:

- In the FRITZ!Box network there is a subnet whose network address in the FRITZ!Box is unknown.
- The network devices in the subnet are to communicate with the network devices of the FRITZ!Box or access the internet via the FRITZ!Box.
- Only relevant for IPv4: The router that spans the subnet does not do NAT (Network Address Translation).


How Static IP Routes Work

IP packets whose IP destination addresses are unknown are forwarded to the internet by default. In the application described above, because the FRITZ!Box does not know the destination addresses located in the subnet, it forwards the packet to the internet. To prevent this from happening and have the packets forwarded to the subnet instead, the FRITZ!Box must know the network address of the subnet and the IP address of the interface to the subnet. These two addresses are required to configure a static route. Static IP routes are registered in the routing table.

Instructions: Configuring a Static IPv4 Route

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Network / Network Settings".
3. In the "Static Routing Table" area, click on the "IPv4 Routes" button.
4. For instructions, open the online help .

Instructions: Configuring a Static IPv6 Route

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Network / Network Settings".
3. In the "Static Routing Table" area, click on the "IPv6 Routes" button.
4. For instructions, open the online help .

Obtaining an IP Address Automatically

Overview

Network devices that are to obtain their IP address automatically by DHCP must be configured accordingly. This configuration is performed on the operating system level in the IP settings of the network devices.

Obtaining an IP Address Automatically in Windows

1. In Windows 10, click on "Start".
In Windows 8, press the Windows key and the Q key at the same time.
2. Enter "ncpa.cpl" in the search field and press Enter.
3. Click on the network connection between the computer and the FRITZ!Box with the right mouse button and select "Properties".
4. Under "This connection uses the following items", select "Internet Protocol Version 4 (TCP/IPv4)".
5. Click on the "Properties" button.
6. On the "General" tab, enable the options "Obtain an IP address automatically" and "Obtain DNS server address automatically".
7. Save with "OK".
8. Enable the options "Obtain an IP address automatically" and "Obtain DNS server address automatically" for the internet protocol version 6 (TCP/IPv6) as well.

The network device receives an IP address from the FRITZ!Box.

Obtaining an IP Address Automatically in Mac OS X

1. Select the "System Preferences" in the Apple menu.
2. In the "System Preferences" window, click on "Network".
3. In the "Network" window, select the "Ethernet" entry from the "Show:" list.
4. Click on the "Advanced..." button. The "TCP/IP" settings page opens. Select the "Using DHCP" option from the "Configure IPv4:" drop-down list.
5. Click on "OK".

The network device now automatically receives an IP address from the FRITZ!Box.

Obtaining an IP Address Automatically in Linux

For comprehensive information and tips on network settings in Linux, see, for example:

www.tldp.org/HOWTO/NET3-4-HOWTO-5.html

Configuring Wake on LAN



Overview

Wake on LAN is a function that allows a computer to be started via network adapter. Wake on LAN can be used with remote maintenance software, to eliminate the need to keep the computer switched on permanently. The FRITZ!Box supports Wake on LAN both for IPv4 and for IPv6 connections.

Requirements

- The network adapter of the computer supports Wake on LAN.
- The computer is connected with the FRITZ!Box
 - via a FRITZ!Powerline device or
 - by network cable
- For access from the internet, the computer must be in standby operation.

Instructions: Configuring Wake on LAN

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Network / Network Connections / Edit Device Details .
3. For instructions, open the online help .

Configuring USB Devices


Overview

The FRITZ!Box has a USB port to which you can connect various USB devices. All devices in the FRITZ!Box home network can use these USB devices jointly and simultaneously.

Compatible USB Devices

- USB storage media compatible with EXT2/3/4, FAT, FAT32 or NTFS
 - flash drives
 - external hard drives
 - card readers
- USB printers
- USB all-in-one printers
- USB scanners
- USB modems
 - UMTS/HSDPA dongles
 - LTE dongles
- USB hubs

Example Configuration



Rules

- The total current consumption may not exceed 500 mA. Otherwise errors on the USB devices and even damage to the FRITZ!Box may occur.
- UMTS modems can have very high power consumption. For this reason, do not operate a UMTS modem directly on the FRITZ!Box, but on an active hub with its own power supply.
- Do not perform any updates for USB devices that are connected with the computer via the FRITZ!Box USB remote connection.
- The FRITZ!Box cannot protect itself from voltage peaks and drops during an electrical storm and can result in data losses on USB storage media. You should back up the contents of your USB storage media on a regular basis.
- Place USB hard drives far away from the FRITZ!Box in order to prevent interference with Wi-Fi transmission.

Instructions: Attaching and Configuring USB Storage



Click on “Remove Safely” before removing a USB storage medium from the FRITZ!Box. This ensures that all data transmission has been completed.

1. Connect the USB storage device to the USB port on the FRITZ!Box. The USB storage medium will be re-indexed and you can access the stored contents.

Configuring Access Rights for USB Storage Media

Under “System / FRITZ!Box Users” in the FRITZ!Box user interface you can specify which contents on a connected USB storage medium can be accessed by each user account.

Instructions: Configuring a USB Printer as a Network Printer (Windows 8)

A USB printer connected to the FRITZ!Box can be configured as a network printer in Windows 8:

1. Press the keyboard shortcut “Windows key + X” and select “Control Panel” from the context menu.
2. Click on “Hardware and Sound” and select “Devices and Printers”.
3. In the menu bar, click on “Add a printer”.
4. In the “Add Printer” window, select “The printer that I want isn’t listed” and then “Next”.
5. Enable the option “Add a printer using TCP/IP address or hostname” and click on “Next”.
6. Enter the address <http://fritz.box> in the “Hostname or IP address” field.
If the FRITZ!Box is configured as a wireless repeater or an IP client, enter here the IP address at which the FRITZ!Box can be reached in the network.
7. Click on “Next”.
8. Click on “Next” and confirm with “Finish”.

The USB printer has been configured and can be used as a network printer.

Instructions: Configuring a USB Printer as a Network Printer (Windows 10)

A USB printer connected to the FRITZ!Box can be configured as a network printer in Windows 10:

1. Press the keyboard shortcut Windows key + i.
2. Click on "Devices" and select "Devices and Printers" in the menu.
3. Click on "Add a printer or scanner".
The "Searching for printers and scanners" search is started.
4. Click on "The printer that I want isn't listed."
5. Enable the option "Add a printer using TCP/IP address or hostname" and click on "Next".
6. Enter the address <http://fritz.box> in the "Hostname or IP address" field.
If the FRITZ!Box is configured as a wireless repeater or an IP client, enter here the IP address at which the FRITZ!Box can be reached in the network.
7. Click on "Next".
8. If the "Printer Sharing" window appears, select "Do not share this printer" and click on "Next".
9. Click on "Finish"

The USB printer has been configured and can be used as a network printer.

Instructions: Configuring a USB Printer as a Network Printer (Mac OS X 10.5 or Higher)

A USB printer connected to the FRITZ!Box can be configured as a network printer in Mac OS X version 10.5 or higher:

1. In the dock, click on "System preferences".
2. Click on "Print & Fax".
3. Click on "+".
4. Click on "IP Printer".
5. In the "Protocol:" list, select the entry "HP Jet Direct – Socket".
6. Enter the address "fritz.box" in the "Address" field.
If the FRITZ!Box is configured as a wireless repeater or an IP client, enter here the IP address at which it can be reached in the network.
7. In the "Use:" list, select the printer that is connected to the USB port of your FRITZ!Box.
If the printer is not displayed, you must first install the printer drivers for this device. Consult the documentation of your printer for instructions.
8. Click on "Add" or "Add Port...".

The USB printer has been configured and can be used as a network printer.

Instructions: Configuring a USB Printer in Other Operating Systems

In operating systems other than Windows or Mac OS X, configure the following settings to set up a USB printer as a network printer:

1. As the port type, select "Raw TCP".
2. Enter the port "9100".
3. Enter "fritz.box" as the printer name.
If the FRITZ!Box is configured as a wireless repeater or an IP client, enter here the IP address at which it can be reached in the network.

Configuring and Using the Media Server

Overview

As a media server in the home network, the FRITZ!Box can transmit images, music, and videos as well as internet radio stations and podcasts to compatible playback devices like televisions, smartphones, Wi-Fi music systems, and streaming software (media streaming).


How It Works

The FRITZ!Box detects media files automatically and makes them available to playback devices in a clear playlist. You can decide yourself which media sources on the media server should be made available to the users in the home network and from the internet.



Writing large amounts of data to a storage medium connected to the FRITZ!Box can take a while. You can accelerate the process by copying the data to the storage medium on your computer first and then connecting the storage medium to the FRITZ!Box.


Example Configuration



Requirements

- The playback devices must support the UPnP AV standard.

Instructions: Configuring and Using the Media Server

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Media Server / Settings", "Home Network / Media Server / Web Radio" or "Home Network / Media Server / Podcast".
3. For instructions, open the online help .

Assigning a FRITZ!Box Name

Overview

You can assign an individual name for your FRITZ!Box in the FRITZ!Box user interface. This name is then adopted as the name of the Wi-Fi network (SSID).




Changing the name may make it necessary to reconfigure your Wi-Fi connections and network links.

Consequences of Assigning a Name

The name is adopted in the following areas of your home network:

- Name of the Wi-Fi network (SSID)
- Name of the Wi-Fi guest network (SSID)
- Name of the working group released for home network sharing
- Name of the media server
- Name of the DECT base station
- Push service sender name
- Name of your FRITZ!Box in the device overview in MyFRITZ!

Instructions: Assigning a FRITZ!Box Name

1. Open the user interface; [see page 46](#).
2. Select "Home Network / FRITZ!Box Name".
3. For instructions, open the online help .

User Interface: Wi-Fi Menu

Switching the Wi-Fi Network On and Off..... 136

Selecting the Wi-Fi Channel..... 137

Configuring Wi-Fi Guest Access..... 138



Switching the Wi-Fi Network On and Off

Overview

When no one is using it, you can switch off the Wi-Fi network. This way you reduce both power consumption and wireless radiation.


You can switch the Wi-Fi network on and off manually, and set up a schedule for times when the Wi-Fi network is turned on and off automatically.

Switching the Wi-Fi Network On and Off Manually

You can switch the Wi-Fi network on and off in the following ways:

- with the “WLAN” button
- in the “Home Network / Wi-Fi” menu of a connected FRITZ!Fon cordless telephone
- in the “Convenience Features / Wireless” menu of the MyFRITZ!App
- by keypad code using a connected telephone; [see page 211](#)

Instructions: Switching the Wi-Fi Network On and Off by Schedule

1. Open the user interface; [see page 46](#).
2. Select “Wi-Fi / Schedule”.
3. For instructions, open the online help .

Selecting the Wi-Fi Channel


Overview

Wi-Fi uses the frequency range around 2.4 GHz for transmission. In the default setting the FRITZ!Box automatically checks the Wi-Fi environment and selects the optimum Wi-Fi channel settings. In some cases it may be necessary to adjust the Wi-Fi channel settings.

Automatic Configuration of the Wi-Fi Channel Settings by the FRITZ!Box

With the “Set Wi-Fi channel settings automatically” setting, the FRITZ!Box automatically searches for a channel subject to minimal interference. This process takes into consideration adjacent Wi-Fi networks and other sources of interference (for instance baby monitors, microwave ovens). Should problems with interference in the Wi-Fi network persist despite this setting, try to identify the source of interference and eliminate it.

Instructions: Adjusting the Wi-Fi Channel Settings

1. Open the user interface; [see page 46](#).
2. Select “Wi-Fi / Wi-Fi Channel”.
3. For instructions, open the online help .

Configuring Wi-Fi Guest Access

Overview

In addition to its Wi-Fi network, the FRITZ!Box can provide a second, independent Wi-Fi guest network. You can make this Wi-Fi guest network available to your guests. Then your guests can log in with the Wi-Fi guest network on their own smartphones, tablets, laptops or other network devices, without being able to access the FRITZ!Box home network.

Private Wi-Fi Guest Access and Public Wi-Fi Hotspot

The Wi-Fi guest access can be configured as a private or public hotspot.

With a private Wi-Fi guest access you can provide houseguests with an internet connection of their own. The guest access receives its own Wi-Fi network key and guest network name (SSID). You can provide the access information to your guests via QR code or print it out for them.

With a public hotspot you can make Wi-Fi access available to guests in a public space, such as a restaurant or a medical practice. The public hotspot receives its own Wi-Fi hotspot name (SSID), but remains non-encrypted so that no Wi-Fi network key is required.

The “Guest” Access Profile

Wireless devices using the private Wi-Fi guest access or the public hotspot are automatically assigned the “Guest” access profile.

Condition	Activities
Allowed	<ul style="list-style-type: none"> • Surfing the web (according to your filters specified in the “Permitted websites” list or the “Blocked websites” list) • Sending and receiving email
Not allowed	<ul style="list-style-type: none"> • Accessing contents of the home network • Changing the settings of the FRITZ!Box

The “Guest” access profile can be edited in the “Internet / Filters / Access Profiles” menu; [see page 76](#).

The configured filters determine which websites your guests are allowed to visit. The filters can be edited in the “Internet / Filters / Lists”; [see page 78](#).

Settings for the Wi-Fi Guest Access

You can configure the Wi-Fi guest access as a private guest access or a public hotspot:


Setting	Content and Function
FRITZ!Box push service	Notification by email about devices registering with and deregistering from your FRITZ!Box ; see page 156 .
Restrict use	Guests are restricted to surfing the internet, and sending and receiving email.
Captive portal	With a captive portal you can inform guests about the terms of use you defined and then route them to your website.
Visibility in the guest network	Specify whether or not the users’ wireless devices can reach each other in the Wi-Fi guest network.

Setting	Content and Function
Switch off automatically	The Wi-Fi guest access is disabled automatically after a time range you specify, or whenever the last guest has logged off.
QR code	The FRITZ!Box automatically generates a QR code for the Wi-Fi guest access. Then your guests can log in conveniently by scanning this code.


Switching the Wi-Fi Guest Access On and Off

- by smartphone or tablet: MyFRITZ!App (Android and iOS)
- FRITZ!Fon : Menu "Home Network / Wi-Fi"
- in the FRITZ!Box user interface
 - <http://myfritz.box>: "Convenience Features"
 - <http://fritz.box>: "Wi-Fi / Guest Access" menu and time limit in the "Guest" access profile

Example Configuration



Instructions: Configuring Wi-Fi Guest Access

1. Open the user interface; [see page 46](#).
2. Select "Wi-Fi / Guest Access".
3. For instructions, open the online help .

User Interface: Smart Home Menu

Smart Home Devices..... 143

Configuring a Group of Smart Plugs and LED Lights..... 145

Setting Up a Group of Radiator Controls.....146

Configuring a Template for Smart Plugs and LED Lights.....147

Configuring a Template for Radiator Controls.....148



Smart Home Devices

Overview

With Smart Home devices you can switch the power supply to electric devices, measure their energy consumption, control your radiators, or create color lighting for every situation. In the “Smart Home” menu you can configure and operate your Smart Home devices.

Compatible Smart Home Devices

The following Smart Home devices can be registered with the FRITZ!Box via DECT radio (DECT ULE):

- up to 10 FRITZ!DECT 210/200 smart plugs
- up to 12 FRITZ!DECT 301/300 of Comet DECT radiator controls
- up to 10 FRITZ!DECT 440/400 switches
- up to 10 FRITZ!DECT 500 LED lights
- up to 10 devices from other manufacturers that support the HAN-FUN (Home Area Network FUNctional) Smart Home standard

FRITZ!DECT 210/220 Smart Plugs

With the FRITZ!DECT 210/200 smart plugs, you can control the power supply to lights and other electric devices, manually or by schedule. You can also measure the power consumption of these devices. You operate the plugs in the FRITZ!Box user interface, with a FRITZ!DECT 440/400 switch, with FRITZ!App Smart Home, or with a FRITZ!Fon.

FRITZ!DECT 301/300 Radiator Control

With the FRITZ!DECT 301/300 radiator controls you can control the room temperature automatically and save heating costs. In combination with a FRITZ!DECT T 440/400 switch, the FRITZ! App Smart Home, or a FRITZ!Fon, you can display the measured temperature, set the normal and cool-down temperature, and change the desired temperature until the next scheduled switching point.

FRITZ!DECT 440/400 Switches

With the FRITZ!DECT 440/400 switches, you can switch and control the FRITZ!DECT 210/200 smart plugs, the FRITZ!DECT 301/300 radiator controls, and the FRITZ!DECT 500 LED light.

With the FRITZ!DECT 440 switch you can also turn the answering machine and the Wi-Fi guest access on and off.

FRITZ!DECT 500 LED Light

FRITZ!DECT 500 is a LED light for white and color lighting. With the FRITZ!DECT 440 and 400 switches you can switch the LED light. With FRITZ!App Smart Home you can also dim the LED light and change its color. FRITZ!DECT 500 requires an E27 lighting fixture.

HAN FUN Devices


You can also connect Smart Home devices from other manufacturers to the FRITZ!Box and configure and operate them in the FRITZ!Box user interface, for instance, motion sensors and door and window contacts. The devices must support the HAN FUN (Home Area Network Functional) Smart Home standard.

Configuring a Group of Smart Plugs and LED Lights

Overview

Using groups you can combine similar Smart Home devices to control them simultaneously. A group can contain multiple smart plugs, LED lights, or both types of devices. The Smart Home devices can be switched on and off and controlled automatically as a group. You can configure automatic switching for a group and specify one Smart Home device that switches the entire group on and off together.

Instructions: Configuring a Group of Smart Plugs and LED Lights


1. Open the user interface; [see page 46](#).
2. Select "Smart Home / Groups and Templates"
3. For instructions, open the online help .

Setting Up a Group of Radiator Controls

Overview

Using groups you can combine similar Smart Home devices to control them simultaneously. For a group of radiator controls, you can configure heating periods with two temperatures (schedule), heating periods with one temperature (vacation switching), and periods when heating is off.

Instructions: Setting Up a Group of Radiator Controls

1. Open the user interface; [see page 46](#).
2. Select “Smart Home / Groups and Templates”
3. For instructions, open the online help .

Configuring a Template for Smart Plugs and LED Lights

Overview

In a template you can combine several groups and multiple smart plugs and LED lights so that they are switched on and off at the same time.

Rules

- In a template you can only combine similar Smart Home devices: Either radiator controls, or smart plugs and LED lights.


Example

You have smart plugs and LED lights in operation in your home. In one room you have floor lamps connected to two smart plugs, which have been configured as a group. In another room you have three different LED lights connected.

To switch all smart plugs and LED lights, you can configure one or more templates:

- one template to enable automatic switching (schedule)
- one template to switch all sockets/LED lights on or off
- one template to delete automatic switching for the sockets/LED lights

Instructions: Configuring a Template for Smart Plugs and LED Lights

1. Open the user interface; [see page 46](#).
2. Select "Smart Home / Groups and Templates"
3. For instructions, open the online help .

Configuring a Template for Radiator Controls

Overview

In a template you can combine several groups and several radiator controls so that they are controlled at the same time.

Rules


- In a template you can only combine similar Smart Home devices: Either radiator controls, or smart plugs and LED lights.

Example

You have several radiator controls operating in various rooms of your home. In one room you configured a group for several radiator controls. The other rooms have only one radiator control each. To control all radiator controls in all rooms together, you can configure one or more templates:

- one template to preheat the entire home (for instance, with boost mode or a schedule)
- one template to maintain the same temperature on all radiators while you are gone (vacation switching)
- one template to turn off all radiators

Instructions: Configuring a Template for Radiator Controls

1. Open the user interface; [see page 46](#).
2. Select "Smart Home / Groups and Templates"
3. For instructions, open the online help .

User Interface: Diagnostics Menu

Starting Function Diagnostics..... 150

Starting Security Diagnostics..... 152



Starting Function Diagnostics

Overview

With the function diagnostics you can get an overview of the functional status of your FRITZ!Box and its internet connection, and of your home network as well. In case an error occurs, the diagnostics results can help you localize and remedy any problems.


Function Diagnostics Checkpoints

Area	Checkpoint/Status
FRITZ!Box 7510	<ul style="list-style-type: none">• name of the FRITZ!Box• FRITZ!Box version• FRITZ!OS up to date
Registration	Configured login method to the FRITZ!Box user interface
LAN	<ul style="list-style-type: none">• allocation of LAN ports• power settings on LAN ports
Wi-Fi	<ul style="list-style-type: none">• Wi-Fi frequency band enabled/disabled with Wi-Fi function• number of wireless devices connected• security settings
DECT	<ul style="list-style-type: none">• DECT enabled/disabled• number of DECT devices connected
USB devices	<ul style="list-style-type: none">• number of storage media connected• number of partitions• connected printers



Area	Checkpoint/Status
Internet connection	<ul style="list-style-type: none"> • IPv4 connection active since/not active • IPv6 connection active since/not active • current IP address
DSL connection	If the internet connection check is negative, the DSL connection is checked.
Telephone numbers	How many and which numbers assigned
MyFRITZ!	<ul style="list-style-type: none"> • status of MyFRITZ! activation • MyFRITZ! account email address
Home network	<ul style="list-style-type: none"> • number of network devices connected with the FRITZ!Box at present or at an earlier point in time • number of network devices online
Smart Home	Number of Smart Home devices
Wi-Fi environment	Wi-Fi frequency band with number of Wi-Fi networks on the same or an adjacent channel

Instructions: Starting Function Diagnostics

1. Open the user interface; [see page 46](#).
2. Select "Diagnostics / Function".
3. For instructions, open the online help .

Starting Security Diagnostics

Overview

By means of the security diagnostics you get an overview of all security-relevant settings of your FRITZ!Box. At a glance you can see whether the latest FRITZ!OS is installed, which ports are open, which users are logged in or off the FRITZ!Box, which wireless devices with which properties are connected to the FRITZ!Box, and much more.


Security Diagnostics Test Points

Number Range	Checkpoint/Status
FRITZ!OS	<ul style="list-style-type: none"> FRITZ!Box Version FRITZ!OS up to date
Registration	Configured login method to the FRITZ!Box user interface
Internet Connection	<ul style="list-style-type: none"> ports opened on the FRITZ!Box protocols used on these ports port sharing for home network devices to the internet filters for internet access
MyFRITZ!	<ul style="list-style-type: none"> status of MyFRITZ! activation MyFRITZ! account email address registration link for MyFRITZ! overview of MyFRITZ! sharing for access from the internet
Outgoing filters	Overview of active filters for access from the internet

Number Range	Checkpoint/Status
Wi-Fi	<ul style="list-style-type: none"> • properties and security-relevant settings for access to the Wi-Fi network and Wi-Fi guest access • names of registered and known wireless devices
Telephony	<ul style="list-style-type: none"> • Mesh Repeater with telephony On a Mesh Repeater (FRITZ!Box) enabled for telephony in the Mesh, all of the telephone numbers configured in the Mesh Master are available. • functions and properties of the DECT base station of the FRITZ!Box • Call handling like call diversion settings, premium numbers, settings for international calls, and security-relevant connection settings • IP telephone settings: connected with the FRITZ!Box directly or via FRITZ!App Fon • CAPloverTCP driver function CAPI drivers install virtual modem drivers so that analog services like faxing can be used digitally. With CAPloverTCP you can use the "FRITZ!Fax for FRITZ!Box" program with the FRITZ!Box to send and receive faxes.
FRITZ!Box Users	<ul style="list-style-type: none"> • all FRITZ!Box users and their rights to access FRITZ!Box contents, for the FRITZ!Box home network and for access from the internet • time of the last login to the FRITZ!Box and the IP address used to do so

Number Range	Checkpoint/Status
FRITZ!NAS	<p>Access rights to the FRITZ!Box storage media with the following details:</p> <ul style="list-style-type: none">• which user has access to which storage media• which rights (write and read) are included• whether access is permitted only via the home network, or also from the internet

Instructions: Starting Security Diagnostics

1. Open the user interface; [see page 46](#).
2. Select "Diagnostics / Security".
3. For instructions, open the online help .

User Interface: System Menu

Configuring Push Services.....	156
Logging In to the FRITZ!Box User Interface.....	158
Selecting Signaling of the “Info” LED.....	162
Switching Off and Dimming the LED Display.....	163
Locking and Unlocking Buttons.....	164
Setting the User Interface Language.....	165
Changing Regional Options.....	166
Adjusting the Time Zone.....	167
Saving Settings.....	168
Loading Settings.....	169
Restarting the FRITZ!Box.....	170
Restoring Factory Settings.....	171
Performing a FRITZ!OS Update Automatically.....	173
Performing a FRITZ!OS Update in the Mesh Overview.....	176
Performing a FRITZ!OS Update with the Wizard.....	178
Performing a FRITZ!OS Update Manually.....	180

Configuring Push Services

Overview

Various push services are available in the user interface under “System / Push Service”. Push services are notification services that inform you about the activities of your FRITZ!Box and assist you in saving your passwords and FRITZ!Box settings. With the push services you can have email sent to you at regular intervals informing you about the latest connections, usage, and configuration of your FRITZ!Box.


Available Push Services

You can request push service mails to be notified about the following activities by the FRITZ!Box:


Push Service	Function
FRITZ!Box Info	Sends you regular email messages with data on FRITZ!Box usage and connections
Smart Home	Sends you the status of a Smart Home device regularly or when important events occur
Wi-Fi Guest Access	Sends a message whenever devices register with or deregister from the Wi-Fi guest access
Calls	Sends you email about telephone calls and calls from door intercom systems (including camera images). You have the option of receiving email for all incoming calls, or only for missed calls.
Answering Machine	Forwards messages recorded on the FRITZ!Box answering machines to the specified email address
Fax Function	Forwards your faxes by email and also saves them to a storage location you defined
SMS Reception	Forwards texts that arrive at the FRITZ!Box via the mobile network by email

Push Service	Function
New FRITZ!OS	Notifies you whenever a new FRITZ!OS version is available for your FRITZ!Box
Forgot Password	Sends you an access link to the specified email address if you have forgotten your password
Save Settings	Saves the settings of the FRITZ!Box to a back-up file before each update and every time the factory settings are restored, and forwards this file by email, protected with a password
Change Notice	Sends you an email every time changes are made to a FRITZ!Box setting or when potentially security-relevant events occur
Current IP Address	Sends the IP address assigned by the internet service provider every time the internet connection is established

Instructions: Enabling Push Service

1. Open the user interface; [see page 46](#).
2. Select "Overview / Wizards".
3. For instructions, open the online help .

Instructions: Configuring Push Service

1. Open the user interface; [see page 46](#).
2. Select "System / Push Service".
3. For instructions, open the online help .

Logging In to the FRITZ!Box User Interface

Overview

When you open the user interface of your FRITZ!Box, you will be prompted to log in. This login serves to keep your FRITZ!Box secure and protects access to the user interface.

You have two options for logging in to your FRITZ!Box:

- with a FRITZ!Box password; [see page 158](#)
- as a FRITZ!Box user; [see page 159](#)

FRITZ!Box Password

For the first login to the FRITZ!Box, a general FRITZ!Box password is preconfigured, which works without a username. The preconfigured FRITZ!Box password is printed on the “FRITZ! Notes” service card and on the type label on the bottom.

The FRITZ!Box password has the following properties:

- Login with the FRITZ!Box password without a username is possible only within the FRITZ!Box home network.
- Every user who logs in with the FRITZ!Box password without a username has the right to access all contents and settings on the FRITZ!Box .
- For the FRITZ!Box password, the FRITZ!Box automatically creates a FRITZ!Box user with a username composed of the letters “fritz” and a four-digit string of numerals, for instance, “fritz1234”. The FRITZ!Box uses this user account internally whenever you log in to the home network with the FRITZ!Box password and without a username. This automatically created user account cannot be deleted.

If you change the automatically created username, then you can no longer log in using just the FRITZ!Box password without a username. Then login is possible only with a username and password.

- You can change the preconfigured FRITZ!Box password; [see page 50](#).
- The preconfigured FRITZ!Box password is restored if you restore the factory settings to the FRITZ!Box.

FRITZ!Box Users

FRITZ!Box users are individual authorizations to access and use the FRITZ!Box, which are linked with individual user accounts. A FRITZ!Box user account is set up with a username and a password.

A FRITZ!Box user account has the following properties:

- Login using a FRITZ!Box account is possible from the home network of the FRITZ!Box and, with the appropriate rights, also via the internet.
- If you create a FRITZ!Box user account for a person, then that person is granted rights to use selected areas and functions of the FRITZ!Box.
- A FRITZ!Box user does not have to be an actual person. You can create a FRITZ!Box user for the purpose of bundling certain use rights. For instance, you can create a Smart Home user who can access only Smart Home functions.
- Every FRITZ!Box user logs in with their own username and a unique password.
- You can set up as many as 18 FRITZ!Box user accounts.

You can configure the following rights for each FRITZ!Box user:

- Access the FRITZ!Box from the internet
- View and edit FRITZ!Box settings
- View and listen to voice messages, faxes, and the FRITZ!App Fon call list
- Control Smart Home devices
- Access selected network storage (NAS)
- Establish a VPN connection to the FRITZ!Box

Rules for User Names and Passwords

- For FRITZ!Box users, select a username that begins with a letter from a to z in upper or lower case and has a maximum of 32 characters; [see page 161](#).
- Select a password with at least twelve characters, which includes capitals and lower-case letters as well as numerals and special characters; [see page 161](#).
- Configure the “Forgot Password” push service. When you have forgotten a password, the FRITZ!Box sends an access link to the email address you specified. Using this link you can set a new password.




If you lose your FRITZ!Box access information and did not configure the “Forgot Password” push service, you will have to restore the factory settings to the FRITZ!Box and reconfigure all of your personal settings for your internet connection, your telephone system, and your home network.

Characters Allowed for Passwords and Usernames

Characters	In Usernames	In Passwords
Letters of the Latin alphabet in upper case (A-Z) and in lower case (a-z)	allowed	allowed
Numerals (0-9)	allowed	allowed
Spaces	allowed	allowed
Umlauts (ä, ö, ü)	not allowed	not allowed
The letter ß	not allowed	not allowed
Currency symbols: €	not allowed	not allowed
Special characters: - _ , .	allowed	allowed
Special characters: ! " # \$ % & ' (*) + / : ; < = > ? @ [\] ^ ' { } ~	not allowed	allowed
Special characters: § ´	not allowed	not allowed

Instructions: Configuring FRITZ!Box Users

1. Open the user interface; [see page 46](#).
2. Select "System / FRITZ!Box Users / Users".
3. For instructions, open the online help .

Selecting Signaling of the “Info” LED

Overview

The “Info” LED signals various events. Some events are preset and configured permanently; [see page 24](#). In addition to this, the “Info” LED can be assigned to display another event of your choice.


Example 1

You would like to be notified about new messages on the answering machine. The “Info” LED flashes when there are new messages on the FRITZ!Box answering machine. The LED stops flashing as soon as all new messages have been heard.

Example 2

You would like to be notified when the data or time included in your internet package, stipulated in the “Internet / Online Monitor / Online Meter”, has been exhausted. The “Info” LED will then flash when the con-figured volume has been exceeded.

Instructions: Selecting the Signaling of the “Info” LED

1. Open the user interface; [see page 46](#).
2. Select “System / Buttons and LEDs / 'Info' Display.”
3. For instructions, open the online help .

Switching Off and Dimming the LED Display


Overview

By means of the LEDs, your FRITZ!Box notifies you about the current connection status and signals events in the home network. In the “System / Buttons and LEDs / LED Display” menu you can adjust the bright-ness of the LEDs or turn them off completely. Error conditions will still be signaled, and it is also possible to switch them on briefly without permanently changing the LED display settings.

Example

Your FRITZ!Box is located in the bedroom and you find the light from the LEDs too bright or irritating.

Instructions: Switching Off and Dimming the LEDs

1. Open the user interface; [see page 46](#).
2. Select “System / Buttons and LEDs / LED Display”.
3. For instructions, open the online help .

Locking and Unlocking Buttons

Overview

You can lock the buttons on the FRITZ!Box . Locking the buttons prevents the settings for your FRITZ!Box or your home network from being changed unintentionally or without authorization.

Instructions: Locking the FRITZ!Box Buttons

1. Open the user interface; [see page 46](#).
2. Select "System / Buttons and LEDs / Keylock".
3. Enable the checkbox "Buttons locked".
4. Click on "Apply".

The buttons are locked.

Instructions: Unlocking the FRITZ!Box Buttons

1. Open the user interface; [see page 46](#).
2. Select "System / Buttons and LEDs / Keylock".
3. Disable the "Buttons locked" checkbox.
4. Click on "Apply".

The button lock is disabled.

Setting the User Interface Language

Overview

You can change the language of the user interface. You can choose between Dutch, English, French, German, Italian, Polish, and Spanish.

Rules

- FRITZ!Fon cordless telephones automatically adopt the new language of the FRITZ!Box. You can prevent this: Within two minutes after you changed the language setting in the FRITZ!Box, press “Cancel” on the FRITZ!Fon.

Instructions: Setting the User Interface Language

1. Open the user interface; [see page 46](#).
2. In the “System / Region and Language” menu, select the “Language Settings” tab.
3. Select the desired language from the drop-down list.
4. Click on “Apply”.


The FRITZ!Box restarts. After restarting, the user interface appears in the language you selected.

Changing Regional Options

Overview

The FRITZ!Box is optimized to make telephone calls in various countries. With the regional options you specify the country in which you use your FRITZ!Box for telephone calls. This way you ensure that the FRITZ!Box adapts optimally to the telephony functionality of the country in which it is used.

Instructions: Changing Regional Options

1. Open the user interface; [see page 46](#).
2. Select "System / Region and Language / Regional Options".
3. For instructions, open the online help .

Adjusting the Time Zone

Overview


By default, the FRITZ!Box automatically sets the time zone when it connects to the internet. However, you can also set the time zone where you use the FRITZ!Box manually.

If you are using the FRITZ!Box in a country with daylight saving time, you can enable the option to adjust to daylight time automatically.



For all features of the FRITZ!Box to work smoothly, the FRITZ!Box must always be set to the local time zone where it is located.

Instructions: Adjusting the Time Zone

1. Open the user interface; [see page 46](#).
2. Select "System / Region and Language / Time Zone".
3. For instructions, open the online help .


Saving Settings

Overview


You can save all of the settings made in your FRITZ!Box to a backup file. Using this file you can save time on future configurations:

- You can restore the saved settings to your current FRITZ!Box.
- You can load the saved settings into another FRITZ!Box of the same model.
- You can load the saved settings into another FRITZ!Box of a different model.

Instructions: Saving Settings Automatically

1. Open the user interface; [see page 46](#).
2. Select "System / Push Service / Push Services".
3. For instructions, open the online help .

Instructions: Saving Settings Manually

1. Open the user interface; [see page 46](#).
2. Select "System / Backup / Save".
3. For instructions, open the online help .

Loading Settings


Overview

FRITZ!Box settings you have previously saved can be restored.

- You can restore settings saved in your current FRITZ!Box.
- You can load the saved settings into another FRITZ!Box of the same model.
- You can load the saved settings into another FRITZ!Box of a different model.

When restoring your FRITZ!Box settings, you can choose whether to restore all settings, or only certain selected ones.

Instructions: Loading Settings

1. Open the user interface; [see page 46](#).
2. Select "System / Backup / Restore".
3. For instructions, open the online help .

Restarting the FRITZ!Box

Overview

A restart of your FRITZ!Box may be necessary if the FRITZ!Box no longer reacts correctly, or if internet connections can no longer be established for no apparent reason. You can perform a restart directly on the FRITZ!Box or via the FRITZ!Box user interface.

Consequences of Restarting


- The FRITZ!Box is reinitialized.
- Events in the “System / Event Log” menu are deleted.
- Settings you made in the FRITZ!Box remain intact.

Instructions: Restarting the FRITZ!Box

1. Remove the power adapter of the FRITZ!Box from the electrical outlet.
2. Wait 5 seconds.
3. Plug the power adapter back into the outlet.

Restarting the FRITZ!Box takes about 2 minutes.

Instructions: Restarting the FRITZ!Box from the User Interface

1. Open the user interface; [see page 46](#).
2. Select “System / Backup / Restart”.
3. For instructions, open the online help .

Restoring Factory Settings

Overview

You can restore factory settings to the FRITZ!Box.

Application Example

Resetting makes sense in the following cases:

- You forgot the login information for your FRITZ!Box and can no longer access the FRITZ!Box user interface.
- The FRITZ!Box no longer works properly (for instance, due to improper settings).
- The FRITZ!Box is to be passed on to an outside party for repair.
- The FRITZ!Box is to be resold to another user.
- The FRITZ!Box is to be disposed of.

Consequences of Resetting

- All of the settings you made in the FRITZ!Box are deleted.
- The internal memory of the FRITZ!Box is deleted. In addition to contents on FRITZ!NAS, messages received on the answering machine and faxes are discarded.
- The network key from the factory settings will be reactivated.
- The name of the Wi-Fi network (SSID) will be reset.
- The IP configuration of the factory settings will be restored.

Preparations

If you would like to restart operation of the FRITZ!Box after restoring factory settings, make the following preparations:

- Save your FRITZ!Box settings; [see page 168](#).

Instructions: Restoring Factory Settings



When the factory settings are restored, all of the settings you made in the FRITZ!Box are deleted.

1. Open the user interface; [see page 46](#).
2. In the FRITZ!Box user interface, select the “System / Backup” menu.
3. Select the “Factory Settings” tab.
4. Click on the “Load Factory Settings” button.

The FRITZ!Box is reset to its factory settings. All data are deleted.



If you intend to restart operation of the FRITZ!Box, we recommend updating the FRITZ!OS of the FRITZ!Box; [see page 176](#).

Performing a FRITZ!OS Update Automatically

Overview

The FRITZ!Box works with its own operating system: FRITZ!OS. AVM regularly makes new versions of FRITZ!OS available for your FRITZ!Box, free of charge. Updates contain further developments and often new features.

With the automatic update function of the FRITZ!Box you will never miss a software update for your FRITZ!Box and will be able to use new features right away. A new version of FRITZ!OS can contain improvements, bug fixes, and important security updates, as well as significant new functions.



Always install the latest FRITZ!OS version on all FRITZ! products in your FRITZ!Box home network. This keeps your FRITZ! products up to date and ensures optimum synchronization of all devices in your home network.

Properties of Automatic Updates

In the “System / Update / Auto Update” menu you can specify when and which updates should be installed automatically, or whether you would like to be merely informed about new FRITZ!OS updates. The default setting is for notification of updates and automatic installation of all updates (level III).


The "Automatic Update" function offers you the following methods:

Procedure	Description
Level I: Notify me about new FRITZ!OS versions	<ul style="list-style-type: none"> The FRITZ!Box indicates that a new version of FRITZ!OS is available on the "Overview" page. You start the update yourself; see page 178.
Level II: Notify me about new versions of FRITZ!OS and install necessary updates automatically	<ul style="list-style-type: none"> The FRITZ!Box indicates that a new version of FRITZ!OS is available on the "Overview" page. You start the update yourself; see page 178. Updates that AVM regards as necessary for continued secure and reliable operation (for instance, security updates) will be installed automatically. The FRITZ!Box selects a suitable time for the update, generally at night. During installation all internet and telephony connections will be interrupted briefly.
Level III: Notify me about new versions of FRITZ!OS and install new versions automatically (recommended)	<ul style="list-style-type: none"> The FRITZ!Box indicates that a new version of FRITZ!OS is available on the "Overview" page. Every new version of FRITZ!OS will be installed automatically. The FRITZ!Box selects a suitable time for the update, generally at night. During installation all internet and telephony connections will be interrupted briefly.



The FRITZ!Box is preconfigured for automatic updates, generally at night. During installation all internet and telephone connections will be briefly interrupted. If you require a stable internet connection without interruption at night, for instance for working on servers, large downloads or updates, then select a time period that works better for you with the "Define time range" option in the "System / Update / Auto Update" menu of the FRITZ!Box.

Instructions: Configuring Automatic Updates


1. Open the user interface; [see page 46](#).
2. Select "System / Update / Auto Update".
3. For instructions, open the online help .

Instructions: Disabling Automatic Updates

If you do not wish to have updates installed or searched for automatically, you can disable this function.



We recommend keeping the search for updates and the automatic installation of updates enabled. This way you benefit from further developments of existing and new features for your FRITZ!Box.

1. Open the user interface; [see page 46](#).
2. Select "Internet / Account Information / AVM Services".
3. For instructions, open the online help .

Performing a FRITZ!OS Update in the Mesh Overview

Overview

The FRITZ!Box works with its own operating system: FRITZ!OS. AVM regularly makes new versions of FRITZ!OS available for your FRITZ!Box, free of charge. Updates contain further developments and often new features.

You can update the FRITZ!OS in the user interface of your FRITZ!Box, in the Mesh Overview.




Always install the latest FRITZ!OS version on all FRITZ! products in your FRITZ!Box home network. This keeps your FRITZ! products up to date and ensures optimum synchronization of all devices in your home network.

Instructions: Performing a FRITZ!OS Update in the Mesh Overview



Do not clear the connection between the FRITZ!Box and the computer during a FRITZ!OS update, and do not unplug the power cord. Interrupting a FRITZ!OS update could damage your FRITZ!Box.

1. Open the user interface; [see page 46](#).
2. Select "Home Network / Mesh".
3. When a new update is available, the "Active Connections in the Home Network and Current Software Version" table displays the "Perform update" link next to the FRITZ!Box entry.



4. Start the update by clicking on "Perform update" and wait until the message "Update was successful" appears.

Performing a FRITZ!OS Update with the Wizard

Overview

The FRITZ!Box works with its own operating system: FRITZ!OS. AVM regularly makes new versions of FRITZ!OS available for your FRITZ!Box, free of charge. Updates contain further developments and often new features.

Using the “Update” wizard makes it especially easy to install a new version of FRITZ!OS. The wizard checks whether a new version of FRITZ!OS is available and guides you step by step through installation.



Always install the latest FRITZ!OS version on all FRITZ! products in your FRITZ!Box home network. This keeps your FRITZ! products up to date and ensures optimum synchronization of all devices in your home network.

Instructions: Performing a FRITZ!OS Update with the Wizard



Do not clear the connection between the FRITZ!Box and the computer during a FRITZ!OS update, and do not unplug the power cord. Interrupting a FRITZ!OS update could damage your FRITZ!Box.

1. Open the user interface; [see page 46](#).
2. On the “Overview” page, select the “Wizards” menu.
3. Start the “Update” wizard.
The “System / Update / FRITZ!OS Version” page is opened.
4. Click on the “Find New FRITZ!OS” button.
The wizard checks whether a FRITZ!OS update is available for your FRITZ!Box.
If the wizard finds an update, the version number of the new FRITZ!OS is displayed. Click on the link under the FRITZ!OS version to view information about further developments and new functions contained in the FRITZ!OS update.

5. To install an update, click on the "Start Update" button.
The FRITZ!OS update begins and the "Info" LED starts flashing.
The FRITZ!OS update is complete when the LED stops flashing.

Performing a FRITZ!OS Update Manually

Overview

The FRITZ!Box works with its own operating system: FRITZ!OS. AVM regularly makes new versions of FRITZ!OS available for your FRITZ!Box, free of charge. Updates contain further developments and often new features.

In some cases it is not possible to perform an automatic update, or an update via the “Mesh Overview” or wizard. Then you have the option of performing a manual update with a FRITZ!OS file that is already saved on your computer’s hard drive, or on a storage medium connected to the computer, for instance a USB stick. No internet connection is needed for this update.



Always install the latest FRITZ!OS version on all FRITZ! products in your FRITZ!Box home network. This keeps your FRITZ! products up to date and ensures optimum synchronization of all devices in your home network.

Instructions: Performing a FRITZ!OS Update Manually



Do not clear the connection between the FRITZ!Box and the computer during a FRITZ!OS update, and do not unplug the power cord. Interrupting a FRITZ!OS update could damage your FRITZ!Box.

1. Enter the following address in the web browser: <ftp.avm.de/fritzbox>.
2. Switch to the folder for your FRITZ!Box model, then to the sub-folder “other”, and then to the “fritz.os” folder.
The complete model name of your FRITZ!Box is shown in the user interface on the “Overview” page and on the bottom.
3. Download the file with the file extension “.image” to your computer.
4. Open the user interface; [see page 46](#).
5. Select “System / Update / FRITZ!OS File”.

6. If you did not configure the “Save Settings” push service: Back up the settings on your FRITZ!Box before the update. Using this file you can restore the settings of your FRITZ!Box as needed.
 - Enable the option “Create a backup file before the update”.
 - Assign a password for the encryption of your backup file.
 - Perform the additional confirmation and click on “OK”.
 - Save the backup file.
7. Click on the “Browse...” button and choose the file with the new FRITZ!OS you already downloaded and saved on your computer.
8. Click on “Start Update”.

The FRITZ!OS update begins and the “Info” LED starts flashing. The FRITZ!OS update is complete when the “Info” LED stops flashing.

User Interface: Wizards Menu

Using the Wizards..... 183



Using the Wizards

Overview

Wizards guide you step by step through configuration of the most important FRITZ!Box functions. All settings options are commented on in detail. Follow the wizard's instructions in each window to configure your settings.



When you cancel a wizard, any entries you made during the course of using the wizard are discarded.

Range of Functions

The following wizards assist you in step-by-step configuration:

Wizard	Function
Manage Telephony Devices	Connects and configures the following devices: <ul style="list-style-type: none">• telephones• answering machines• fax machines• cordless (DECT) telephones
Manage Telephone Numbers	Adds and edits telephone numbers
Configure Internet Connection	Configures and checks your internet connection
Check the Status of the FRITZ!Box	Performs diagnostics of the functional status of your FRITZ!Box, its internet connection, and the home network connection to the FRITZ!Box

Wizard	Function
Security	<ul style="list-style-type: none"> • Performs diagnostics of FRITZ!Box settings that regulate access to the FRITZ!Box from the internet or in the home network • Warns about potentially insecure settings
Save and Restore Settings	Saves and restores the FRITZ!Box settings
Update	Checks whether a new version of FRITZ!OS is available for your FRITZ!Box
Configuring Push Service	Sets up push services (automatic email sent with status and usage data)
More Functions in Brief	Introduces new and interesting functions, settings, and features of the FRITZ!Box

Instructions: Starting Wizards

1. Open the user interface; [see page 46](#).
2. Click on the “Wizards” menu.
3. Start the wizard of your choice with a mouse click.
4. Follow the instructions the wizard displays on the screen.

FRITZ!NAS

Using Features of FRITZ!NAS..... 186

Displaying the FRITZ!Box Data Storage in the File Manager..... 189

Backing Up FRITZ!Box Storage..... 190



Using Features of FRITZ!NAS

Overview

The FRITZ!Box can provide central storage (NAS = Network Attached Storage) in the home network. With FRITZ!NAS you can access your saved files, for instance, music, images, videos, and documents, from all computers, smartphones, and other devices in the home network.

FRITZ!NAS can make the following data storage available:

- Internal FRITZ!Box storage
- Connected USB storage media
- Configured online storage (cloud storage)

Access Rights


If you log in to the FRITZ!Box in the home network using only the FRITZ!Box password without a username, or directly with FRITZ!NAS , by default you have unrestricted access to all contents in the NAS.

If you want to restrict access to NAS contents for certain users, then you can create one or more FRITZ!Box user(s). For each FRITZ!Box user you can define specific access rights to the NAS contents.


Requirements

- A web browser that supports HTML5, for instance Internet Explorer version 9 or higher, Firefox version 17 or higher, or Google Chrome version 23 or higher.
- For login from the internet:
 - A MyFRITZ! account has been set up; [see page 195](#).
 - The FRITZ!Box can be reached from the internet; [see page 193](#).
 - A FRITZ!Box user with the rights “Access from the internet allowed” and “Access to NAS contents” has been set up; [see page 159](#).

Instructions: Configuring Online Storage

1. Open the user interface; [see page 46](#).
2. Select "Home Network / USB/Storage".
3. For instructions, open the online help .

Instructions: Configuring USB Storage

1. Open the user interface; [see page 46](#).
2. Select "Home Network / USB/Storage / Devices and Network Sharing".
3. For instructions, open the online help .

Starting Instructions: FRITZ!NAS in the Home Network

1. Open a web browser.
 2. Enter "fritz.nas" in the address bar of the browser.
 3. Log in to your FRITZ!Box using the FRITZ!Box password.
- The FRITZ!NAS page opens and displays the storage media enabled in the FRITZ!Box.

Instructions: Starting FRITZ!NAS in the Internet

1. Open a web browser.
2. Enter "myfritz.net" in the address field of the browser.
3. Log in with the login information of your MyFRITZ! account (email address and password).
4. Click on the name of the FRITZ!Box whose NAS storage you want to access.
5. Log in using the login information of a FRITZ!Box user with the necessary rights (username and password).
6. Click on "FRITZ!NAS" in the user interface.

The FRITZ!NAS page opens and displays the storage media enabled in the FRITZ!Box .

Displaying the FRITZ!BoxData Storage in the File Manager

Overview

You can display the contents of the FRITZ!Box data storage in the file manager of a computer in the home network. The storage can be used on the computer just like a local drive or a USB drive connected directly to the computer, for instance in the Windows Explorer or macOS Finder.

Requirements

- Your computer is connected with the FRITZ!Box via network cable.

Instructions: Displaying FRITZ!Box in Windows Explorer

1. Open Windows Explorer.
2. Enter "fritz.nas" in the address bar of the browser.

The NAS of your FRITZ!Box is displayed in Windows Explorer. You can list, rename, copy, and delete files.

Instructions: Displaying FRITZ!Box Storage in the OS X Finder

1. Click on the Finder icon with the right mouse button to open the context menu of the Finder.
2. Select the "Connect to Server..." option.
3. Enter the server address <smb://fritz.nas>.

The storage of your FRITZ!Box is displayed in the Finder. You can list, rename, copy, and delete files.

Backing Up FRITZ!Box Storage

Overview

You can save the data you have stored on the internal FRITZ!Box storage to a file.

Instructions: Saving Data from Internal Memory

1. Open a web browser.
2. Enter "fritz.nas" in the address bar of the browser.
3. Select on the FRITZ!NAS page the data you would like to save.
4. Click in the toolbar on the icon for downloading and select a storage location for the data.
5. Save with "OK".

The selected data are copied to a ZIP file in the download folder you specified.

MyFRITZ!

What Is MyFRITZ!?..... 192

Creating a New MyFRITZ! Account..... 195

Configuring MyFRITZ!App in Android..... 196

Configuring MyFRITZ!App in iOS..... 198



What Is MyFRITZ!?

Overview

MyFRITZ! adds additional functionality to your FRITZ!Box. With MyFRITZ! you can access various information and features of your FRITZ!Box via the internet or from the home network.

MyFRITZ! Components

	MyFRITZ! account / MyFRITZ!net	MyFRITZ!App	MyFRITZ! / myfritz.box
Function	MyFRITZ! in the internet	MyFRITZ! mobile	MyFRITZ! in the home network
Access to	a personal FRITZ!Box overview portal and, depending on the user rights, to FRITZ!Box functions	FRITZ!Box functions from on the go	FRITZ!Box functions in the home network
Accessed via...	log in with MyFRITZ! account on the http://www.myfritz.net website	a mobile device (with MyFRITZ!App installed)	MyFRITZ! link in the FRITZ!Box user interface or the address http://myfritz.box in the browser



Using MyFRITZ! in the Internet: MyFRITZ! Account / MyFRITZ!Net

With the MyFRITZ! account you can log in to the FRITZ!Box Overview page <http://www.myfritz.net> via web browser and access your FRITZ!Box from there, for instance, to retrieve information on calls or to access photo, music, or video files on home network storage. The FRITZ!Box automatically sends important information about the home network to the email address of the MyFRITZ! account.

Create a MyFRITZ! account with an email address and a password.

FRITZ!Box FRITZ!Box Web Address

Upon registering with the MyFRITZ! account, the FRITZ!Box is assigned a web address at which it can always be reached.

If internet access to the FRITZ!Box is enabled and a FRITZ!Box user has been configured with “Access from the internet allowed” rights, then you can open the assigned web address in a browser to access your FRITZ!Box directly.

You can also use the assigned web address to establish VPN connections to your FRITZ!Box or server services and network devices in the home network for which you configured port sharing in the FRITZ!Box; [see page 80](#).

In the following case, the assigned address cannot be reached from the internet:

- Your internet service provider did not assign a public IPv4 address to your FRITZ!Box, for instance for connections with the dual-stack lite protocol. The FRITZ!Box does not have a public IPv4 address if the message “FRITZ!Box uses a DS Lite tunnel” is displayed in the “Connections” section of the “Overview” menu in the user interface.

Using MyFRITZ! from a Mobile Device: MyFRITZ!App

With the free MyFRITZ!App you receive information from the home network directly on your mobile device. You can access your FRITZ!Box at any time from anywhere.

- Messages: view the FRITZ!Box call list and listen to messages on the answering machine

- Home network: access the FRITZ!Box user interface and connected home network devices securely
- Smart Home: Control smart plugs and radiator controls
- FRITZ!NAS : Access home network storage, for instance, for photo, music, or video files
- Convenience functions: control answering machines and call diversion settings



To use the MyFRITZ!App with iOS, a MyFRITZ! account and a FRITZ!Box user account must be configured; [see page 158](#).

Using MyFRITZ! in the Home Network: myfritz.box

Via the “MyFRITZ!” overview page at the address “myfritzbox” you can access functions of your FRITZ!Box frequently used in the home network directly from your browser:

- Call list: View calls and listen to messages
- FRITZ!NAS: Access home network storage, for instance, for photo, music, or video files
- Convenience functions: Display and switch Wi-Fi, WPS, guest access, answering machines on and off
- Smart Home: Switch and control smart plugs and radiator controls

Which functions you can access depends on the rights configured for the FRITZ!Box users logged in. If you logged in with the general FRITZ!Box password, you have access to all areas; [see page 158](#).

Creating a New MyFRITZ! Account

Overview


In order to be able to use MyFRITZ! via the <http://www.myfritz.net> website or via the MyFRITZ!App for iOS, a MyFRITZ! account is needed. When the MyFRITZ! account is created, the FRITZ!Box from which the account is created is registered with the MyFRITZ! account.

If you would like to use MyFRITZ! only via the MyFRITZ!App for Android, then you do not need a MyFRITZ! account.

MyFRITZ! Account and FRITZ!Box

You only have to set up a MyFRITZ! account once. It exists no matter which FRITZ!Box was used to create it. Once an account has been created you can register any number of FRITZ!Box models with your MyFRITZ! account. If you switch to a new FRITZ!Box, you can then register the new model with your existing MyFRITZ! account and delete any old FRITZ!Box models no longer in use.

Instructions: Creating a New MyFRITZ! Account or Using an Existing MyFRITZ! Account

1. Open the user interface; [see page 46](#).
2. Select "Internet / MyFRITZ! Account".
3. For instructions, open the online help .

Configuring MyFRITZ!App in Android

Overview

With the MyFRITZ!App you can access your FRITZ!Box from anywhere using your Android device. The MyFRITZ!App is configured in the FRITZ!Box home network first.

The MyFRITZ!App from AVM can be downloaded free from the [Google Play Store](#).

Requirements

- Android smartphone or Android tablet with Google Android 4 (or newer)
- Your Android mobile device is located in the Wi-Fi network of your FRITZ!Box .
- For registration with FRITZ!Box users: The user has “FRITZ!Box Settings” rights.
- For the connection to the home network: The “Allow access for applications” option is enabled in the “Access Settings in the Home Network” section of the “Home Network / Network / Network Settings”.

Instructions: Configuring MyFRITZ!App

1. Install the MyFRITZ!App from the Google Play Store on your mobile device.
2. Open the MyFRITZ!App.
3. If multiple FRITZ!Box models are displayed, select the FRITZ!Box you want to connect with.
4. To register with the FRITZ!Box, enter the required data.
The MyFRITZ!App connects with the FRITZ!Box.

5. To configure secure access to the FRITZ!Box user interface and the connected home network devices, tap on "Home Network" and follow the instructions for configuring the home network connection.

Configuring MyFRITZ!App in iOS

Overview

With the MyFRITZ!App you can access your FRITZ!Box from anywhere using your Apple mobile device. The MyFRITZ!App is configured in the FRITZ!Box home network first.

The MyFRITZ!App from AVM is available for free download in the [Apple App Store](#).

Requirements

- iPhone (model 4GS or later) or iPod touch (5th generation or higher) or iPad with iOS 9.0 (or later).
- Your Apple mobile device is located in the Wi-Fi network of your FRITZ!Box.
- You configured a MyFRITZ! account and your FRITZ!Box is registered with this MyFRITZ! account.
- An account as a FRITZ!Box user has been set up for you in your FRITZ!Box, and the FRITZ!Box user has the rights "Access from the internet allowed" and "FRITZ!Box Settings".

Instructions: Configuring MyFRITZ!App

1. Install the MyFRITZ!App on your mobile Apple device.
2. Open the MyFRITZ!App.
3. If multiple FRITZ!Box models are displayed, select the FRITZ!Box you want to connect with.
4. To register with the FRITZ!Box, enter the required data.
The MyFRITZ!App connects with the FRITZ!Box.

Controlling the FRITZ!Box with Keypad Codes

Information on Keypad Codes..... 200

Configuration on the Telephone..... 202

Operating on the Telephone..... 212

Restoring Factory Settings with the Telephone..... 225



Information on Keypad Codes

Overview

Various FRITZ!Box functions can be configured and operated using a connected telephone without opening the user interface. These include not only telephony functions like the alarm, Do Not Disturb, and call diversion, but also other functions. For instance, you can switch Wi-Fi on and off, and restore the factory settings to the FRITZ!Box.

How It Works

Keypad codes are combinations of keys (for instance, **#811*1***), which you enter on the telephone keypad.

Requirements

- For analog telephones and DECT telephones with their own base station: The telephone is configured such that special characters (***** and **#**) can be dialed; see the manual of your telephone.

Rules

- Keypad codes do not work with smartphones.
- Keypad codes do not work with FRITZ!App Fon; exception: internal calls.
- Only the following shortcuts work with IP telephones: internal calls, call transfer, using keypad sequences, suppressing telephone number once, and call diversion on/off (international calls must be allowed for the IP telephone; [see page 59](#))

Entering Keypad Codes





A keypad code can contain the following characters: *****, **#**, the numerals **0** to **9**. Depending on the type of telephone, here is how to dial keypad codes:

Type of Telephone	Action
Telephone without call button	<ul style="list-style-type: none">• Pick up the handset.• Enter the keypad code.• Hang up.
Telephone with call button (usually green)	<ul style="list-style-type: none">• Enter the keypad code.• Press the “Call” (“Connect”) button.• Press the end call key.





Configuration on the Telephone

Instructions: Disabling Outside Line Access for the FON Port

If you make a lot of internal calls, you can disable outside line access on the "FON" port. Then you can enter internal numbers without the prefix ** (for instance, 1 instead of **1). Instead, you must dial the prefix 0 for outside calls (for instance, 0030399760 instead of 030399760).


Telephone without Call Button	Telephone with Call Button
	
Disable outside line access: #11*0* (FON)	
	
Wait for acknowledgment tone	
	




Instructions: Enabling Outside Line Access for the FON Port

Telephone without Call Button	Telephone with Call Button
	
Enable outside line access: #11*1* (FON)	
	
Wait for acknowledgment tone	
	





Instructions: Switching On Call Diversion for All Calls

Call diversion automatically diverts incoming calls to a previously specified external telephone number. If your telephone provider supports this, calls will be diverted by your provider and your line will remain free for other calls. Otherwise the FRITZ!Box establishes a second connection. In either case, extra charges will accrue according to your contracted telephone rates.

Telephone without Call Button	Telephone with Call Button
	





Telephone without Call Button	Telephone with Call Button
Configure immediate call diversion to destination call number <DCN>:	
21 <DCN>*#	
Configure call diversion after 20 seconds to destination call number <DCN>:	
61 <DCN>*#	
Configure call diversion on busy to the destination call number <DCN>:	
67 <DCN>*#	
	
Wait for acknowledgment tone	
	

Instructions: Switching Off Call Diversion for All Calls





Telephone without Call Button	Telephone with Call Button
	
<p>Switch off immediate call diversion: *21**#</p> <p>Switch off delayed call diversion: *61**#</p> <p>Switch off call diversion on busy: *67**#</p>	
	
<p>Wait for acknowledgment tone</p>	
	

Instructions: Switching On Call Diversion for One Telephone Number





If you have multiple telephone numbers, you can configure call diversion that is applied to only one specified telephone number (TN). Calls for your other telephone numbers will not be diverted.

Telephone without Call Button	Telephone with Call Button
	
Switch on immediate call diversion to destination call number <DCN>: *21*<DCN>*<TN>#	
Switch on call diversion after 20 seconds to destination call number <DCN>: *61*<DCN>*<TN>#	
Switch on call diversion on busy to the destination call number <DCN>: *67*<DCN>*<TN>#	
	
Wait for acknowledgment tone	
	





Instructions: Switching Off Call Diversion for One Telephone Number

Telephone without Call Button	Telephone with Call Button
	
<p>Switch off immediate call diversion: *21**<TN>#</p> <p>Switch off delayed call diversion: *61**<TN>#</p> <p>Switch off call diversion on busy: *67**<TN>#</p>	
	
<p>Wait for acknowledgment tone</p>	
	

Instructions: Switching On Call Diversion for the FON Port


Telephone without Call Button	Telephone with Call Button
	
Switch on immediate call diversion for the FON port without ringing to destination call number <DCN>: #411*<DCN>*	
Switch on immediate call diversion for the FON port with ringing to destination call number <DCN>: #451*<DCN>*	
Switch on call diversion for the FON port after 20 seconds to destination call number <DCN>: #421*<DCN>*	
Switch on call diversion for the FON port on busy to the destination call number <DCN>: #431*<DCN>*	
Switch on immediate call diversion for the FON port on busy, otherwise delayed, to the destination call number <DCN>: #441*<DCN>*	
	
Wait for acknowledgment tone	
	



Instructions: Switching Off Call Diversion for the FON Port

Telephone without Call Button	Telephone with Call Button
	
Switch off call diversion for the FON port: #401**	
	
Wait for acknowledgment tone	
	

Instructions: Configuring a Telephone as a Baby Monitor





You can configure a telephone on the “FON” port as a baby monitor and use it to listen in on a room. As soon as a certain noise level is reached, the telephone then automatically calls a previously specified telephone number, for instance, the number of your mobile telephone.

 You can also use your FRITZ!Fon cordless telephone as a baby monitor. See the manual of your FRITZ!Fon for instructions.





Telephone without Call Button	Telephone with Call Button
	
<p>Press the following keys:</p> <p>#4<level>*<TN>#</p> <p><Level> specifies the sensitivity. Permitted values: 1 (highest) – 8 (lowest)</p> <p><TN> is the internal or external telephone number that the baby monitor is supposed to call. Internal numbers should also be entered without **.</p>	
	
<p>The baby monitor is enabled. Hang up to disable it.</p>	

Instructions: Switching Wi-Fi On

The Wi-Fi network of your FRITZ!Box can be switched on and off using a connected telephone.

Telephone without Call Button	Telephone with Call Button
	
Switch Wi-Fi on: #96*1*	
	
Wait for acknowledgment tone	
	

Instructions: Switching Wi-Fi On and Off



Telephone without Call Button	Telephone with Call Button
	
Switch Wi-Fi off: #96*0*	
	
Wait for acknowledgment tone	
	

Operating on the Telephone

Instructions: Operating the Answering Machine with the Telephone

You can operate the answering machine with the telephone using a voice menu, for instance to switch the answering machine on or off and to listen to messages.

Here is how to establish a connection to the answering machine:

Telephone without Call Button	Telephone with Call Button
	
Establish a connection to the answering machine: **600 (answering machine 1) **601 (answering machine 2) **602 (answering machine 3) **603 (answering machine 4) **604 (answering machine 5)	
	
Follow the voice menu	

Voice Menu of the Answering Machine

Main Menu (Level 1)	Level 2	Level 3
1 Play back mes- sages	3 Return call 5 Delete message 7 To previous mes- sage 9 To next message	




Main Menu (Level 1)	Level 2	Level 3
2 Delete all messages		
3 Answering machine on/off		
4 Record a greeting	1 Greeting message 2 Greeting for announcement mode 3 Closing message	1 Listen to all greetings, select greeting with 2 5 Delete greeting/announcement 8 Record greeting, end with 1
5 Enable recording/announcement mode (no messages recorded in announcement mode)		



Instructions: Picking Up a Call from the Answering Machine or Telephone



You can pick up and take the following calls on connected telephones:

- Calls that have already been accepted by an answering machine. This can be the FRITZ!Box answering machine or a connected answering machine.
- Calls that arrive at another connected telephone (the other telephone rings).

Telephone without Call Button	Telephone with Call Button
	
Press the following keys: 	
	



Instructions: Making Internal Calls

You can conduct free internal calls between connected telephones.

Telephone without Call Button	Telephone with Call Button
	
Enter an internal telephone number from the FRITZ!Box telephone book	
	

Instructions: Starting a Broadcast Call







A group call or broadcast call is an internal call that is signaled on all telephones connected with the FRITZ!Box.

Telephone without Call Button	Telephone with Call Button
	
Press the following keys for a broadcast call: * * 9	
	
All telephones on the FRITZ!Box ring. You will be connected to the telephone that picks up the call first.	

Instructions: Transferring Calls with Consultation





With the “Call Transfer” feature you can forward (transfer) a call to another telephone or to an external telephone number.

For transferring a call on a telephone without a hold button, see the manual of the telephone.

Telephone without Call Button	Telephone with Call Button
During the call with the party 1, press the hold button: 	
The call is on hold.	
Enter the telephone number of party 2. This can be an external telephone number or an internal number from the FRITZ!Box telephone book.	
When party 2 accepts the call, you can consult with others in the room.	
Connect party 1 and party 2 with each other:	
	On cordless telephones:   Others: 
If party 2 cannot be reached or does not wish to speak with party 1, go back to party 1: 	

Instructions: Transferring Calls without Consultation

With the Call Transfer feature you can forward (transfer) a call to another connected telephone or to an external telephone number.
For transferring a call on a telephone without a hold button, see the manual of the telephone.

Telephone without Call Button	Telephone with Call Button
During the call with the party 1, press the hold button: 	
The call is on hold.	
Enter the telephone number of party 2. This can be an external telephone number or an internal number from the FRITZ!Box telephone book.	
	On cordless telephones:  Others: 

Instructions: Picking Up from Call Waiting



When the call waiting feature is enabled for a telephone, you are notified about incoming calls during an active telephone call. You hear a signal tone. You can accept or reject waiting calls.

Telephone without Call Button	Telephone with Call Button
During a call:	
Pick up from call waiting: R 2	
Reject waiting call: R 0	
If you pick up the waiting call, you can:	
Switch between call 1 and call 2 (alternate): R 2	
End the active call and continue the other call: Hang up, wait until your telephone rings and pick up	



Instructions: Suppressing Telephone Number Once

For a call on the “FON” port you can suppress identification of your telephone number once (for one call). Then your telephone number will not be transmitted to the other caller during this call.

Telephone without Call Button	Telephone with Call Button
	
Press the following keys:	
* 3 1 #	
Enter the external telephone number	
	

Instructions: Setting Up a Three-Party Conference

A three-party conference call is a call with three participants. The call can be conducted with external or internal parties.

Telephone without Call Button	Telephone with Call Button
During the call with the party 1, press the hold button: R	
Call 1 is on hold.	
To establish the call with party 2, enter an internal or external telephone number.	
When party 2 accepts the call, establish the three-party conference: R 3	
If party 2 cannot be reached, go back to party 1: R	
During the three-party conference call you can:	
Interrupt the conference (you speak with party 1, call 2 is on hold): R 2	
Switch back and forth between parties 1 and 2 (alternate): R 2	
Restore an interrupted conference: R 3	
End call 2 and continue with call 1: R 1	
End the active call and continue the other call: Hang up, wait until your telephone rings, and pick up	

Instructions: Holding/Consultation/Toggling



During a telephone call you can establish a connection to another party (consultation) without ending the first call (the call is on hold). You can alternate between the two parties as often as you like.

Telephone without Call Button	Telephone with Call Button
During the call with the party 1, press the hold button: R	
The call is on hold.	
To establish the call with party 2, enter an internal or external telephone number.	
When party 2 accepts the call, you can: Toggle back and forth between the calls: R 2	
End the active call and continue the other call: Hang up, wait until your telephone rings, and pick up	
If party 2 cannot be reached, go back to party 1: R	







Instructions: Using Keypad Shortcuts

Keypad shortcuts are commands consisting of characters and numerals which you enter on the telephone. With keypad shortcuts you can control services and features in your telephone provider's network. For information about which keypad sequences you can use, contact your carrier.





Telephone without Call Button	Telephone with Call Button
	
Press the following keys (<Seq> is the keypad shortcut): *#<Seq>	
	

Instructions: Enabling an Alarm

You can use connected telephones for alarm calls. For this you can set up, enable, and disable up to three alarms under “Telephony / Alarm” in the user interface. The first alarm configured can also be enabled and disabled with the telephone keys.

Telephone without Call Button	Telephone with Call Button
	
Switch on the alarm: #881**	
	
Wait for acknowledgment tone	
	

Instructions: Disabling an Alarm

Telephone without Call Button	Telephone with Call Button
	
Switch alarm off: #881#	
	
Wait for acknowledgment tone	
	

Restoring Factory Settings with the Telephone





Overview

You can restore factory settings to the FRITZ!Box by telephone. This is necessary, for instance, if you can no longer access the user interface of your FRITZ!Box because you've forgotten your password and did not configure the "Forgot Password" push service. Then the FRITZ!Box is reset to its factory settings.

Consequences of Resetting

- All of the settings you made in the FRITZ!Box are deleted.
- The internal memory of the FRITZ!Box is deleted. Contents on FRITZ!NAS, messages on the answering machine and received faxes will be discarded.
- The preconfigured FRITZ!Box password is restored.
- The preconfigured network key and the preconfigured name of the Wi-Fi network (SSID) are reactivated.
- The preconfigured IP configuration is restored.

Instructions: Loading Factory Settings

Telephone without Call Button	Telephone with Call Button
	
Restore factory settings to FRITZ!Box: #991*15901590*	
	
Wait for acknowledgment tone	
	

Malfunctions

Troubleshooting Procedures..... 228

Troubleshooting Chart..... 229

Opening the User Interface with the Emergency IP Address..... 232

Knowledge Base..... 233

Support..... 234



Troubleshooting Procedures

Overview

The following table offers recommendations about what do when problems with your FRITZ!Box arise:

Problem	Help
<ul style="list-style-type: none">• LEDs not on• No access to the user interface• Wi-Fi connection cannot be established or is interrupted	Troubleshooting chart; see page 229
Problem with: <ul style="list-style-type: none">• Connecting• Configuration• Telephony• Internet• Wi-Fi• etc.	Knowledge Base; see page 233
Troubleshooting chart and Knowledge Base do not offer a solution	Support, see page 234



Troubleshooting Chart

Overview

If malfunctions occur, for instance, such that you can no longer access the user interface of the FRITZ!Box, first try to solve the problems using the following tables.

Troubleshooting Chart

Problem	Cause	Solution
LEDs not on	Power supply interrupted	<ul style="list-style-type: none">• Make sure the power supply unit is connected properly.• Try plugging in a different device to make sure that the electrical outlet is active.
Cannot establish a Wi-Fi connection	Computer's wireless adapter not ready for operation	Switch on your computer's wireless adapter. For details, consult the manual of your computer.
	Wi-Fi network of the FRITZ!Box switched off	If the "WLAN" LED is off, press the WLAN button on the FRITZ!Box. Hold the button down until the "WLAN" LED begins flashing.
	Computer cannot find the Wi-Fi network of the FRITZ!Box	Enable the "Name of the Wi-Fi network visible" function ("Wi-Fi / Wi-Fi Network") in the FRITZ!Box user interface.
	Incorrect network key	Enter the correct network key ("Wi-Fi / Security").



Problem	Cause	Solution
User interface does not open	Path name incorrect	Open the user interface by entering its complete address (http://fritz.box instead of fritz.box).
	FRITZ!Box has crashed	Remove the FRITZ!Box from the power mains and restart the FRITZ!Box again after about five seconds.
	Cache is full	Empty the cache of your web browser. For more information on this, see the help of your web browser.
	Proxy configuration does not allow the FRITZ!Box address	If a proxy server is enabled in your web browser, the address of the FRITZ!Box must be entered as an exception. Check your web browser settings. For more information on this, see the help of your web browser.
	Computer is not configured to obtain IP address automatically	On your computer, enable the setting "Obtain an IP address automatically" for the network adapter used to connect to the FRITZ!Box . For more information, see the documentation by the manufacturer of your operating system.
	Forgot FRITZ!Box password	Restore factory settings to the FRITZ!Box (see page 171).

Problem	Cause	Solution
	Combination of various settings in the "Internet" and "Home Network" menus.	<p>Attempt to open the user interface with the emergency IP address; see page 232.</p> <p>If this does not work, restore factory settings to the FRITZ!Box (see page 171).</p>
Wi-Fi connection interrupted	Wi-Fi connection between FRITZ!Box and wireless device interrupted	<p>Change the positions of the FRITZ!Box and the wireless devices:</p> <ul style="list-style-type: none"> • Do not set up the FRITZ!Box in the corner of a room. • Do not set up the FRITZ!Box directly next to or beneath an obstacle or a metal object (like a cabinet or radiator). • Position the FRITZ!Box and the wireless devices so that there are as few obstacles between them as possible.
	Wi-Fi channel with heavy interference	<p>Configure automatic selection of the Wi-Fi channel in the FRITZ!Box user interface.</p> <p>Then the FRITZ!Box will automatically select a Wi-Fi channel with the least interference possible ("Wi-Fi / Wi-Fi Channel").</p>

Opening the User Interface with the Emergency IP Address

Overview

The FRITZ!Box has an emergency IP address at which the user interface can always be reached.

Information on the Emergency IP Address

- The emergency IP address is: 169.254.1.1
- The emergency IP address cannot be changed.

Requirements

- The computer with which the user interface was opened using the emergency IP address is connected with the FRITZ!Box by network cable.

Instructions: Opening the User Interface with the Emergency IP Address

1. Disconnect the FRITZ!Box from other network devices and make sure that there is no Wi-Fi connection between your computer and the FRITZ!Box.
2. Connect your computer to the "LAN" socket of the FRITZ!Box using a network cable.
3. Restart your computer.
4. Open a web browser and enter the emergency IP address "169.254.1.1".
5. Log in to the FRITZ!Box user interface.

Knowledge Base

Overview

Help for resolving problems with the FRITZ!Box is provided in the AVM Knowledge Base. This resource presents answers to the questions asked most frequently of our Support team.

If the problem cannot be resolved using the Knowledge Base, then contact the Support team; [see page 234](#).

AVM Knowledge Base

The AVM Knowledge Base is available online at:
en.avm.de/service

Support

Overview



The Support team assists you in resolving any problems with your FRITZ! products.

Preparations

Keep the following device information handy:

- FRITZ!Box Model
- Article number, [see page 19](#)
- FRITZ!OS Version
- Internet service provider
- Error messages, if any

Instructions: Support by Email

1. Start a web browser on your terminal device.
 2. Open the website en.avm.de.
 3. Click on "Service" and then on "Support".
 4. Click on "Support Request" .
Our email support is not available in all languages. If necessary, select an alternative language and then click on "Support Request" .
 5. Follow the instructions displayed on the screen.
 6. To conclude, click on "Send Support Request".
- Our Support team will respond by email as quickly as possible.

Instructions: Support by Telephone

The Support team can be reached at the following fax number:

Country	telephone number
Germany	030-390 04 390
Austria	01-267 56 02
Switzerland	044-242 86 04



Decommissioning and Disposal

Decommissioning..... 237

Disposal.....238



Decommissioning

Deleting Private Data



As the final user of a FRITZ! product, you are responsible for deleting your own personalized data on devices to be disposed of.


Delete your personal settings and personalized data from your FRITZ!Box before ending its operation and disposing of the device. To do this, restore the factory settings to the FRITZ!Box; [see page 171](#).

Disposal

Disposal of Electronic Devices and Electronic Components

In accordance with European regulations, the FRITZ! device, and devices and electronic components contained in the package, may not be disposed with household waste, residual waste, or the yellow recycling bin.

Bring your FRITZ! device and all electronic components included with delivery to a collection point in your local community for the disposal of electronic appliances where it can be disposed of properly. Distributors of electronic devices are also obligated to accept returns of their products free of charge.



The crossed out bin on the type label or on the housing of your FRITZ! device means that you are required by law to dispose of the electronic device separately from household waste.



Technical Specifications

Technical Specifications.....240



Technical Specifications

Device Properties

Attribute	Value
Dimensions (W x H x D)	circa 200 x 45 x 152 mm
Supply voltage	230 V / 50 Hz

Ambient Conditions

Property	Value
Operating temperature	0 °C – +40 °C
Storage temperature	-20 °C – +70 °C
Relative humidity (operation)	10 % – 90 %
Relative humidity (storage)	5 % – 95 %

Active Power

Attribute	Value
Maximum active power	12 W
Intermediate active power, determined with the following load: <ul style="list-style-type: none">• DSL connection enabled• Wi-Fi on; no devices registered via Wi-Fi• DECT on; one telephone registered via DECT; no active calls• one network device connected to the LAN port; no data transfer	6 W

Ports and Interfaces

Connected via	Interface
DSL	DSL line <ul style="list-style-type: none">• VDSL/ADSL modem for use with VDSL (also IP-based, also vectoring and supervectoring) and ITU G.993.2/5 or ADSL/ADSL2+ (also IP-based, Annex J) or ITU G.992.3 (Annex B or J)
FON	1 a/b port with a RJ11 and TAE socket for connecting an analog terminal device
DECT	DECT base station: <ul style="list-style-type: none">• up to 6 handsets• up to 10 FRITZ! DECT 200/210 smart plugs• up to 10 FRITZ! DECT 440/400 switches to switch/control FRITZ! DECT devices• up to 12 FRITZ! DECT 300/301/Comet DECT radiator controls• up to 10 Smart Home devices by other manufacturers with the FRITZ!Box via HAN FUN
LAN	One LAN port over RJ45 socket (standard Ethernet, 10/100/1000 Base-T), 1 Gbit/s
USB	1 USB host controller (USB version 2.0)

Wi-Fi Frequencies

Frequency	Frequency Range	Max. Transmitter Power
2.4 GHz	2400 - 2483 MHz	100 mW



DECT Radio Frequencies

Frequency	Frequency Range and Transmitter Power
DECT	<ul style="list-style-type: none">• Frequency range: 1880 MHz – 1900 MHz• Maximum transmitter power: 250 mW

Electromagnetic Fields

The FRITZ!Box receives and transmits radio waves during operation.

- The FRITZ!Box was designed and constructed to comply with the threshold values for the exposition of radio waves recommended by the International Commission on Non-ionizing Radiation Protection (ICNIRP).
- This directive was formulated by independent scientific organizations after regular and careful evaluation of scientific studies. It includes a wide safety margin in order to ensure the safety of all persons, regardless of their age and health.
- For devices mounted in a fixed position that have their own power connection, like the FRITZ!Box, compliance with the minimum distance of 20 cm defined in the ICNIRP guideline has been certified. The measurements were conducted in accordance with the European EN 50385 standard.

Audio Tones

Beep	Melody
Busy signal	500 ms tone, 500 ms pause, +/- 20 ms
Dial tone	1 s tone, 4 s pause, +/- 100 ms



Legal Notice

Legal Notice..... 244



Legal Notice

Manufacturer's Warranty

We, AVM GmbH, Alt-Moabit 95, 10559 Berlin, as manufacturer of this original product, offer a warranty of 5 years for defects to the product which are demonstrably due to faults in materials or manufacturing. Your legal rights in the case of defects for which claims can be made free of charge are not restricted by this warranty.

The warranty period begins with the date of purchase by the first end user. Compliance with the warranty period must be proven by submission of the original invoice of the first end consumer or comparable documents as well as the return of the product in question. In order to return your product, our Support team will send you a link to an "RMA form". After filling out this form you will receive an RMA number authorizing you to return the product to us. This RMA number must be clearly visible and easy to read on the outside of the package, and sufficient postage must be attached (insured shipping is recommended). The product must be dispatched within 14 days after the RMA number has been issued. The package is to be returned without the original box and accessories, packed carefully and secured for transportation. AVM accepts no liability for any damage during transport. Returns without an RMA number, packages sent freight collect or without sufficient postage, and packages without an invoice will not be processed and sent back to the sender; in such cases we reserve the right to charge a processing fee of up to 35 €.

Within the warranty period, we will remove reported defects to the product hardware which are demonstrably due to faults in materials or manufacturing. Our warranty does not cover defects which occur due to incorrect installation, improper use, non-observance of instructions in the user manual, normal wear and tear, or defects in the environment of the system (third-party hardware or software). In this case we reserve the right to return such devices without processing and will charge you a processing fee of 35 €. We may, at our discretion, repair or replace the defective product. AVM bears the costs for returning the repaired or exchanged product. Claims other than the right to the re-

removal of defects which is mentioned in these terms of warranty are not constituted. We guarantee that the software conforms with general specifications, not, however, that the software meets your individual requirements. Shipping costs will not be reimbursed. Products to be exchanged due to a warranty claim are transferred to our ownership upon provision of the replacement product. Claims recognized under warranty entail neither an extension nor a recommencement of the warranty period. If we reject a warranty claim, this claim lapses no later than six months after being rejected by us. All claims from or in association with this warranty shall be governed by German substantive law, to the exclusion of the United Nations Convention on Contracts for the International Sale of Goods (CISG).

Legal Notice

This documentation and the software it describes (both now called “software”) are protected by copyright.



Please inform us about contents that are erroneous or no longer up to date at info@avm.de.

Software is delivered in machine-readable format only (object code format). Under all AVM intellectual property rights, AVM hereby grants licensee the non-exclusive right to use the software. Unless agreed for a limited time period, the right to use the software is for an unlimited time period. The licensee may create only one copy of the software, which may be used exclusively for backup purposes. Unless granted by mandatory law (including but not limited to Art. 69 German Copyright Act for decompiling), licensee shall not be entitled to modify, disassemble, reverse engineer, decompile or otherwise alter the Software in whole or in part. AVM reserves all rights that are not expressly granted to the licensee. Licensee shall not be entitled to modify or delete alphanumeric or other identification codes on data media and shall transfer such identification codes onto any legal backup copy. Without the prior written approval of AVM, licensee shall not be entitled to transmit any information made available herein.

If licensee has received the software not for commercial purposes of resale (end user), licensee shall be obliged to transmit the right to use the software to a third party only in connection with the product license acquired from AVM along with the software. In the event that licensee transfers the right to use the software to a third party, licensee shall ensure not to grant further rights to this third party than originally granted to AVM, and licensee shall ensure to impose upon this third party the obligations of the present license terms. In such case, licensee shall not withhold any backup copy. Licensee shall not be entitled to grant sublicenses. In the event licensee transmits the software to a third party, licensee shall be responsible for and shall release AVM insofar from the compliance of export control laws and obligations.

If and insofar AVM provides software for which AVM is only granted a derived right to use (third party software), the license terms for such third party software shall additionally apply and prevail. The licensee may distribute any software by Texas Instruments ("TI software") handed over in object code format only with the stipulation that the use of the TI software be limited under a written licensing agreement to the AVM product that was purchased together with the AVM software, and thus (aside from in the legally permitted cases) reproduction, reverse engineering, decompilation or disassembly of the TI software is prohibited. If open source software is provided, the license terms for such open source software shall additionally apply and prevail. AVM shall provide licensee with the corresponding source code of relevant open source software, if the respective license terms of the open source software include such obligation. AVM shall inform if the software contains third party software and/or open source software and make available the corresponding license terms on request.

The licensing conditions are presented in the help for the FRITZ!Box 7510 user interface under the "Legal Notice" heading.

This documentation and the software have been produced with all due care and checked for correctness in accordance with the best available technology. AVM disclaims all liability and warranties, whether express or implied, relating to this software's quality, performance or suitability for any given purpose which deviates from the performance specifications contained in the software description. AVM will not be liable for

damages arising directly or indirectly from the use of the documentation or related software, nor for incidental or consequential damages, except in case of intent or gross negligence. AVM explicitly disclaims all liability for loss of or damage to hardware, software or data in connection with direct or indirect errors or destruction, for cases of damage (including fraud cases) incurred due to deficient or incorrect configurations (including configurations that use insufficient or no password protection) over connections (including, but not limited to broadband connections like DSL, cable/DOCSIS and fiber optic, also including VoIP or SIP connections), and for any and all costs, including connection charges, related to the software supplied and its documentation or due to incorrect installations not performed by AVM.

AVM accepts no obligations to perform software service. These require a separate agreement. The information in this documentation and the software it describes are subject to change without notice for the purpose of technical improvement.

Marks: Marks like AVM, FRITZ! and FRITZ!Box (product names and logos) are protected marks owned by AVM GmbH. Microsoft, Windows and the Windows logo are marks owned by Microsoft Corporation in the USA and/or other countries. Apple, App Store, iPhone, iPod and iPad are marks owned by Apple Inc. in the USA and/or other countries. IOS is a trademark owned by Cisco Technology Inc. in the USA and/or other countries. Google and Android are marks owned by Google Inc. in the USA and/or other countries. WireGuard is a registered trademark belonging to Jason A. Donenfeld in the US and/or other countries (wireguard.com). All other product and company names are trademarks of their respective owners.

Copyright



© AVM 2021. All rights reserved.

AVM Audiovisuelles Marketing
und Computersysteme GmbH
Alt-Moabit 95
D-10559 Berlin

AVM Computersysteme
Vertriebs GmbH
Alt-Moabit 95
D-10559 Berlin

AVM in the Internet: en.avm.de

Declaration of CE Conformity

AVM declares herewith that the device is compliant with directive 2014/53/EU.

The full text of the declaration of EU conformity is available at <https://en.avm.de/service/declarations>.

Drilling Template

See the next page for the drilling template for your FRITZ!Box.

The drilling template assists you in marking the holes needed to mount the FRITZ!Box on a wall.





Be sure to print out the page with the drilling template in its original size, or 100%. Do not enlarge it, adjust its size, reformat or rescale it in your printer settings.



This page must be printed out at a size of 100%. Do not enlarge it, adjust its size, reformat or rescale it in your printer settings.

154 mm



Index

A

access profiles	76
active power	240
adjust time zone	167
alarm	101, 223
Android smartphone	38, 43
answering machine	94, 156, 212
AP steering	65
apps	
FRITZ!App Fon	43
MyFRITZ!App	193
auto channel (Wi-Fi)	137
auto update	173
AVM services	71

B

baby monitor	210
basic configuration	49
block caller	98
blocked websites	78
broadcast call	215
busy signal	242
buttons	
functions	23
locking	164
overview	23

C

cable	
network cable	36
cables	11
call block	98
call diversion	
configuring	97, 203
for all calls	203
for FON port	208
for telephone number	206
switching off	205, 207

call forwarding	97
call waiting	58
call	
answering	214
holding	221
missed	156
picking up from call waiting	218
transfer	216, 217
CE conformity declaration	248
change regional options	166
choice of location	30, 240
cleaning	9, 14
CLIR	219
conference call	220
configuration	45, 46
configuration by telephone	199
configuration	
telephone	58
configuring	53
configuring schedule	62
configuring telephone numbers	57
configuring timer	62
configuring	
automatic update	173
door intercom system	60
external answering machine	58
external fax machine	58
internet access	54
push services	156
schedule	136
telephone number	57
timer	62
wizards	183
connecting	28
connecting a computer	
via network cable	36
via Wi-Fi	38

wake on LAN	126	customer service	234
connecting a fax machine	41	D	
connecting a network device		data protection	71
via USB	127	data transfer	71
connecting a smartphone		data	
via Wi-Fi	38	backing up	190
connecting door intercom system	44	push services	156
connecting network devices		restoring	169
IP address automatically	124	saving	168
overview	112	declaration of CE conformity	248
via network cable	36	decommissioning	237
via Wi-Fi	38	DECT base station	17, 41
connecting to VDSL	33	DECT	
connecting		encryption	105
choice of location	30	radio frequencies	242
computer	36	using repeaters	105
DECT telephone	41	deleting private data	237
door intercom system	44	device properties	240
fax machine	41	DHCP server	118
hub/switch	36	diagnostics data	71
IP telephone	42	diagnostics	
mobile network	34	function	150
network device	36	security	152
registering cordless telephone	41	dial tone	242
smartphone	43	dialing rule	102
telephone	41	disposal	238
to electrical power	32	Do Not Disturb	100
USB devices	127	documentation	12
connection data	156	door intercom system	
connection sockets	20	configuring	60
connection		drilling template	249
DSL	33	DSL	
VDSL	33	connecting to	33
connector panel	20	internet access	33
consultation	221	dynamic DNS	82
contacts	91	E	
conventions	13	ECT	216, 217
copyright	248	electrical power	
corporate info	248	connecting	32
customer documentation	12		

email notifications	156
emergency IP address	116, 232
energy	
FRITZ!Box consumption	61
saving	61

F

factory settings	171
FAQs	233
fax function	96, 156
features	15, 16
filter lists for internet use	78
firmware	
factory settings	225
push service	157
version	46, 47
forgot	
password	160
forwarding calls	203
FRITZ!App Fon	43
FRITZ!Box name	134
FRITZ!Box password	158
FRITZ!Box password	
changing	50
FRITZ!Box users	158
FRITZ!Box web address	193
FRITZ!Boxpassword	158
FRITZ!NAS	
access by computer	189
access rights	186
backing up data	190
FRITZ!IOS	
factory settings	171, 225
FRITZ!Box name	134
loading settings	169
push service	157
restoring settings	169
saving settings	168
updating	173, 176, 178, 180
version	46, 47

FRITZ!VPN	86
FTP	83
FTPS	83
function diagnostics	150
functions	15, 16

G

green mode	61
guest access	138
Wi-Fi	156
guest network	
overview of all devices	107

H

handling	30
hanging	249
hazard warnings	8
help with problems	
Knowledge Base	12, 233
online help	12
support	234
hibernation	136
holding	221
home network	17
overview of all devices	107
homepage	46, 47
hotspot (Wi-Fi)	138
private	138
public	138
HSPA	34, 56
HTTPS	83
hub	
LAN	36
USB	17, 127
humidity	240

I

Info LED assignment	162
info mail	156
instructions for use	12
interfaces	241
internal calls	202, 215

- internet access
 - configuring 54
 - DSL 33
 - mobile network 34, 56
- internet connection
 - connection information 156
- internet protocol
 - version 4 115
 - version 6 87, 120
- internet router 16
- internet telephone number 57
- internet use
 - blocking websites 73, 76, 78
 - filter lists 78
 - prioritizing 79
 - push service 156
 - time limits 73, 76
- IP address
 - emergency IP 232
 - in Linux 125
 - in Mac OS X 125
 - in Windows 124
 - obtaining automatically 124
 - push service 157
- IP telephone 42
- iPhone 38, 43
- IPv4 115
- IPv6 87, 120
- K**
 - keypad codes 199, 222
 - keypad shortcuts 222
 - Knowledge Base 12
- L**
 - LAN
 - connecting to 36
 - LEDs 24
 - LEDs flashing 24
 - LEDs
 - dimming 163
 - switching off 163
 - legal notice 243, 245
 - LISP 89
 - loading factory settings
 - via user interface 171
 - with FRITZ!Fon 225
 - log files 156
 - log information 156
 - logging off of the user interface 52
 - login methods 158
 - login
 - FRITZ!Box password 158
 - FRITZ!Box user account 158
 - logout 52
- M**
 - maintenance 71
 - malfunctions 227
 - Knowledge Base 233
 - resolving errors 228
 - support 234
 - troubleshooting chart 229
 - manual 12
 - manufacturer's warranty 244
 - media server 132
 - menus in the user interface
 - Diagnostics 149
 - Home Network 106
 - Internet 70
 - Smart Home 142
 - System 155
 - Telephony 90
 - Wi-Fi 135
 - Wizards 182
 - Mesh 63, 64
 - adopting telephone numbers 69
 - telephony 69
 - mobile network 34
 - internet access 34, 56
 - mounting 30, 31

MyFRITZ!	191
creating MyFRITZ! account	195
FRITZ!Box web address	193
in home network	194
MyFRITZ! account	193
MyFRITZ! App with Android	196
MyFRITZ! in the internet	193
MyFRITZ! mobile	193
MyFRITZ!App	193
MyFRITZ!Net	193
myfritz.box	194
using MyFRITZ! account	195
MyFRITZ	
configuring MyFRITZ!App with iOS	
.....	198

N

NAS	185
network cable	36
network connections	112
network key	39
network settings	
DHCP server	118
IPv4	115
IPv4 addresses	118
IPv6	87, 120
static IP route	122
notifications	156

O

offline	
update	180
online help	12
operating system	173, 176, 178, 180
operating system: FRITZ!OS	
restoring factory settings	171
operating temperature	240
operation by telephone	199
operation requirements	27
outside line access	202

P

package contents	11
parental controls	73
password for FRITZ!Box	158
changing	50
password forgotten	157
password protection	
forgot password	157
push service	157
password rules	160, 161
password	
characters allowed	161
forgot	160
permitted websites	78
phone number	
blocking	98
dialing rule	102
picking up	214
picking up from call waiting	218
placement	30
port sharing	80
ports	241
positioning the FRITZ!Box	30
power consumption	240
power	
FRITZ!Box consumption	240
prioritizing internet use	79
push services	156

Q

quick guide	12
-------------------	----

R

radio frequencies	
DECT	242
radio interference	10
reassigning "Info" LED	162
recycling	238
registering DECT telephone	41
registering handset	41

remote access		session ID	52
FRITZ!VPN	86	setting language	165
MyFRITZ!	191	setting up	53
VPN	83	settings	45
requirements for operation	27	FRITZ!Box password	158
resetting firmware	171	FRITZ!Box users	158
resolving problems	227	IP address	116
restarting	170	loading	169
restoring	171	network	116, 120
restoring factory settings		push service	157
via user interface	171	restoring	169
with FRITZ!Fon	225	saving	168
restoring		setup	
factory settings	225	basic configuration	49
FRITZ!Box settings	169	Smart Home	18
room monitoring	210	Smart Home devices	62, 156
rules for passwords	160, 161	smartphone	43
S		software: FRITZ!IOS	
safety instructions	8	restoring factory settings	171
safety		software	
handling	30	push service	157
saving power		version	46, 47
overview	61	speed in the home network	79
potential savings	61	starting operation	28
reducing consumption	61	static IP route	122
Smart Home	62	storage (NAS)	185
schedule	136	storage temperature	240
security diagnostics	152	streaming	132
security		structure	15
check	152	support by email	234
info mail	157	support	
login	158	by email	234
password protection	158	by telephone	235
push services	156	instructions for use	12
saving settings	168	Knowledge Base	12, 233
update	173, 176, 178, 180	online help	12
user account	158	symbols	13
VPN	83	T	
service	234	technical specifications	239
		active power	240

- ambient conditions 240
- device properties 240
- humidity 240
- interfaces 241
- ports 241
- power consumption 240
- temperature 240
- tones 242
- Wi-Fi frequencies 241
- telephone book 68, 91
- telephone call
 - broadcast call 215
 - conference call 220
 - diverting 97, 203
 - holding 221
 - missed 156
 - picking up from call waiting 218
 - transfer 216, 217
- telephone number
 - assigning 58
 - blocking 98
 - configuring 57
 - dialing rule 102
 - suppressing 219
- telephone system 16
- telephone
 - alarm function 101, 223
 - connecting to 16, 41
 - Do Not Disturb 100
 - keypad codes 199, 222
 - room monitoring 210
- telephones
 - configuring 58
- telephony in Mesh 69
- terminal devices
 - configuring 58
 - connecting to 16
- test
 - function diagnostics 150
 - security diagnostics 152
- three-party conference 220
- timeout 52
- toggling 221
- tones 242
- transferring 216, 217
- troubleshooting 227
 - documentation 12
- type label 19
- U**
- UMTS 34, 56
- update
 - automatic 173
 - manual 180
 - Mesh Overview 176
 - push service 157
 - wizard 178
- usage data 156
- USB device
 - access rights 129
 - configuring 127
 - connecting 128
 - suitable for FRITZ!Box 127
- USB port 17
- user account 158
- user interface 45
 - factory settings 171
 - fallback 171, 225
 - FRITZ!Box users 158
 - language setting 165
 - login to FRITZ!Box 158
 - logout 52
 - opening 46
 - password protection 158
 - remote access 83
- user names
 - rules for naming 160
- usernames
 - characters allowed 161

V

voice menu of answering machine 212

voice to mail 94

VPN

remote access 85

service portal 86

W

wake on LAN 126

wall mounting 31, 249

warranty 244

Wi-Fi frequencies 241

Wi-Fi frequency ranges 241

Wi-Fi guest access 138, 156

switching on/off 140

Wi-Fi Protected Setup 39

Wi-Fi

auto channel 137

computer 38

expanding a Wi-Fi network 64

frequencies 241

location for the FRITZ!Box 30

Mesh 63

network key 38, 39

password 39

QR code 39

reception 30

schedule 136

standards 241

switching on/off by button 136

switching on/off by telephone 211

Wi-Fi Channel 137

WPS 39

wireless access point 16

wizard

perform update 178

wizards

range of functions 183

using wizards 183

WPS 39