



# LaCie d2 Professional User Manual



**Click here to access an up-to-date online version** of this document. You will also find the most recent content as well as expandable illustrations, easier navigation, and search capability.

# Contents

<b>1</b>	<b>Introduction</b>	<b>4</b>
	Box content	4
	Minimum system requirements	4
	Views	4
	• Front	4
	• Back	4
	Technical specifications	5
	• Enclosure dimensions	5
	• Weight	5
	• Electrical	6
	Position and stacking	6
<b>2</b>	<b>System LEDs</b>	<b>7</b>
	Power button	7
	• Power on	7
	• Power off	8
	Power-saving mode	8
	• Manually initiating power-saving mode	8
	• Power-saving mode: managed by the PC/Mac	8
	• Exiting power-saving mode	8
	LED status	9
	Receiving power	9
<b>3</b>	<b>Cables and Connectors</b>	<b>11</b>
	USB-C protocols	11
	Cables	11
	• USB-C to USB-C cable	11
	• USB-C to USB Type A cable	12
<b>4</b>	<b>Getting Connected</b>	<b>13</b>
	STEP 1 – Connect the USB cable	13
	• USB-C to USB-C	13
	• USB-C to USB Type A	13
	STEP 2 - Prepare and connect the power supply	14
	STEP 3 - Set up LaCie d2 Professional	15
	Storage format	16
	Disconnecting the hard drive	17
<b>5</b>	<b>Optional Formatting and Partitioning</b>	<b>18</b>
	About file system formats	18

• How to choose the file system format.....	18
Toolkit Optimive .....	19
Manual formatting.....	20
• Mac .....	20
• macOS version 10.11 and later .....	20
• Windows .....	21
<b>6 Safely Remove LaCie d2 Professional From Your Computer .....</b>	<b>22</b>
Mac .....	22
• Eject via Finder window .....	22
• Eject via Desktop .....	22
Windows .....	22
<b>7 Frequently Asked Questions .....</b>	<b>24</b>
Hard drive icon .....	24
File transfers .....	24
File transfer error messages .....	24
Using a USB hub for USB devices .....	24
Provided USB cables .....	24
USB 2.0 ports .....	24
<b>8 Regulatory Compliance .....</b>	<b>25</b>
FCC Declaration of Conformance .....	25
FCC Class A Information .....	25
FCC Caution .....	25
Important Note: FCC Radiation Exposure Statement .....	25
China/Taiwan RoHS .....	26
• China RoHS 2 .....	26
• Taiwan RoHS .....	27
Industry Canada .....	28
Important Note for mobile device use .....	28
Note Importante pour l'utilisation de dispositifs mobiles .....	29
Europe – EU Declaration of Conformity .....	29
Power source .....	30

# Introduction

LaCie d2 Professional is ideal for professional editors, photographers and graphic artists who work with bandwidth-intensive content such as 4K video and 3D graphics.

For updated technical information about your device, visit [www.lacie.com/support/d2-pro](http://www.lacie.com/support/d2-pro).

## Box content

- LaCie d2 Professional
- USB-C (USB 3.1 Gen 2) cable
- USB-C to USB 3.0/USB 2.0 adapter cable (compatible with Type A ports)
- External power supply
- Quick Install Guide



**Important**—Save your packaging. If you experience problems with your hard drive and want to exchange it, the hard drive must be returned in its original packaging.



## Minimum system requirements

- Computer with a USB-C, USB 3.0 or USB 2.0 port
- Windows® 7 and later / macOS® 10.12 and later
- 600MB recommended

## Views

Front

Back



1. Multi-function status LED / power button
2. Vibration-dampening rubber feet
3. USB 3.1 Gen 2 port
4. Power supply connection
5. Kensington® lock slot

## Technical specifications

### Enclosure dimensions

Side	Dimensions (mm / in)
Width	60 / 2.36
Height	30 / 5.12
Length	195 / 7.68

### Weight

Capacity	Weight (kg / lbs)
4TB	1.3 / 2.87
6TB	1.3 / 2.87
10TB	1.3 / 2.87

# Electrical

## Power supply

100-240V

50-60 Hz

18W

## Power supply barrel dimensions (mm)

Inner diameter 2.5

Outer diameter 5.5

Length 11.5

**!** Use only the power supply provided with your LaCie d2 Professional. Power supplies from third-party devices and other LaCie products can damage your d2 Professional.

# Position and stacking

Always make certain to place your LaCie d2 Professional on a flat, even surface that can support the heat output and airflow of a professional hard drive enclosure. For proper heat dissipation, d2 Professional is designed to stand upright. Do not place the enclosure on its side when it is powered on.


The device does not support stacking. Do not stack other drives, enclosures, or equipment on top of the enclosure.

The warranty for your d2 Professional will be voided if you:

- Stack d2 Professional on another device.
- Stack other drives, enclosures, or equipment on top of d2 Professional.

# System LEDs

LaCie d2 Professional features a multi-functional LED and power button on the front of the enclosure.



## Power button

### Power on

In most instances, d2 Professional powers on automatically when connected to a computer and an active power source. However, the LED button can be used to power on the device if the following two conditions are met:

- The device was powered off using a long press.
- The device remains connected to the computer's USB port and an active power source.

To power on the device, push the LED button for one second.

## Power off

Follow the steps below to turn the device off:

1. Make certain that d2 Professional's volumes are not being accessed.
2. Eject the volumes. See [Safely Remove LaCie d2 Professional From Your Computer](#) for instructions. Once the volumes have been properly ejected, the device enters power-saving mode.
3. Apply a long press (minimum four seconds) to the LED button. The LED turns solid blue before turning off.

## Power-saving mode

Your d2 Professional can conserve energy by entering power-saving mode. The hard drive within the enclosure spins down to reduce power consumption when the device is in power-saving mode. Power-saving mode can extend the life of the hard drive by sparing it from working during extended periods of inactivity.

## Manually initiating power-saving mode

You can place d2 Professional in power-saving mode using the LED button.

1. Make certain that d2 Professional's volumes are not being accessed.
2. Eject the volumes. See [Safely Remove LaCie d2 Professional From Your Computer](#) for instructions. Once the volumes have been properly ejected, the device enters power-saving mode.
3. Apply a short press to the LED button. A short press lasts no longer than 1 second.

To wake up the device, apply another short press to the LED button.

## Power-saving mode: managed by the PC/Mac

You can initiate power-saving mode on your computer.

1. Place the host computer into sleep mode.
2. **macOS**—Go to [System Preferences > Energy Saver](#) to enable sleep mode for hard drives.

**Windows**—Go to [Control Panel > Hardware > Power Options > Choose a power plan > Change advanced power settings](#). Click on [Hard disk](#) and [Turn off the hard disk after](#). Choose the time to spin down USB hard drives.

## Exiting power-saving mode

To exit power-saving mode, review the table below:



### Entering power-saving mode

The host computer placed the product into power-saving mode due to inactivity.

The computer is in sleep mode.

### Exiting power-saving mode

Access d2 Professional's volume on the host computer. For example, copy files to its volume.

Wake up the computer.

## LED status

The LED helps you identify the general status of your d2 Professional.

LED	State
Off	The device is turned off. The USB-C cable is not connected to a computer that is turned on and/or the power cable is not connected to a live power outlet.
Solid blue	Device is ready.
Blinking blue	During normal operation, the LED blinks to indicate access to the hard drive.
Slow blinking blue, 10 second interval	The device is in power-saving mode because the host computer is in sleep mode.
Fast blinking blue	Device is starting up or shutting down.
Blinking red, 1 second interval	Temperature warning.
Solid red	Temperature critical.

## Receiving power

LaCie d2 Professional powers on automatically when it meets the following two conditions:

- Connected directly to a computer. The computer must be powered on.
- Connected to a live power source via the included power supply.





Use only the power supply provided with your LaCie d2 Professional. Power supplies from third-party devices and other LaCie products can damage your d2 Professional.

# Cables and Connectors

## USB-C protocols

USB is a serial input/output technology for connecting peripheral devices to a computer. USB-C is the latest implementation of this standard and it provides higher bandwidth and new power management features.

<b>USB 2.0</b> 480 Mb/s	<b>USB 3.1</b> 5 Gb/s	<b>USB 3.1</b> 10 Gb/s	<b>DisplayPort Multi-Function</b> 5 or 10 Gb/s	<b>Thunderbolt 3</b> 20 or 40 Gb/s
				

USB-C supports many protocols:

Thunderbolt 3	Transfer rates up to 40Gb/s
USB 3.1 Gen 2	Transfer rates up to 10Gb/s
USB 3.1 Gen 1	Transfer rates up to 5Gb/s
SuperSpeed USB 3.0	Transfer rates up to 5Gb/s
Hi-Speed USB 2.0	Transfer rates up to 480Mb/s

You can connect your device to any USB-C or USB Type A port but transfer rates vary. See below for more details.

## Cables

Your d2 Professional is shipped with two cables for universal compatibility with modern computers.

### USB-C to USB-C cable

For optimal transfer rates, use the USB-C to USB-C cable to connect d2 Professional to a USB-C (USB 3.1 or Thunderbolt 3) port on your computer.

d2 Professional

Computer



## USB-C to USB Type A cable

Use the USB-C to USB Type A cable to connect d2 Professional to a Type A (USB 3.0 or USB 2.0) port on your computer.

d2 Professional

Computer



Transfer rates with USB Type A connections have the potential to reach the following speeds:

SuperSpeed USB 3.0

Transfer rates up to 5Gb/s

Hi-Speed USB 2.0

Transfer rates up to 480Mb/s


# Getting Connected

## STEP 1 – Connect the USB cable

Confirm the type of USB port on your computer, and then choose the appropriate cable to connect LaCie d2 Professional.


### USB-C to USB-C

For optimal transfer rates, use the USB-C to USB-C cable to connect d2 Professional to a USB-C (USB 3.1 or Thunderbolt 3) port on your computer.



### USB-C to USB Type A

Use the USB-C to USB Type A cable to connect d2 Professional to a computer's Type A port (USB 3.0 or USB 2.0).




## STEP 2 - Prepare and connect the power supply


LaCie d2 Professional will power on automatically when it is connected to a computer that is turned on and a live power outlet.

- ! Use only the power supply provided with your d2 Professional. Power supplies from third-party devices and other LaCie products can damage your d2 Professional.

1. Press the release tab on the universal power supply to unlock the safety cover. Slide the cover back to remove it.
2. Place the adapter plug for your location into the channel on the power supply. Slide it forward to lock it in place.



3. Connect the power cable to the power input on d2 Professional, and then connect the power supply to a live power outlet.



## STEP 3 - Set up LaCie d2 Professional

The setup process lets you:

---

**Register your device**

Get the most from your device with easy access to information and support.

---

**Install Toolkit**

Manage backup plans, mirror folders, and more.

1. Using a file manager such as File Explorer or Finder, open LaCie d2 Professional and launch Start Here Win or Start Here Mac.



2. Follow the onscreen instructions.



Your computer must be connected to the internet to install Toolkit.

### Learn more about Toolkit

Toolkit provides useful tools that let you easily:

- Manage backup plans (Windows only).
- Create mirror folders.
- Optimize disk format for use with a specific operating system.

For details on Toolkit features, see the [Toolkit user manual](#).

## Storage format

LaCie d2 Professional is delivered preformatted as exFAT for compatibility with both Windows and Mac computers. If you use the drive with only one type of computer, you can optimize file copy performance by formatting the drive in the native file system for your operating system. Choose one of the following methods to optimize your drive:

- Use Toolkit to optimize disk format. See the [Toolkit user manual](#) for details.
- Manually format your drive. See [Optional Formatting and Partitioning](#) for details.



# Disconnecting the hard drive

In order to avoid file system corruption, it's important to unmount your hard drive's volumes before disconnecting the interface cable. See [Safely Remove LaCie d2 Professional From Your Computer](#) for details.

# Optional Formatting and Partitioning

LaCie d2 Professional is delivered formatted in exFAT for compatibility with both Windows and Mac computers. If you use the drive with only one type of computer, you can optimize file copy performance by formatting the drive in the native file system for your operating system—NTFS for Windows or HFS+ for Macs. There are two ways you can optimize performance:

**Toolkit Optimize**—Format your drive for optimal performance with just a few simple clicks.

**Manual formatting**—Use Disk Management (Windows) or Disk Utility (Mac) to format your drive in non-native formats.

## About file system formats

**NTFS**—The native file system for Windows. macOS can read NTFS volumes but cannot natively write to them.

**Mac OS Extended (HFS+)**—The native hard drive file system for macOS. Windows cannot natively read or write to HFS+ ( journaled) volumes.

**APFS (Apple File System)**—An Apple file system optimized for solid state drives (SSDs) and flash-based storage systems. While you can format your hard disk drive (HDD) in APFS, performance may be degraded when files on the drive are routinely subjected to extensive editing (for example, large-scale image, video, audio, and music editing).

**exFAT**—Compatible with Mac and Windows. exFAT is not a journaled file system which means it can be more susceptible to data corruption when errors occur or the drive is not disconnected properly from the computer.

**FAT32**—Compatible with Mac and Windows. However, FAT32 is a legacy file system designed for low capacity hard drives and it is not recommended for modern hard drives or operating systems. A FAT32 partition can reach up to 32GB when formatted on a Windows PC.

## How to choose the file system format

---

### Use NTFS if:

---

...you connect the storage device to Windows computers, and you don't need to allow a Mac to write to the disk.

---

---

### Use HFS+ if:

---

...you connect the storage device to Mac computers, and you don't need to allow a Windows computer to read or write to the disk.

---

### Use exFAT if:

---

...you need to allow both Mac and Windows computers to read and write to the disk.

---

### You can use FAT32 if:

---

...you connect the storage device to older Windows and Mac computers. FAT32 is not recommended for modern operating systems and computers.

## Toolkit Optimive


Use Toolkit Optimize to format your drive for optimal performance with your operating system's native file format— NTFS for Windows or HFS+ for macOS. File transfer rates can be significantly better with the native format.

**!** **Formatting erases everything on the storage device.** LaCie highly recommends that you **back up all data** on your storage device before performing the steps below. LaCie is not responsible for any data lost due to formatting, partitioning, or using a LaCie storage device.

1. Connect LaCie d2 Professional to your computer.
2. Open Toolkit.
3. On the Main Menu, click on the d2 Professional device.
4. Click on the More menu icon for the volume you want to optimize. There are two options:

**OPTIMIZE**— Let Toolkit choose the optimal format for your computer system and configure the volume for you with just a few clicks.

**FORMAT**— Opens the disk management utility for your operating system, which you can use to manually format your drive. Use this option if you want to format the drive in non-native formats.



5. Click [Optimize](#).
6. A notice appears asking you to confirm the format operation. Click [Format](#).

## Manual formatting

Use the steps below to manually format and partition a storage device.

**!** **Formatting erases everything on the storage device.** LaCie highly recommends that you **back up all data** on your storage device before performing the steps below. LaCie is not responsible for any data lost due to formatting, partitioning, or using a LaCie storage device.


## Mac

### macOS version 10.11 and later

1. Open the Finder and go to [Applications > Utilities > Disk Utility](#).
2. In the sidebar to the left, select your d2 Professional drive.



**macOS starting version 10.13**—Make sure to select the disk and not just the volume. If you don't see two entries listed in the sidebar, change the view in disk utility to show both the drive and the volume. The view button is in the upper left side of the Disk Utility window. Change the view to Show All Devices. This feature was introduced in macOS 10.13 and is not available in 10.11 or 10.12.



3. Select [Erase](#).
4. A dialog box opens. Enter a name for the drive. This will be the name displayed when the drive mounts.
5. For Format, select [OS X Extended \(Journaled\)](#).

6. For Scheme, select [GUID Partition Map](#).
7. Click [Erase](#).
8. Disk Utility formats the drive. When it's finished, click [Done](#).

## Windows

1. Make sure the storage device is connected to and mounted on the computer.
2. Go to Search and then type diskmgmt.msc. In the search results, double-click [Disk Management](#).
3. From the list of storage devices in the middle of the Disk Management window, locate your LaCie device.
4. The partition must be available to format. If it is currently formatted, right click on the partition and then choose [Delete](#).
5. To create a new partition, right click on the volume and select [New Simple Volume](#). Follow the on-screen instructions when the New Simple Volume Wizard appears.

# Safely Remove LaCie d2 Professional From Your Computer

Always eject a storage drive from your computer before physically disconnecting it. Your computer must perform filing and housekeeping operations on the drive before it is removed. Therefore, if you unplug the drive without using the operating system's software, your files can become corrupt or damaged.

## Mac

There are several ways you can eject your hard drive from a Mac. See below for two options.

### Eject via Finder window

1. Open a Finder window.
2. On the sidebar, go to Devices and locate the drive you want to eject. Click the eject symbol to the right of the drive name.
3. Once the hard drive disappears from the sidebar or, the Finder window closes, you can disconnect the hard drive's cable from your Mac.

### Eject via Desktop

1. Select the desktop icon for your hard drive and drag it to the Trash.
2. When the hard drive's icon is no longer visible on your desktop, you can physically disconnect the hard drive from your Mac.


## Windows

Use the Safely Remove tool to eject a hard drive.

1. Click the Safely Remove icon in your Windows System Tray to view the devices you can eject.



Windows 8 / Windows 10



2. If you don't see the Safely Remove Hardware icon, click the Show hidden icons arrow in the system tray to display all icons in the notification area.
3. In the list of devices, choose the device you want to eject. Windows displays a notification when it is safe to remove the device.
4. Disconnect the hard drive from the computer.

# Frequently Asked Questions

For help setting up and using your LaCie hard drive, review the frequently asked questions below. For additional support resources, go to [www.lacie.com/support/d2-pro](http://www.lacie.com/support/d2-pro).

## Hard drive icon

[Why does the hard drive icon not appear on my desktop \(Mac\)?](#)

[Why does the hard drive icon not appear in Computer \(Windows\)?](#)

## File transfers

[Why are my file transfers slow?](#)

## File transfer error messages

[Why did I get an error message telling me that the drive has been disconnected when coming out of sleep mode?](#)

[Why did I get an "Error -50" message while copying to a FAT32 volume?](#)

## Using a USB hub for USB devices

[Can I use my hard drive with a USB hub?](#)

## Provided USB cables

[Can I use my hard drive with a longer cable?](#)

## USB 2.0 ports

[Will my hard drive's USB 3.1 Gen 1 port work with my computer's USB 2.0 port?](#)



# Regulatory Compliance

## FCC Declaration of Conformance

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

## FCC Class A Information

This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

## FCC Caution

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

## Important Note: FCC Radiation Exposure Statement

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator and your

body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter. The availability of some specific channels and/or operational frequency bands are country dependent and are firmware programmed at the factory to match the intended destination. The firmware setting is not accessible by the end user.

## China/Taiwan RoHS

### China RoHS 2



China RoHS 2 refers to the Ministry of Industry and Information Technology Order No. 32, effective July 1, 2016, titled Management Methods for the Restriction of the Use of Hazardous Substances in Electrical and Electronic Products. To comply with China RoHS 2, we determined this product's Environmental Protection Use Period (EPUP) to be 20 years in accordance with the

, SJT 11364-2014.

中国 RoHS 2 是指 2016 年 7 月 1 日起施行的工业和信息化部令第 32 号“电力电子产品限制使用有害物质管理办法”。为了符合中国 RoHS 2 的要求，我们根据“电子电气产品有害物质限制使用标识”(SJT 11364-2014) 确定本产品的环保使用期 (EPUP) 为 20 年。

部件名称 Part Name	有害物质 Hazardous Substances					
	铅 (Pb)	汞 (Hg)	镉 (Cd)	六价铬 (Cr <sup>+6</sup> )	多溴联苯 (PBB)	多溴二苯醚 (PBDE)
硬盘驱动器 HDD	X	○	○	○	○	○
外接硬盘印刷电路 板 Bridge PCBA	X	○	○	○	○	○
电源 (如果提供) Power Supply (if provided)	X	○	○	○	○	○
接口电缆 (如果提供) Interface cable (if provided)	X	○	○	○	○	○

其他外壳组件 Other enclosure components	○	○	○	○	○	○
-----------------------------------------	---	---	---	---	---	---

本表格依据 SJ/T 11364 的规定编制。

This table is prepared in accordance with the provisions of SJ/T 11364-2014

○：表示该有害物质在该部件所有均质材料中的含量均在 GB/T 26572 规定的限量要求以下。

○：Indicates that the hazardous substance contained in all of the homogeneous materials for this part is below the limit requirement of GB/T26572.

X：表示该有害物质至少在该部件的某一均质材料中的含量超出 GB/T 26572 规定的限量要求。

X：Indicates that the hazardous substance contained in at least one of the homogeneous materials used for this part is above the limit requirement of GB/T26572.

## Taiwan RoHS

Taiwan RoHS refers to the Taiwan Bureau of Standards, Metrology and Inspection's (BSMI's) requirements in standard CNS 15663, Guidance to reduction of the restricted chemical substances in electrical and electronic equipment. Beginning on January 1, 2018, Seagate products must comply with the "Marking of presence" requirements in Section 5 of CNS 15663. This product is Taiwan RoHS compliant.

The following table meets the Section 5 "Marking of presence" requirements.

台灣RoHS是指台灣標準局計量檢驗局(BSMI)對標準CNS15663要求的減排電子電氣設備限用化學物質指引。從2018年1月1日起, Seagate 產品必須符合CNS15663第5節「含有標示」要求。本產品符合台灣RoHS。下表符合第5節「含有標示」要求。

產品名稱：外接式磁碟陣列，型號：LRDMU03 Product Name: LaCie d2 Professional, Model: LRDMU03						
單元 Unit	限用物質及其化學符號 Restricted Substance and its chemical symbol					
	鉛 (Pb)	汞 (Hg)	鎘 (Cd)	六價鉻 (Cr <sup>+6</sup> )	多溴聯苯 (PBB)	多溴二苯醚 (PBDE)
硬盘驱动器 HDD	—	○	○	○	○	○

外接硬盤印刷電路板 Bridge PCBA	—	○	○	○	○	○
電源 (如果提供) Power Supply (if provided)	—	○	○	○	○	○
接口電纜 (如果提供) Interface cable (if provided)	—	○	○	○	○	○
其他外殼組件 Other enclosure components	○	○	○	○	○	○

備考 1. "○" 係指該項限用物質之百分比含量未超出百分比含量基準值。

Note 1. "○" indicates that the percentage content of the restricted substance does not exceed the percentage of reference value of presence.

備考 2. "—" 係指該項限用物質為排除項目。

Note 2. "—" indicates that the restricted substance corresponds to the exemption.

## Industry Canada

This device complies with RSS-210 of the Industry Canada Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Ce dispositif est conforme à la norme CNR-210 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

## Important Note for mobile device use

**Radiation Exposure Statement:** This equipment complies with IC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.

# Note Importante pour l'utilisation de dispositifs mobiles

## Déclaration d'exposition aux radiations:

Cet équipement est conforme aux limites d'exposition aux rayonnements IC établies pour un environnement non contrôlé. Cet équipement doit être installé et utilisé avec un minimum de 20 cm de distance entre la source de rayonnement et votre corps.

## Europe – EU Declaration of Conformity

This device complies with the essential requirements of the EMC Directive 2004/108/EC. The following test methods have been applied in order to prove presumption of conformity with the essential requirements of the EMC Directive 2004/108/EC:

- EN 60950-1:2006/AC:2011: Information technology equipment - Safety - Part 1: General requirements
- EN 55022: 2010/AC:2011: Information technology equipment - Radio disturbance characteristics
  - Limits and methods of measurement
- EN 55024: 2010: Information technology equipment - Immunity characteristics - Limits and methods of measurement

Česky [Czech]	LaCie tímto prohlašuje, že tento direct attached storage device je ve shodě se základními požadavky a dalšími příslušnými ustanoveními směrnice 2004/5/ES.
Dansk [Danish]	Undertegnede LaCie erklærer herved, at følgende udstyr direct attached storage device overholder de væsentlige krav og øvrige relevante krav i direktiv 2004/5/EF.
Deutsch [German]	Hiermit erkläre LaCie, dass sich das Gerät direct attached storage device in Übereinstimmung mit den grundlegenden Anforderungen und den übrigen einschlägigen Bestimmungen der Richtlinie 2004/5/EG befindet.
Eesti [Estonian]	Käesolevaga kinnitab LaCie seadme direct attached storage device vastavust direktiivi 2004/5/EÜ põhinõuetele ja nimetatud direktiivist tulenevatele teistele asjakohastele sätetele.
English	Hereby, LaCie, declares that this direct attached storage device is in compliance with the essential requirements and other relevant provisions of Directive 2004/5/EC.
Español [Spanish]	Por medio de la presente LaCie declara que el direct attached storage device cumple con los requisitos esenciales y cualesquiera otras disposiciones aplicables o exigibles de la Directiva 2004/5/CE.
Ελληνική [Greek]	ΜΕ ΤΗΝ ΠΑΡΟΥΣΑ LaCie ΔΗΛΩΝΕΙ direct attached storage device ΣΥΜΜΟΡΦΩΝΕΤΑΙ ΠΡΟΣ ΤΙΣ ΟΥΣΙΩΔΕΙΣ ΑΠΑΙΤΗΣΕΙΣ ΚΑΙ ΤΙΣ ΛΟΙΠΕΣ ΣΧΕΤΙΚΕΣ ΔΙΑΤΑΞΕΙΣ ΤΗΣ ΟΔΗΓΙΑΣ 2004/5/ΕΚ.
Français [French]	Par la présente LaCie déclare que l'appareil direct attached storage device est conforme aux exigences essentielles et aux autres dispositions pertinentes de la directive 2004/5/CE.

Italiano [Italian]	Con la presente LaCie dichiara che questo direct attached storage device è conforme ai requisiti essenziali ed alle altre disposizioni pertinenti stabilite dalla direttiva 2004/5/CE.
Latviski [Latvian]	Ar šo LaCie deklarē, ka direct attached storage device atbilst Direktīvas 2004/104/EK būtiskajām prasībām un citiem ar to saistītajiem noteikumiem.
Lietuvių [Lithuanian]	Šiuo LaCie deklaruoja, kad šis direct attached storage device atitinka esminius reikalavimus ir kitas 2004/104/EB Direktyvos nuostatas.
Nederlands [Dutch]	Hierbij verklaart LaCie dat het toestel direct attached storage device in overeenstemming is met de essentiële eisen en de andere relevante bepalingen van richtlijn 2004/104/EG.
Malti [Maltese]	Hawnhekk, LaCie, jiddikjara li dan direct attached storage device jikkonforma mal-ħtiġijiet essenzjali u ma provvedimenti oħrajn rilevanti li hemm fid-Direttiva 2004/104/EC.
Magyar [Hungarian]	Alulírott, LaCie nyilatkozom, hogy a direct attached storage device megfelel a vonatkozó alapvető követelményeknek és az 2004/104/EC irányelv egyéb előírásainak.
Polski [Polish]	Niniejszym LaCie oświadcza, że direct attached storage device jest zgodny z zasadniczymi wymogami oraz pozostałymi stosownymi postanowieniami Dyrektywy 2004/104/EC.
Português [Portuguese]	LaCie declara que este direct attached storage device está conforme com os requisitos essenciais e outras disposições da Directiva 2004/104/CE.
Slovensko [Slovenian]	LaCie izjavlja, da je at direct attached storage device v skladu z bistvenimi zahtevami in ostalimi relevantnimi določili direktive 2004/104/ES.
Slovensky [Slovak]	LaCie týmto vyhlasuje, že direct attached storage device spĺňa základné požiadavky a všetky príslušné ustanovenia Smernice 2004/104/ES.
Suomi [Finnish]	LaCie vakuuttaa täten että direct attached storage device tyyppinen laite on direktiivin 2004/104/EY oleellisten vaatimusten ja sitä koskevien direktiivin muiden ehtojen mukainen.
Svenska [Swedish]	Härmed intygar LaCie att denna direct attached storage device står i överensstämmelse med de väsentliga egenskapskrav och övriga relevanta bestämmelser som framgår av direktiv 2004/104/EG.

## Power source



**Caution:** Use the product with the provided power cable only.



**Note:** To protect your data, always follow the safe removal procedures for your operating system when disconnecting your product.